[MS-DFSC]: Distributed File System (DFS) Referral Protocol

This topic lists the Errata found in [MS-DFSC] since it was last published. Since this topic is updated frequently, we recommend that you subscribe to these RSS or Atom feeds to receive update notifications.



Errata are subject to the same terms as the Open Specifications documentation referenced.

Errata below are for Protocol Document Version <u>V28.0 – 2018/09/12</u>.

Errata Published*	Description
2018/10/29	In Section 3.1.4.2, Sending a DFS Referral Request to the Server, the following has been changed from:
	The client MUST query the DFS referral, as specified in [MS-CIFS] section 3.4.4.9, by passing ClientGenericContext, HostName, UserCredentials, MaxOutputSize, the REQ_GET_DFS_REFERRAL_EX or REQ_GET_DFS_REFERRAL structure as the input buffer, and the FSCTL code set to FSCTL_DFS_GET_REFERRALS or FSCTL_DFS_GET_REFERRALS_EX based on the input buffer.
	Changed to:
	The client MUST query the DFS referral, as specified in [MS-CIFS] section 3.4.4.9, by passing ClientGenericContext, HostName, UserCredentials, MaxOutputSize, the REQ_GET_DFS_REFERRAL_EX or REQ_GET_DFS_REFERRAL structure as the input buffer, and the FSCTL code set to FSCTL_DFS_GET_REFERRALS, if the input buffer is an REQ_GET_DFS_REFERRAL, or FSCTL_DFS_GET_REFERRALS_EX, if the input buffer is an REQ_GET_DFS_REFERRAL_EX.

^{*}Date format: YYYY/MM/DD