

## [MS-DTYP]: Windows Data Types

This topic lists the Errata found in the MS-DTYP document since it was last published. Since this topic is updated frequently, we recommend that you subscribe to these RSS or Atom feeds to receive update notifications.

Errata are subject to the same terms as the Open Specifications documentation referenced.



To view a PDF file of the errata for the previous versions of this document, see the following ERRATA Archives:

October 16, 2015 - [Download](#)

June 30, 2015 - [Download](#)

July 18, 2016 - [Download](#)

June 1, 2017 - [Download](#)

September 15, 2017 - [Download](#)

December 1, 2017 - [Download](#)

September 12, 2018 - [Download](#)

April 7, 2021 - [Download](#)

April 29, 2022 - [Download](#)

Errata below are for Protocol Document Version [V38.0 – 2022/04/29](#).

Errata Published*	Description
2023/01/30	<p>In section 2.4.4.17.9, "Examples: Conditional Expression Binary Representation," changed row 1, column 1 text in Figures 4 and 5:</p> <p>Changed from: SSDL (descending in post-fix notation)</p> <p>Changed to: SDDL (descending in post-fix notation)</p>
2022/12/13	<p>In Section 2.2.57, "UNC", revised the description of creating a hostname from an IPV6 address: changed ipv6literal.net to ipv6-literal.net in the description.</p> <p>Changed from:</p> <p>An IPV6 address host-name is formed by substituting hyphens for the colons and appending ".ipv6literal.net". For example, the IPV6 address 2001:DB8:D87:FFFF:CCAA:132B:1:221B becomes 2001-DB8-D87-FFFF-CCAA-132B-1-221B.ipv6-literal.net.</p> <p>Changed to:</p>

<b>Errata Published*</b>	<b>Description</b>
	An IPV6 address host-name is formed by substituting hyphens for the colons and appending ".ipv6-literal.net". For example, the IPV6 address 2001:DB8:D87:FFFF:CCAA:132B:1:221B becomes 2001-DB8-D87-FFFF-CCAA-132B-1-221B.ipv6-literal.net.

\*Date format: YYYY/MM/DD