

[MS-MWBE-Diff]:

Microsoft Web Browser Federated Sign-On Protocol Extensions

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation (“this documentation”) for protocols, file formats, data portability, computer languages, and standards support. Additionally, overview documents cover inter-protocol relationships and interactions.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you can make copies of it in order to develop implementations of the technologies that are described in this documentation and can distribute portions of it in your implementations that use these technologies or in your documentation as necessary to properly document the implementation. You can also distribute in your implementation, with or without modification, any schemas, IDLs, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications documentation.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that might cover your implementations of the technologies described in the Open Specifications documentation. Neither this notice nor Microsoft's delivery of this documentation grants any licenses under those patents or any other Microsoft patents. However, a given Open Specifications document might be covered by the Microsoft [Open Specifications Promise](#) or the [Microsoft Community Promise](#). If you would prefer a written license, or if the technologies described in this documentation are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplg@microsoft.com.
- **License Programs.** To see all of the protocols in scope under a specific license program and the associated patents, visit the [Patent Map](#).
- **Trademarks.** The names of companies and products contained in this documentation might be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights. For a list of Microsoft trademarks, visit www.microsoft.com/trademarks.
- **Fictitious Names.** The example companies, organizations, products, domain names, email addresses, logos, people, places, and events that are depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than as specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications documentation does not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments, you are free to take advantage of them. Certain Open Specifications documents are intended for use in conjunction with publicly available standards specifications and network programming art and, as such, assume that the reader either is familiar with the aforementioned material or has immediate access to it.

Support. For questions and support, please contact dochelp@microsoft.com.

Revision Summary

Date	Revision History	Revision Class	Comments
10/22/2006	0.01	New	Version 0.01 release
1/19/2007	1.0	Major	Version 1.0 release
3/2/2007	1.1	Minor	Version 1.1 release
4/3/2007	1.2	Minor	Version 1.2 release
5/11/2007	1.3	Minor	Version 1.3 release
6/1/2007	1.3.1	Editorial	Changed language and formatting in the technical content.
7/3/2007	1.3.2	Editorial	Changed language and formatting in the technical content.
7/20/2007	1.3.3	Editorial	Changed language and formatting in the technical content.
8/10/2007	1.4	Minor	Clarified the meaning of the technical content.
9/28/2007	1.4.1	Editorial	Changed language and formatting in the technical content.
10/23/2007	1.5	Minor	Clarified the meaning of the technical content.
11/30/2007	1.6	Minor	Clarified the meaning of the technical content.
1/25/2008	1.6.1	Editorial	Changed language and formatting in the technical content.
3/14/2008	1.6.2	Editorial	Changed language and formatting in the technical content.
5/16/2008	1.6.3	Editorial	Changed language and formatting in the technical content.
6/20/2008	1.6.4	Editorial	Changed language and formatting in the technical content.
7/25/2008	1.6.5	Editorial	Changed language and formatting in the technical content.
8/29/2008	1.6.6	Editorial	Changed language and formatting in the technical content.
10/24/2008	2.0	Major	Updated and revised the technical content.
12/5/2008	3.0	Major	Updated and revised the technical content.
1/16/2009	3.0.1	Editorial	Changed language and formatting in the technical content.
2/27/2009	3.0.2	Editorial	Changed language and formatting in the technical content.
4/10/2009	3.0.3	Editorial	Changed language and formatting in the technical content.
5/22/2009	3.1	Minor	Clarified the meaning of the technical content.
7/2/2009	4.0	Major	Updated and revised the technical content.
8/14/2009	5.0	Major	Updated and revised the technical content.
9/25/2009	5.1	Minor	Clarified the meaning of the technical content.
11/6/2009	5.1.1	Editorial	Changed language and formatting in the technical content.
12/18/2009	5.1.2	Editorial	Changed language and formatting in the technical content.
1/29/2010	5.2	Minor	Clarified the meaning of the technical content.

Date	Revision History	Revision Class	Comments
3/12/2010	5.2.1	Editorial	Changed language and formatting in the technical content.
4/23/2010	5.2.2	Editorial	Changed language and formatting in the technical content.
6/4/2010	5.2.3	Editorial	Changed language and formatting in the technical content.
7/16/2010	6.0	Major	Updated and revised the technical content.
8/27/2010	6.0	None	No changes to the meaning, language, or formatting of the technical content.
10/8/2010	6.0	None	No changes to the meaning, language, or formatting of the technical content.
11/19/2010	6.0	None	No changes to the meaning, language, or formatting of the technical content.
1/7/2011	7.0	Major	Updated and revised the technical content.
2/11/2011	7.0	None	No changes to the meaning, language, or formatting of the technical content.
3/25/2011	7.0	None	No changes to the meaning, language, or formatting of the technical content.
5/6/2011	7.0	None	No changes to the meaning, language, or formatting of the technical content.
6/17/2011	7.1	Minor	Clarified the meaning of the technical content.
9/23/2011	7.1	None	No changes to the meaning, language, or formatting of the technical content.
12/16/2011	8.0	Major	Updated and revised the technical content.
3/30/2012	8.0	None	No changes to the meaning, language, or formatting of the technical content.
7/12/2012	8.0	None	No changes to the meaning, language, or formatting of the technical content.
10/25/2012	8.0	None	No changes to the meaning, language, or formatting of the technical content.
1/31/2013	8.0	None	No changes to the meaning, language, or formatting of the technical content.
8/8/2013	9.0	Major	Updated and revised the technical content.
11/14/2013	9.0	None	No changes to the meaning, language, or formatting of the technical content.
2/13/2014	9.0	None	No changes to the meaning, language, or formatting of the technical content.
5/15/2014	9.0	None	No changes to the meaning, language, or formatting of the technical content.
6/30/2015	10.0	Major	Significantly changed the technical content.
7/14/2016	10.0	None	No changes to the meaning, language, or formatting of the technical content.

Date	Revision History	Revision Class	Comments
<u>6/1/2017</u>	<u>11.0</u>	<u>Major</u>	<u>Significantly changed the technical content.</u>

Table of Contents

1	Introduction	7
1.1	Glossary	7
1.2	References	10
1.2.1	Normative References	10
1.2.2	Informative References	11
1.3	Overview	11
1.3.1	Query String Response Transfer Protocol	11
1.3.2	SAML 1.1 Assertion Extension	12
1.4	Relationship to Other Protocols	12
1.5	Prerequisites/Preconditions	12
1.6	Applicability Statement	12
1.7	Versioning and Capability Negotiation	12
1.8	Vendor-Extensible Fields	13
1.9	Standards Assignments.....	13
2	Messages.....	14
2.1	Transport.....	14
2.1.1	Query String Response Transfer Protocol	14
2.2	Message Syntax.....	14
2.2.1	XML Namespace References.....	14
2.2.2	Query String Response Transfer Protocol	14
2.2.2.1	wsignin1.0 Message	14
2.2.2.1.1	Common Parameters	14
2.2.2.1.2	wsignin1.0 Response	14
2.2.3	SAML 1.1 Assertion Extension	15
2.2.3.1	SAML Advice Elements.....	15
2.2.3.2	WindowsIdentifiers Structure.....	15
2.2.3.2.1	WindowsIdentifierFlags Structure	16
2.2.3.2.2	PACKED_SIDs Structure	16
2.3	Directory Service Schema Elements	17
3	Protocol Details	18
3.1	IP/STS Details	18
3.1.1	Abstract Data Model.....	18
3.1.1.1	Query String Response Transfer Protocol	18
3.1.1.1.1	Pending Result	18
3.1.1.1.2	Maximum Query String Response Message Length.....	18
3.1.2	Timers	19
3.1.3	Initialization.....	19
3.1.4	Higher-Layer Triggered Events	19
3.1.5	Processing Events and Sequencing Rules	19
3.1.5.1	Query String Response Transfer Protocol	19
3.1.5.1.1	Receiving a wsignin1.0 Request That Does Not Specify a ttpindex	19
3.1.5.1.2	Receiving a wsignin1.0 Request That Specifies a ttpindex of 0	19
3.1.5.1.3	Receiving a wsignin1.0 Request That Specifies a ttpindex Other Than 0 ..	19
3.1.5.1.4	Responding to a wsignin1.0 Request That Specifies a ttpindex	20
3.1.5.2	SAML 1.1 Assertion Extension.....	20
3.1.5.2.1	Responding to a wsignin1.0 Request	20
3.1.5.2.1.1	ClaimSource Element	20
3.1.5.2.1.2	CookieInfoHash Element.....	20
3.1.5.2.1.3	WindowsUserIdentifier Element	21
3.1.5.2.1.4	WindowsUserName Element	21
3.1.5.2.1.5	WindowsIdentifiers Element	21
3.1.6	Timer Events.....	21
3.1.7	Other Local Events.....	21

3.2	Relying Party Details	21
3.2.1	Abstract Data Model.....	21
3.2.1.1	Query String Response Transfer Protocol	21
3.2.1.1.1	Aggregated Result	21
3.2.2	Timers	21
3.2.3	Initialization.....	22
3.2.4	Higher-Layer Triggered Events	22
3.2.5	Processing Events and Sequencing Rules	22
3.2.5.1	Query String Response Transfer Protocol	22
3.2.5.1.1	Sending a wsignin1.0 Request.....	22
3.2.5.1.2	Receiving a wsignin1.0 Response That Does Not Specify a ttpindex	22
3.2.5.1.3	Receiving a wsignin1.0 Response That Specifies a ttpindex	22
3.2.5.1.4	Processing the Complete Aggregated Result.....	23
3.2.5.2	SAML 1.1 Assertion Extension.....	23
3.2.6	Timer Events.....	23
3.2.7	Other Local Events.....	23
3.3	Web Browser Requestor Details	23
3.3.1	Abstract Data Model.....	23
3.3.2	Timers	24
3.3.3	Initialization.....	24
3.3.4	Higher Layer Triggered Events	24
3.3.5	Processing Events and Sequencing Rules	24
3.3.6	Timer Events.....	24
3.3.7	Other Local Events.....	24
4	Protocol Examples	25
4.1	Query String Response Transfer Protocol.....	25
4.1.1	Annotated Example.....	25
4.1.2	Full Network Trace	28
4.2	SAML 1.1 Assertion Extension.....	42
5	Security	44
5.1	Security Considerations for Implementers	44
5.1.1	Data Integrity	44
5.1.2	Privacy	44
5.1.3	Authorization Validation and Filtering	44
5.2	Index of Security Parameters	44
6	Appendix A: Product Behavior	45
7	Change Tracking.....	49
8	Index.....	50

1 Introduction

This specification extends the Microsoft Web Browser Federated Sign-On Protocol described in [MS-MWBF]. It is assumed that the reader is familiar with its terms, concepts, and protocols.

The extensions defined in this specification enable web browser requestors that do not support scripting (to create POST messages) and enable passing security identifiers (SIDs) in Security Assertion Markup Language (SAML) 1.1 assertions. These extensions are referred to, respectively, as the Query String Response Transfer Protocol and the SAML 1.1 Assertion Extension.

The Microsoft Web Browser Federated Sign-On Protocol specifies the use of HTTP POST to transmit the wsignin1.0 result. The use of HTTP POST requires web browser requestors to support scripting for automated form submittal, but web browser requestors do not always have scripting support. The Query String Response Transfer Protocol provides a method for using a series of HTTP GET messages instead of a single HTTP POST to transmit the result of a wsignin1.0 action. This eliminates the scripting requirement for the web browser requestor. That is, the extension increases the number of messages needed to perform a wsignin1.0 action to avoid the POST message.

The SAML 1.1 Assertion Extension is an extension of the Microsoft Web Browser Federated Sign-On Protocol that specifies a method for transmitting SIDs as elements in SAML advice.

Sections 1.5, 1.8, 1.9, 2, and 3 of this specification are normative. All other sections and examples in this specification are informative.

1.1 Glossary

This document uses the following terms:

account: A user (including machine account), group, or alias object. Also a synonym for security principal or principal.

Active Directory: A general-purpose network directory service. Active Directory also refers to the Windows implementation of a directory service. Active Directory stores information about a variety of objects in the network. Importantly, user accounts, computer accounts, groups, and all related credential information used by the Windows implementation of Kerberos are stored in Active Directory. Active Directory is either deployed as Active Directory Domain Services (AD DS) or Active Directory Lightweight Directory Services (AD LDS). [MS-ADTS] describes both forms. For more information, see [MS-AUTHSOD] section 1.1.1.5.2, Lightweight Directory Access Protocol (LDAP) versions 2 and 3, Kerberos, and DNS.

aggregated result: The assembly of received parts transferred using the Query String Response Transfer Protocol. The aggregated result is assembled at a relying party and might not represent the complete result if all parts have not been received. Once complete, the relying party extracts a RequestSecurityTokenResponse (RSTR) from the aggregated result. For more information, see section 3.2.1.1.1.

base64 encoding: A binary-to-text encoding scheme whereby an arbitrary sequence of bytes is converted to a sequence of printable ASCII characters, as described in [RFC4648].

claim: A declaration made by an entity (for example, name, identity, key, group, privilege, and capability). For more information, see [WSFederation1.2] [sections 1.4 and 2.1](#).

domain: A set of users and computers sharing a common namespace and management infrastructure. At least one computer member of the set must act as a domain controller (DC) and host a member list that identifies all members of the domain, as well as optionally hosting the Active Directory service. The domain controller provides authentication ~~(2)~~ of members, creating a unit of trust for its members. Each domain has an identifier that is shared among its members. For more information, see [MS-AUTHSOD] section 1.1.1.5 and [MS-ADTS].

forest: One or more domains that share a common schema and trust each other transitively. An organization can have multiple forests. A forest establishes the security and administrative boundary for all the objects that reside within the domains that belong to the forest. In contrast, a domain establishes the administrative boundary for managing objects, such as users, groups, and computers. In addition, each domain has individual security policies and trust relationships with other domains.

global group: An Active Directory group that allows user objects from its own domain and global groups from its own domain as members. Also called domain global group. Universal groups can contain global groups. A group object *g* is a global group if and only if `GROUP_TYPE_ACCOUNT_GROUP` is present in `g!groupType`; see [MS-ADTS] section 2.2.12, "Group Type Flags". A global group that is also a security-enabled group is valid for inclusion within ACLs anywhere in the forest. If a domain is in mixed mode, then a global group in that domain that is also a security-enabled group allows only user object as members. See also domain local group, security-enabled group.

identity provider/security token service (IP/STS): An STS that might also be an identity provider (IP). This term is used as shorthand to see both identity that verifies token services and general token services that do not verify identity. Note that the "/" symbol implies an "or" relationship.

Lightweight Directory Access Protocol (LDAP): The primary access protocol for Active Directory. Lightweight Directory Access Protocol (LDAP) is an industry-standard protocol, established by the Internet Engineering Task Force (IETF), which allows users to query and update information in a directory service (DS), as described in [MS-ADTS]. The Lightweight Directory Access Protocol can be either version 2 [RFC1777] or version 3 [RFC3377].

little-endian: Multiple-byte values that are byte-ordered with the least significant byte stored in the memory location with the lowest address.

NetBIOS: A particular network transport that is part of the LAN Manager protocol suite. NetBIOS uses a broadcast communication style that was applicable to early segmented local area networks. ~~The LAN Manager protocols were the default in Windows NT operating system environments prior to Windows 2000 operating system.~~ A protocol family including name resolution, datagram, and connection services. For more information, see [RFC1001] and [RFC1002].

pending result: The transformed RequestSecurityTokenResponse (RSTR) that an identity provider/security token service (IP/STS) maintains for the duration of a Query String Response Transfer Protocol message series. Each message in the Query String Response Transfer Protocol transfers a portion of the pending result to the relying party, where the portions are assembled into the aggregated result. For more information, see section 3.1.1.1.1.

relative identifier (RID): The last item in the series of SubAuthority values in a security identifier (SID) [SIDD]. It distinguishes one account or group from all other accounts and groups in the domain. No two accounts or groups in any domain share the same RID.

relying party (RP): A web application or service that consumes security tokens issued by a security token service (STS).

requestor IP/STS: An IP/STS in the same security realms as the web browser requestor. The requestor IP/STS has an existing relationship with the user that enables it to issue security tokens containing user information.

RequestSecurityTokenResponse (RSTR): An XML element used to return an issued security token and associated metadata. An RSTR element is the result of the `wsignin1.0` action in the Web Browser Federated Sign-On Protocol. For more information, see [MS-MWBF] section 2.2.4.1.

resource IP/STS: An IP/STS in the same security realm as the web service (WS) resource. The resource IP/STS has an existing relationship with the WS resource that enables it to issue security tokens that are trusted by the WS resource.

SAML advice: The advice element of a SAML assertion. The data in the advice element is advisory and can be ignored without affecting the validity of the assertion. See [SAMLCore] section 2.3.2.2. The SAML 1.1 Assertion Extension includes security identifiers (SIDs) and related data in the SAML advice element.

SAML assertion: The Security Assertion Markup Language (SAML) 1.1 assertion is a standard XML format for representing a security token. For more information, see [SAMLCore] section 2.

security identifier (SID): An identifier for security principals ~~in Windows~~ that is used to identify an account or a group. Conceptually, the SID is composed of an account authority portion (typically a domain) and a smaller integer representing an identity relative to the account authority, termed the relative identifier (RID). The SID format is specified in [MS-DTYP] section 2.4.2; a string representation of SIDs is specified in [MS-DTYP] section 2.4.2 and [MS-AZOD] section 1.1.1.2.

security realm or security domain: Represents a single unit of security administration or trust, for example, a Kerberos realm (for more information, see [RFC4120]) or a Windows Domain (for more information, see [MSFT-ADC]).

security token: A collection of one or more claims. Specifically in the case of mobile devices, a security token represents a previously authenticated user as defined in the Mobile Device Enrollment Protocol [MS-MDE].

subject: The entity to which the claims and other data in a SAML assertion apply. For more information, see [SAMLCore] section 1.3.1.

trusted forest: A forest that is trusted to make authentication statements for security principals in that forest. Assuming forest A trusts forest B, all domains belonging to forest A will trust all domains in forest B, subject to policy configuration.

universal group: An Active Directory group that allows user objects, global groups, and universal groups from anywhere in the forest as members. A group object g is a universal group if and only if GROUP_TYPE_UNIVERSAL_GROUP is present in g! groupType. A security-enabled universal group is valid for inclusion within ACLs anywhere in the forest. If a domain is in mixed mode, then a universal group cannot be created in that domain. See also domain local group, security-enabled group.

user: A person who employs a web browser requestor to access a WS resource.

user agent: An HTTP user agent, as specified in [RFC2616].

web browser requestor: An HTTP 1.1 web browser client that transmits protocol messages between an IP/STS and a relying party.

web service (WS) resource: A destination HTTP 1.1 web application or an HTTP 1.1 resource serviced by the application. In the context of this protocol, it refers to the application or manager of the resource that receives identity information and assertions issued by an IP/STS using this protocol. The WS resource is a relying party in the context of this protocol. For more information, see [WSFederation1.2] ~~sections 1.4 and 2.~~

wsignin1.0: A protocol message exchange defined in [WSFederation1.2] sections 2.1 and 3.1. The wsignin1.0 request and response are the HTTP binding for the WS-Trust Issue action and response; as such, the WS-Trust RSTR element is used to return the issued security token in the wsignin1.0 response ([WSTrust] section 3.2). For more information, see [MS-MWBF] section 2.2.

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as defined in [RFC2119]. All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

Links to a document in the Microsoft Open Specifications library point to the correct section in the most recently published version of the referenced document. However, because individual documents in the library are not updated at the same time, the section numbers in the documents may not match. You can confirm the correct section numbering by checking the Errata.

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information.

[MS-ADA1] Microsoft Corporation, "Active Directory Schema Attributes A-L".

[MS-ADA3] Microsoft Corporation, "Active Directory Schema Attributes N-Z".

[MS-DTYP] Microsoft Corporation, "Windows Data Types".

[MS-MWBF] Microsoft Corporation, "Microsoft Web Browser Federated Sign-On Protocol".

[RFC1950] Deutsch, P., and Gailly, J-L., "ZLIB Compressed Data Format Specification version 3.3", RFC 1950, May 1996, <http://www.ietf.org/rfc/rfc1950.txt>

[RFC1951] Deutsch, P., "DEFLATE Compressed Data Format Specification version 1.3", RFC 1951, May 1996, <http://www.ietf.org/rfc/rfc1951.txt>

[RFC2045] Freed, N., and Borenstein, N., "Multipurpose Internet Mail Extensions (MIME) Part One: Format of Internet Message Bodies", RFC 2045, November 1996, <http://www.rfc-editor.org/rfc/rfc2045.txt>

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.rfc-editor.org/rfc/rfc2119.txt>

[RFC2279] Yergeau, F., "UTF-8, a transformation format of ISO 10646", RFC 2279, January 1998, <http://www.rfc-editor.org/rfc/rfc2279.txt>

[RFC2396] Berners-Lee, T., Fielding, R., and Masinter, L., "Uniform Resource Identifiers (URI): Generic Syntax", RFC 2396, August 1998, <http://www.rfc-editor.org/rfc/rfc2396.txt>

[RFC2616] Fielding, R., Gettys, J., Mogul, J., et al., "Hypertext Transfer Protocol -- HTTP/1.1", RFC 2616, June 1999, <http://www.rfc-editor.org/rfc/rfc2616.txt>

[RFC2965] Kristol, D. and Montulli, L., "HTTP State Management Mechanism", RFC 2965, October 2000, <http://www.ietf.org/rfc/rfc2965.txt>

[RFC4395] Hansen, T., et al., "Guidelines and Registration Procedures for New URI Schemes", BCP 115, RFC 4395, February 2006, <http://www.ietf.org/rfc/rfc4395.txt>

[SAMLCore] Maler, E., Mishra, P., Philpott, R., et al., "Assertions and Protocol for the OASIS Security Assertion Markup Language (SAML) V1.1", September 2003, <http://www.oasis-open.org/committees/download.php/3406/oasis-sstc-saml-core-1.1.pdf>

[WSFederation1.2] Kaler, C., McIntosh, M., "Web Services Federation Language (WS-Federation)", Version 1.2, May 2009, <http://docs.oasis-open.org/wsfed/federation/v1.2/os/ws-federation-1.2-spec-os.html>

[WSFederation] Kaler, C., Nadalin, A., Bajaj, S., et al., "Web Services Federation Language (WS-Federation)", Version 1.1, December 2006, <http://specs.xmlsoap.org/ws/2006/12/federation/ws-federation.pdf>

[XMLSCHEMA2] Biron, P.V., Ed. and Malhotra, A., Ed., "XML Schema Part 2: Datatypes", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-2-20010502/>

[XML] World Wide Web Consortium, "Extensible Markup Language (XML) 1.0 (Fourth Edition)", W3C Recommendation 16 August 2006, edited in place 29 September 2006, <http://www.w3.org/TR/2006/REC-xml-20060816/>

1.2.2 Informative References

[FIPS180] FIPS PUBS, "Secure Hash Standard", FIPS PUB 180-1, April 1995, <http://niatec.info/GetFile.aspx?pid=63>

[IANAScheme] IANA, "Uniform Resource Identifier (URI) Schemes per RFC4395", November 2006, <http://www.iana.org/assignments/uri-schemes/uri-schemes.xhtml>

[MAXURL] Microsoft Corporation, "Maximum URL Length Is 2,083 Characters in Internet Explorer", ~~December 2006, <http://support.microsoft.com/default.aspx?scid=KB;en-us;q208427/help/208427/maximum-url-length-is-2,083-characters-in-internet-explorer>~~ <https://support.microsoft.com/default.aspx?scid=KB;en-us;q208427/help/208427/maximum-url-length-is-2,083-characters-in-internet-explorer>

[MS-ADTS] Microsoft Corporation, "Active Directory Technical Specification".

[MS-PAC] Microsoft Corporation, "Privilege Attribute Certificate Data Structure".

[MS-WPO] Microsoft Corporation, "Windows Protocols Overview".

[SIDD] Microsoft Corporation, "How Security Identifiers Work", March 2003, <http://technet.microsoft.com/en-us/library/cc778824.aspx>

1.3 Overview

This document specifies the Query String Response Transfer Protocol and the SAML 1.1 Assertion Extension. These extensions are based on the federated sign-on protocol described in [MS-MWBF]. The extensions specified in this document broaden the applicability of the protocol to simpler web browser requestors and a wider range of protected applications. The extensions in this specification do not change the services of authentication, identity federation, or single sign-on provided by [MS-MWBF].

1.3.1 Query String Response Transfer Protocol

The scripting capability for forms submittal is not specified as part of HTTP [RFC2616]; consequently, not all web browser requestor implementations support forms submittal as recommended for wsignin1.0 responses in [MS-MWBF] section 2.1. In addition, the RequestSecurityTokenResponse (RSTR) can be too large to be transferred in a single HTTP GET message. The Query String Response Transfer Protocol addresses these issues by eliminating the web browser requestor requirement for scripting support.

When using the Query String Response Transfer Protocol, the wsignin1.0 message exchange in [MS-MWBF] is replaced by a series of wsignin1.0 message exchanges. In [MS-MWBF], the RSTR is transmitted using a single HTTP POST message. The Query String Response Transfer Protocol transmits the RSTR in pieces in query string parameters using multiple HTTP GET messages. The

relying party accumulates the pieces from the responses in the series to produce an aggregated result. When the relying party has accumulated all the pieces, it extracts the RSTR from the aggregated result.

1.3.2 SAML 1.1 Assertion Extension

The Microsoft Web Browser Federated Sign-On Protocol described in [MS-MWBF] does not specify a method for including SIDs in a security token. For applications requiring SIDs, claims are not sufficient for authorization.

The SAML 1.1 Assertion Extension provides a method for including SIDs in a SAML assertion. How an identity provider/security token service (IP/STS) obtains the security identifiers and how a relying party interprets them is implementation-specific.

1.4 Relationship to Other Protocols

The Web Browser Federated Sign-On Protocol and the extensions specified in this document use standard web protocols, XML (as specified in [XML]), WS-Federation Passive Requestor Profile (as specified in [WSFederation1.2], [section 13](#)), and SAML 1.1 (as specified in [SAMLCore]). The reader has to be familiar with the specifications listed in [MS-MWBF] section 1.4.

A relying party uses the Query String Response Transfer Protocol instead of the wsignin1.0 messages from Web Browser Federated Sign-On Protocol to avoid the use of HTTP POST messages.

The SAML 1.1 Assertion Extension provides a facility for including security identifiers in SAML assertions. In order to understand the Windows behavior relating to this extension, the reader has to be familiar with the Active Directory Technical Specification [MS-ADTS], security concepts in [MS-WPO] section 9, and security identifiers [SIDD].

The Web Browser Federated Sign-On Protocol and the extensions specified in this document can be applicable where other web-based authentication protocols are used. For more information, see [MS-MWBF] section 1.4.

1.5 Prerequisites/Preconditions

The SAML 1.1 Assertion Extension requires that an IP/STS have a source of security identifiers and that the relying party have an authorization framework in which to interpret them. The exact methods by which the IP/STS obtains the SIDs, and the methods by which the relying party interprets them, are implementation-specific. <1><2>

1.6 Applicability Statement

The Query String Response Transfer Protocol is applicable where the Web Browser Federated Sign-On Protocol described in [MS-MWBF] is applicable. <3> The Query String Response Transfer Protocol widens the applicability of the Microsoft Web Browser Federated Sign-On Protocol to include web browser requestors that do not implement scripting or form submittal via scripting.

The SAML 1.1 Assertion Extension is applicable when the protected HTTP web application requires SIDs to perform authorization. <4>

1.7 Versioning and Capability Negotiation

The Web Browser Federated Sign-On Protocol as described in [MS-MWBF] section 1.7 defers all versioning and capability negotiation to [WSFederation], [WSFederation1.2], and [RFC2616].

When using the Query String Response Transfer Protocol, an IP/STS uses the presence of the *ttpindex* parameter (as specified in section 2.2.2.1.1) in the request to determine whether the Query String Response Transfer Protocol is used for the response.

The SAML 1.1 Assertion Extension uses SIDs. SIDs have a revision mechanism. For more information, see [MS-DTYP], as specified in section 2.1.

1.8 Vendor-Extensible Fields

The extensions specified in this document make use of vendor-extensible fields that are specified as part of [MS-MWBF] section 1.8. Specifically, the Query String Response Transfer Protocol specifies new message parameters as allowed by [WSFederation1.2] section 3.1.3.2.1, and the SAML 1.1 Assertion Extension specifies new elements in the SAML advice as allowed by [SAMLCore] section 2.3.2.2.

The Query String Response Transfer Protocol does not introduce any vendor-extensible fields that are not present in [MS-MWBF] section 1.8.

The SAML 1.1 Assertion Extension introduces the ClaimSource (section 3.1.5.2.1.1) element whose value is a URI that can be extended by vendors. Uniqueness of URIs is scheme-dependent. For more information, see [IANASHEME] and [RFC4395].

1.9 Standards Assignments

There are no standards assignments beyond those for XML namespaces and standard ports specified in [MS-MWBF] section 1.9.<5>

2 Messages

The Query String Response Transfer Protocol and SAML 1.1 Assertion Extension extend the messages specified in [MS-MWBF] section 2 as described in this section.

2.1 Transport

No additional transport is required other than that provided for in [MS-MWBF] section 2.1.

2.1.1 Query String Response Transfer Protocol

In the Query String Response Transfer Protocol, all wsignin1.0 messages MUST use HTTP GET.

2.2 Message Syntax

The Query String Response Transfer Protocol extends the wsignin1.0 message specified in [MS-MWBF] section 2.2. The SAML 1.1 Assertion Extension extends the SAML assertion specified in [MS-MWBF] section 2.2.4.2.

2.2.1 XML Namespace References

Prefixes and XML namespaces used in this specification include the following:

Prefix	Namespace URI	Reference
saml	"urn:oasis:names:tc:SAML:1.0:assertion"	[SAMLCore]
adfs	"urn:Microsoft:federation"	This document

2.2.2 Query String Response Transfer Protocol

The Query String Response Transfer Protocol extends the wsignin1.0 message from [MS-MWBF] section 2.2 to enable passing results in pieces rather than using POST. The protocol does not extend any other message types.

2.2.2.1 wsignin1.0 Message

[MS-MWBF] section 2.2 specifies how parameters are encoded in messages, including new parameters added by extensions. Specifically, it describes that in HTTP GET messages, the parameters are encoded as query string parameters for transmission in the URL. It also specifies how invalid values are handled.

Section 2.2.2.1.1 specifies parameters included in both wsignin1.0 requests and wsignin1.0 responses that use this protocol.

Section 2.2.2.1.2 specifies parameters included only in wsignin1.0 responses that use this protocol.

2.2.2.1.1 Common Parameters

ttpindex: The length, in characters, of the aggregated result as a 32-bit unsigned integer in decimal notation.

2.2.2.1.2 wsignin1.0 Response

ttpsize: The length in characters of the pending result as a 32-bit unsigned integer in decimal notation.

wresult: The current part of the result being transferred, as a string.

2.2.3 SAML 1.1 Assertion Extension

The SAML 1.1 Assertion Extension extends the SAML assertion subset as specified in [MS-MWBF] section 2.2.4.2. This extension uses the SAML advice element specified in [SAMLCore] section 2.3.2.2 as an extensibility point.

The sections that follow define new elements to convey the source of claims, hash data, user name, and SIDs. These new elements are included as child elements of the advice element in a SAML assertion. These elements use the XML namespace "urn:microsoft:federation". The element content is described using XML schema data types, as specified in [XMLSCHEMA2] section 3.

2.2.3.1 SAML Advice Elements

ClaimSource (optional): A Uniform Resource Identifier (URI) identifying a requestor IP/STS or other authentication service (such as a local account store) that is the source of the claims in the security token. The content is of type any URI (as specified in [XMLSCHEMA2] section 3.2.17).

CookieInfoHash (optional): A base64-encoded implementation-specific hash value. The content is of type base64Binary (as specified in [XMLSCHEMA2] section 3.2.16).<6>

WindowsUserIdentifier (optional): A SID identifying the subject of the SAML assertion. The content is of type string (as specified in [XMLSCHEMA2] section 3.2.1) and MUST follow the restrictions for the string representation of a SID, as specified in [MS-DTYP] section 2.4.2).

WindowsUserName (optional): A user name associated with the subject of the SAML assertion. The content is of type string (as specified in [XMLSCHEMA2] section 3.2.1) and MUST be of the form "DOMAIN\user name".<7>

WindowsIdentifiers (optional): A base64-encoded binary structure that defines a set of SIDs that identify the subject of the SAML assertion and a set of flags that specify the use of the SIDs. The content is of type base64Binary (as specified in [XMLSCHEMA2] section 3.2.16), and the binary data MUST be structured as specified in WindowsIdentifiers Binary Structure (section 2.2.3.2).

2.2.3.2 WindowsIdentifiers Structure

The WindowsIdentifiers structure has variable length. It defines a set of SIDs and flags. To reduce the overall data size, the SIDs are not included in full binary expansion. Rather, PACKED_SIDS structures are created for each group of SIDs that are identical except for the last subauthority.

0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1
WindowsIdentifierFlags																															
PackedSidsCount																															
PackedSids (variable)																															
...																															


WindowsIdentifierFlags (4 bytes): A 32-bit **WindowsIdentifierFlags** structure (see 2.2.3.2.1).

PackedSidsCount (4 bytes): A 4-byte, little-endian, unsigned integer that defines the number of **PackedSids** fields in this structure. This field **MUST NOT** be 0.


PackedSids (variable): A sequence of PACKED_SIDS structures of variable size, each of which defines a set of SIDs. The sequence defines a set of SIDs, which is the union of the sets of SIDs defined by all the elements.

2.2.3.2.1 WindowsIdentifierFlags Structure

The WindowsIdentifierFlags structure is a field of 32 bits.



WindowsIdentifierFlags (4 bytes): Bits marked 0 **MUST** be 0. The T and N bits operate independently.




T - TryLocalAccount (1 bit): A value of 1 indicates that the SAML NameIdentifier (as specified in [SAMLCore] section 2.4.2.2) takes precedence over the WindowsIdentifiers structure (section 2.2.3.2) element. A value of 0 indicates that the WindowsIdentifiers structure (section 2.2.3.2) element takes precedence over the SAML NameIdentifier (as specified in [SAMLCore] section 2.4.2.2).

N - NoUserSid (1 bit): A value of 1 indicates that a user SID is not encoded in the WindowsIdentifiers structure. A value of 0 indicates that a user SID is encoded in the WindowsIdentifiers structure.

2.2.3.2.2 PACKED_SIDs Structure

The PACKED_SIDs structure encapsulates a set of SIDs that are identical except for the value of the final subauthority, which is called the relative identifier (RID). The identical portion of the SIDs is included in the **DomainSid** field, and each RID is included separately. The PACKED_SIDs structure has a variable length.



DomainSid (variable): A SID structure of variable size that defines the identical portion of the SIDs encoded in this structure. For details on the SIDs structure, see [MS-DTYP] section 2.4.2.

RidCount (4 bytes): A 4-byte, little-endian, unsigned integer that defines the number of RID fields in this structure. This field MUST NOT be zero.

RID (variable): A sequence of 4-byte, little-endian, unsigned integers that define the RIDs for the SIDs encoded in this structure.

2.3 Directory Service Schema Elements

This protocol accesses the following Directory Service schema classes and attributes listed in the following table.

For the syntactic specifications of the following **<Class>** or **<Class><Attribute>** pairs, refer [MS-ADTS], [MS-ADA1], [MS-ADA3].

Class	Attribute
User	All

3 Protocol Details

The following sections specify the IP/STS and relying party protocol details. Each section details role-specific behavior for the extensions specified in this document. There is not a section for the web browser requestor role because additional protocol details for the web browser requestor other than those specified in [MS-MWBF] section 3.4 do not exist.

The IP/STS details (see section 3.1) apply to both the requestor IP/STS and resource IP/STS roles. The relying party details (see section 3.2) apply to both the resource IP/STS and Web service (WS) resource roles.

Because the behavior for issuance and consumption of the SIDs is implementation-specific, an abstract data model is not introduced for the SAML 1.1 Assertion Extension. Hence, sections 3.1.1 and 3.2.1 do not have subsections for that extension.

3.1 IP/STS Details

The following sections specify the protocol details of the IP/STS, including details for the Query String Response Transfer Protocol and SAML 1.1 Assertion Extension. These details apply to both the resource IP/STS and the requestor IP/STS roles.

3.1.1 Abstract Data Model

This section describes a conceptual organization of data that an implementation maintains to participate in this protocol. The described organization is provided to facilitate the explanation of how the protocol behaves. This document does not mandate that implementations adhere to this model as long as their external behavior is consistent with that described in this document.

3.1.1.1 Query String Response Transfer Protocol

The following sections specify the abstract data model for transmitting the pending result as a series of parts in separate messages that are assembled by a relying party.

3.1.1.1.1 Pending Result

When the Query String Response Transfer Protocol is used, the result of a wsignin1.0 action is transmitted by a series of HTTP 302 responses.

The first message in the exchange establishes the pending result. Each message exchange in the series transmits a portion of the pending result to the relying party until all parts have been delivered. Consequently, the pending result must be available to the IP/STS when processing each message exchange until the series is complete.

The message exchange also includes parameters for the current position and the total length of the result (see section 2.2.2.1) to ensure proper construction and error/completion detection. The method used to maintain the availability of the pending result during the series of exchanges is implementation-specific. The IP/STS MUST discard the pending result when cleaning up local state. See [MS-MWBF] section 3.2.5.3.3 for requestor IP/STS. See [MS-MWBF] section 3.3.5.4.2 for resource IP/STS. <8>

3.1.1.1.2 Maximum Query String Response Message Length

Although the HTTP protocol (as specified in [RFC2616]) does not place a limit on the length of a URL, some web browser requestor implementations have such a limit. IP/STS implementations SHOULD use a maximum query string response message length that will allow a broad range of web browser implementations to act as the web browser requestor. This is a limit on the length of the URL after

escaping, including the scheme, authority, path, and query components (as specified in [RFC2396] section 3). The recommended value is 2,083 octets for all messages. For more information, see [MAXURL].<9>

3.1.2 Timers

There are no timers required other than any specified in [MS-MWBF] section 3.1.2; however, a timer MAY<10> be used to manage state associated with the pending result.

3.1.3 Initialization

There are no new initializations beyond any described in [MS-MWBF] section 3.1.3; however, the pending result is initialized after the protocol has been initiated (see section 3.1.5.1.2).

3.1.4 Higher-Layer Triggered Events

There are no higher-layer triggered events other than any described in [MS-MWBF] section 3.1.4.

3.1.5 Processing Events and Sequencing Rules

3.1.5.1 Query String Response Transfer Protocol

The following sections specify protocol details for the Query String Response Transfer Protocol when receiving wsignin1.0 requests.

Sections 3.1.5.1.1, 3.1.5.1.2, and 3.1.5.1.3 specify how wsignin1.0 requests are processed given the value of the *ttpindex* parameter. Section 3.1.5.1.4 specifies common behavior for responding to such requests when the Query String Response Protocol is used.

3.1.5.1.1 Receiving a wsignin1.0 Request That Does Not Specify a ttpindex

When the IP/STS receives a wsignin1.0 request that does not specify the *ttpindex* parameter, the response MUST NOT use the Query String Response Transfer Protocol. The IP/STS MUST discard any pending result, and the IP/STS MUST process the message as specified in [MS-MWBF] section 3.1.5.4.

3.1.5.1.2 Receiving a wsignin1.0 Request That Specifies a ttpindex of 0

When the IP/STS receives a wsignin1.0 request that specifies a *ttpindex* parameter value of 0, the IP/STS MUST process the wsignin1.0 request (as specified in [MS-MWBF] section 3.1.5.4) up to the point where the IP/STS has constructed the RSTR element (as specified in [MS-MWBF] section 3.1.5.4.6). The IP/STS MUST apply the following transforms to the RSTR element to produce the pending result:

1. Convert the XML string to binary data by applying UTF-8 encoding, as specified in [RFC2279].
2. Compress the result from step 1 to the zlib format (as specified in [RFC1950]) by using the deflate algorithm (as specified in [RFC1951]).
3. Base64-encode the result from step 2, as specified in [RFC2045] section 6.8.

The IP/STS MUST respond as specified in section 3.1.5.1.4, by using the result from step 3 as the pending result.

3.1.5.1.3 Receiving a wsignin1.0 Request That Specifies a ttpindex Other Than 0

When the IP/STS receives a `wsignin1.0` request that specifies a `ttpindex` parameter value other than 0, the following conditions MUST be evaluated in order:

1. The `ttpindex` value does not conform to message syntax rules (for example, if it is not a number, as specified in section 2.2.2.1.1).
2. The corresponding pending result is not available.
3. The value of `ttpindex` is greater than or equal to the length in characters of the pending result.

If the message meets any of the conditions, the IP/STS MUST reject the message and return an HTTP 500 response. Otherwise, the IP/STS MUST respond as specified in section 3.1.5.1.4.

3.1.5.1.4 Responding to a `wsignin1.0` Request That Specifies a `ttpindex`

The IP/STS MUST construct a `wsignin1.0` response for the relying party by using the following values as properly escaped query string parameters in the returned status URL, as specified in [WSFederation1.2] section [13.2.3](#).

- `ttpindex` MUST be the same value of `ttpindex` as requested.
- `ttpsize` MUST be the same length in characters as the pending result.
- `wctx` MUST be the same value of `wctx` as requested.
- `wresult` MUST contain a portion of the pending result, beginning at the character of index `ttpindex` (zero-based), and including as many characters as possible without exceeding the maximum query string response message length. Note that the maximum query string response message length applies after the escaping rules for URL query string parameters.

The IP/STS MUST transmit the message to the web browser requestor using HTTP 302 as specified in [WSFederation1.2] section [13.2.3](#).

3.1.5.2 SAML 1.1 Assertion Extension

The IP/STS uses the SAML 1.1 Assertion Extension when responding to `wsignin1.0` requests. Although the protocol details are largely similar, it is necessary in this section to distinguish between the requestor IP/STS and resource IP/STS roles.

The IP/STS is a requestor IP/STS when issuing a token to a relying party that is in a different security realm than the IP/STS. Conversely, the IP/STS is a resource IP/STS when issuing a token to a relying party that is in the same security realm as the IP/STS.

3.1.5.2.1 Responding to a `wsignin1.0` Request

When responding to a `wsignin1.0` request, the IP/STS MAY include any of the `ClaimSource` (section 3.1.5.2.1.1), `CookieInfoHash` (section 3.1.5.2.1.2), `WindowsUserIdentifier` (section 3.1.5.2.1.3), `WindowsUserName` (section 3.1.5.2.1.4), and `WindowsIdentifiers` (section 3.1.5.2.1.5) elements in the issued SAML assertion. For syntax details, see section 2.2.3.

The following sections describe the processing semantics for each of these optional SAML assertion elements.

3.1.5.2.1.1 ClaimSource Element

The IP/STS MAY include the `ClaimSource` element in the issued SAML assertion.

3.1.5.2.1.2 CookieInfoHash Element

The IP/STS MAY<12> include the CookieInfoHash element in the issued SAML assertion.

3.1.5.2.1.3 WindowsUserIdentifier Element

The IP/STS MAY<13> include the WindowsUserIdentifier element in the issued SAML assertion.

3.1.5.2.1.4 WindowsUserName Element

The IP/STS MAY<14> include the WindowsUserName element in the issued SAML assertion.

3.1.5.2.1.5 WindowsIdentifiers Element

The IP/STS MAY<15> include the WindowsIdentifiers element in the issued SAML assertion.

3.1.6 Timer Events

Timer events are not required other than any specified in [MS-MWBF] section 3.1.6; however, a timer event MAY<16> be used to manage the state associated with the pending result.

3.1.7 Other Local Events

There are no other local events that impact the operation of this protocol.

3.2 Relying Party Details

These details apply to both the resource IP/STS and WS resource roles (when acting as a relying party for a received security token).

3.2.1 Abstract Data Model

This section describes a conceptual model of a possible data organization that an implementation maintains to participate in this protocol. The described organization is provided to facilitate the explanation of how the protocol behaves. This document does not mandate that implementations adhere to this model as long as their external behavior is consistent with that described in this document.

3.2.1.1 Query String Response Transfer Protocol

The following sections specify the abstract data model for receiving and concatenating the aggregated result as a series of messages.

3.2.1.1.1 Aggregated Result

When the Query String Response Transfer Protocol is used, the result of a wsignin1.0 action is transmitted by a series of message exchanges. When an aggregated result is not available, it is considered to be empty (with size 0). The relying party concatenates each portion of the result to the aggregated result when it is received, so the aggregated result must be available to the relying party when processing each message exchange. The method used to maintain the availability of the aggregated result is implementation-specific. The relying party **MUST** discard the aggregated result when it receives a wsignoutcleanup1.0 message (as specified in [MS-MWBF] section 3.3.5.4.2).<17>

3.2.2 Timers

There are no timers required other than any specified in [MS-MWBF] section 3.3.2; however, a timer MAY<18> be used to manage a state associated with the aggregated result.

3.2.3 Initialization

There are no new initializations other than any described in [MS-MWBF] section 3.3.3; however, the aggregated result is initialized after the protocol has been initiated (as specified in section 3.2.5.1.3).

3.2.4 Higher-Layer Triggered Events

There are no new higher-layer triggered events other than any described in [MS-MWBF] section 3.3.4.

3.2.5 Processing Events and Sequencing Rules

The Query String Response Transfer Protocol and the SAML 1.1 Assertion Extension introduce new message processing rules.

3.2.5.1 Query String Response Transfer Protocol

The following sections specify protocol details for the Query String Response Transfer Protocol when processing *wsignin1.0* messages.

Section 3.2.5.1.1 specifies how to send a *wsignin1.0* request by using this protocol. Sections 3.2.5.1.2 and 3.2.5.1.3 specify how to process a *wsignin1.0* response given the presence or absence of the *ttpindex* parameter. Section 3.2.5.1.4 specifies how the completed aggregated result is processed.

3.2.5.1.1 Sending a *wsignin1.0* Request

When using the Query String Response Transfer Protocol, the relying party sends a *wsignin1.0* request to the IP/STS as specified in [MS-MWBF] section 3.3.5.1 and MUST add the *ttpindex* parameter. When included, the value of the *ttpindex* parameter MUST be the length in characters of the aggregated result.

Note If the aggregated result is not available, it is considered to have length 0 (see section 3.2.1.1.1). Therefore, in the first request, the value of *ttpindex* MUST be 0.<19>

3.2.5.1.2 Receiving a *wsignin1.0* Response That Does Not Specify a *ttpindex*

When the relying party receives a *wsignin1.0* response that does not specify the *ttpindex* parameter, the message does not use the Query String Response Transfer Protocol, and the relying party MUST process the message as specified in [MS-MWBF] section 3.3.5.2.

3.2.5.1.3 Receiving a *wsignin1.0* Response That Specifies a *ttpindex*

When the relying party receives a *wsignin1.0* response that specifies the *ttpindex* parameter, it MUST evaluate the following conditions in order:

1. The *ttpindex* value does not conform to message syntax rules (for example, it is not a number; as specified in section 2.2.2.1.1).
2. The *ttpindex* parameter is not equal to the length, in characters, of the aggregated result. Note that if the aggregated result is not available, it is considered to have length 0 (as specified in section 3.2.1.1.1).

If the message meets one of these conditions, the relying party MUST reject the message and return an HTTP 500 response.

The relying party MUST construct a new aggregated result. If *ttpindex* is 0, the aggregated result MUST be the value of the *wresult* parameter; otherwise, the aggregated result MUST be constructed by appending the *wresult* parameter to the current aggregated result.

The relying party MUST evaluate the *ttpsize* parameter as follows:

- If the length in characters of the new aggregated result is greater than the value of the *ttpsize* parameter, the relying party MUST reject the message and return an HTTP 500 response.
- If the length, in characters, of the new aggregated result is equal to the value of the *ttpsize* parameter, the relying party MUST process the completed result as specified in section 3.2.5.1.4.
- If the length, in characters, of the new aggregated result is less than the value of the *ttpsize* parameter, the relying party MUST request the next portion of the result as specified in section 3.2.5.1.1.

3.2.5.1.4 Processing the Complete Aggregated Result

When the aggregated result is complete, the relying party MUST apply the following transforms to the aggregated result to produce an XML string:

1. Base64-decode the aggregated result to binary data (as specified in [RFC2045] section 6.8).
2. Decompress the result from step 1 from the zlib format (as specified in [RFC1950]) by using the inflate algorithm (as specified in [RFC1951]).
3. Interpret the binary data from step 2 as a UTF-8-encoded string (as specified in [RFC2279]).

If any error occurs when applying the transforms, the relying party MUST reject the message and return an HTTP 500 response.

The relying party MUST process the *wsignin1.0* response (as specified in [MS-MWBF] section 3.3.5.2), substituting the string output from step 3 for the *wresult* parameter.

3.2.5.2 SAML 1.1 Assertion Extension

The method of evaluating SIDs transmitted by using the SAML 1.1 Assertion Extension is implementation-specific. For specifications about SIDs and their semantics in Windows, see [MS-DTYP].<20>

3.2.6 Timer Events

There are no timer events required other than any events specified in [MS-MWBF] section 3.3.6; however, a timer event MAY<21> be used to manage a state associated with the aggregated result.

3.2.7 Other Local Events

There are no other local events that impact the operation of this protocol.

3.3 Web Browser Requestor Details

This section specifies the web browser requestor role in transporting protocol messages.

3.3.1 Abstract Data Model

A web browser requestor does not need to understand any protocol-specific data for the correct operation of the protocol. It MUST be able to support HTTP query string and POST body parameterization. To provide the best end-user experience, it SHOULD be able to support HTTP cookies (for more information, see [RFC2965]).<22>

3.3.2 Timers

A web browser requestor does not depend on timers beyond those that are used by the underlying transport to transmit and receive messages over HTTP and SSL/TLS, as specified in section 3.1.2.

A web browser requestor does not need to be aware of an implementation's use of timers to determine when the validity intervals of security tokens and authentication contexts expire.

3.3.3 Initialization

There is no protocol-specific initialization for a web browser requestor. It only needs to be ready to perform the standard HTTP 1.1 methods required for accessing WS resources. Specifically, it **MUST** support HTTP GET and POST methods and properly respond to HTTP 1.1 redirection and error responses.

3.3.4 Higher Layer Triggered Events

Protocol messages are exchanged between a requestor IP/STS and a relying party. The only function of the web browser requestor with respect to the protocol is to transport these messages. The web browser requestor can be triggered to begin protocol message exchange by receipt of an HTTP/1.1 302 found that includes a location directive, or an HTTP/1.1 200 OK that includes a form with method set to POST.

3.3.5 Processing Events and Sequencing Rules

A web browser requestor plays a passive role in the operation of the protocol. Its only function is to transport protocol message requests and responses between a requestor IP/STS and one or more relying parties. It is not required to understand the types or content of these protocol messages. The web browser requestor **SHOULD** transport all protocol message requests and responses between a requestor IP/STS and a relying party without changing the messages at all.<23>

3.3.6 Timer Events

A web browser requestor does not need to interact with any timers, or service any timer events, beyond those that might be used by the underlying transport to transmit and receive messages over HTTP and SSL/TLS, or those specified in section 3.1.6.

3.3.7 Other Local Events

A web browser requestor does not have dependencies on local events beyond those specified in section 3.1.7.

4 Protocol Examples

4.1 Query String Response Transfer Protocol

4.1.1 Annotated Example

The following is a protocol example for the Query String Response Transfer Protocol.

The Query String Response Transfer Protocol is best understood as occurring abstractly between an IP/STS and a relying party, because the changes to the Web Browser Federated Sign-On Protocol [MS-MWBF] are applied consistently whether between requestor IP/STS and resource IP/STS or between resource IP/STS and WS resource.

This annotated example shows a Query String Response Transfer Protocol exchange between a requestor IP/STS and a resource IP/STS. It is part of a larger network trace (see section 4.2) that also uses the Query String Response Transfer Protocol between the resource IP/STS and the WS resource.

The following table specifies the protocol roles of the hosts.

Protocol role	Host name
IP/STS	adatumsts-7
Relying party	treysts-7

Each HTTP message is prefaced by an annotation that describes its recipient and purpose. This annotated example omits many elements of the HTTP messages. For example, implementation-specific cookies and superfluous HTTP headers are not included. The full messages are specified in section 4.1.2. The following parameters are specified in this document and appear in the HTTP messages that follow:

- *tpindex*
- *ttpsize*
- *wresult*

The following are the processing steps of this annotated example:

1. Just prior to the example, the web browser requestor made a GET request to the relying party (treysts-7).
2. The relying party returns an HTTP 302 message that specifies a wsignin1.0 request for the IP/STS. This wsignin1.0 request includes the *tpindex=0* parameter, which initiates the Query String Response Transfer Protocol (see section 3.2.5.1). At this time, the relying party's aggregated result is empty, as specified in section 3.2.5.1.1.

```
HTTP/1.1 302 Found
Location:
https://adatumsts-7/adfs/ls/?wa=wsignin1.0&
wtrealm=urn%3afederation%3atreys+research&
wct=2006-07-13T07%3a32%3a21Z&
wctx=https%3a%2f%2ftreys-test%2fclaims%2f%5chttps%3a%2f%
2ftreys-test%2fclaims%2fDefault.aspx&ttpindex=0
```

3. The web browser requestor relays the wsignin1.0 request to the IP/STS (adatumsts-7) in an HTTP GET message.

```
GET /adfs/ls/?wa=wsignin1.0&wtrealm=urn%3afederation
%3atrey+research&wct=2006-07-13T07%3a32%3a21Z&wctx=https%
3a%2f%2ftreyws-test%2fclaims%2f%5chttps%3a%2f%2ftreyws-test%
2fclaims%2fDefault.aspx&ttpindex=0 HTTP/1.1
```

- 4. The IP/STS engages in a series of messages outside the scope of the protocol whereby it ascertains the user identity. These messages are omitted, as they have no bearing on the Query String Response Transfer Protocol. For more details, see [MS-MWBF] section 3.1.5.4.3.
- 5. Once the user's identity has been determined, the IP/STS creates an RSTR, as specified in [MS-MWBF] section 3.1.5.4.6. The RSTR is transformed into the pending result, and the first portion is returned in a wsignin1.0 response (as specified in section 3.1.5.1.4). In this message, the wresult parameter is the first 1,727 characters of the pending result. The ttpsize parameter indicates the length of the full pending result, 2,652.

```
HTTP/1.1 302 Found
Location: https://treysts-7/adfs/ls/?wa=wsignin1.0&
ttpsize=2652&ttpindex=0&wctx=https%3a%2f%
2ftreyws-test%2fclaims%2f%5chttps%3a%2f%2ftreyws-test%2fclaims%
2fDefault.aspx&wresult=eNrNWftzqsos%
2fIUW6zGVBYg3rCRlhquAaAAlyssphOESHVEGRPz1e9BoTNYt59R62D4NPW3311%
2f3dDM8lDgFWHBXQJzb0CuyOK%2bmaA1TC%2bItSjFsHJNjgdE7bEZ5f12QFHYi2Di
4u9kByN3%2bx11IVViqkXTHYpuUXlW4Lz59HBjGfofbD89YDfZDADGMMtj1DauK1V8
bP436NAMGzD%2bvddps%2fftFuzd91ewc79iu5y7Yv1%2b4HeaDRXjAqopzt2UQCPOu
%2fd0755hp3RvwLYGrZ7zppM9NosSHQTQh5lbOxm4vpsXSbNhuK8om8MME
%2bFjkyGCOP0oOAdfoz0bQS6O8SB1E4gHuTEwqTEaMN
%2fpGxSJoPkWm4BSP64FuDFGOQ8DlMFfoSQKk3SSGScvsd7q9C86F8YKP4apB01y8i
z2avtXR59Unj7FnGewamQQzFzozgfo%2b6n55%2bbpz4FdnHo7
%2bPahOsHmOyidUyyEqChi6M3%2buqdM31J7GUILoyC%2fQdZ8UqK5vj2Kulay0tQy
KoWL1HhnM8%2fS%2bvGB%2bondK94312%2fg8wimeeydrNq5m8OEPDc%2byv9QMB%
2bVDZhHyP%2bxFD4oDco49VGJLzmyi9Ur9PK3pzEpFgWvtYMYZg0ZZYn7
%2b5Pkbwd4wdTsedx8An4SpzFJhpuj7D%2fnsV3uoeQt%2fo%2fGL6xcAVC
%2f4%2bXCWk4yvSpy%2bHnj3xPGR5yN66r%2b22NTStx4A3yflDZuftzEW9eDXwDZ
%2f0xj7m4K%2bOT%2bHvUn7c%2fSP%2bEUWJKgtF7%2fXdQGGUwydKL87yBVm1Rs
%2fy5Iod4kCU7inID9d8ME222G919HSf3yXNlxmJiiyt5m6hVXWZbfs
%2fYeh3QlmgI5iij4OA6%2fNc%2f%2fgn7d%2bp4eBDdFKTnJm
%2fh406AaYBM1Mlyj5BcmGYqha5P38ODde0w7%2fdZsUDd4vmjma7IMu
%2fc4cpmTJQsGMKsnR2NmQY%2fnb18b4U8P08xNMRmNCb5Z%2f284YLqHG7SF
%2fj2%2bhHOC9HVZv2ChugUnxiGziF8PTleOzibOVTPhN2GVHqWsG5S6BhgV4f3E
0eycpcnEu9V8oK7ckvVtLVyZdlYUYTg1c1Gn%2fJ5011Fmx1mmaTOBae%2bMEojVHb
%2bd96NDIj09jLvrlopNjXwsPNN3kWwtuE2Vj4t90Zram4XtYg1Y2jTyLGrUFmYHmd
V4WW87i6VIm9VO3UNABoiR5XrV0emvSA5kpm9SXZK7rXmHZ
%2fGWXdBd5mpuJX07Ziqa4ru01X%2fmI6gf4De4zmQG
%2fAPOqzOUS06NCE6uXteCFLVVCPLtLYVfVkreEAWRWCuuVBqOoKGyayCeQfdJiCMR
%2bud9E6VriS0e5k4EIHPyStlcinPTFKWYm3OVTeXiFOS1VmeWcHtBFfAu6XL8C
lhjqlbGFJSGOHZPsnNFJplkBr88yCKw%2bXA854ExFVryermwmNviTHSvzRqqEhiA
Vgr7p9jqihVnqcYBQFSA1HgY1PnQ10017ue4uB4smhLvZzth3SxY7QX1thxeQF0p
%2b9W%2bNmJNkfjzB%2fTga7DDMWjyOeTmeZ07vb8EogLjTrK%2bZRq6weJ1WNn02
k9F6RVHa3%2bWqcZXRkto8gHGZR5oZfYq4g72IsKhFxVavFycmf0Eas4dKvg9xCbc
SI0h1rSDYWDpzG7tcUxxz7Q5W0pisAEPGqrPDoS7p1%2bKYaES4t%2bBuaQISGJIJ
yWhmTexqyJpcka4qzWVXX
```

- 6. The web browser requestor relays the wsignin1.0 response to the relying party (treysts-7) in an HTTP GET message.

```
GET /adfs/ls/?wa=wsignin1.0&
ttpsize=2652&ttpindex=0&wctx=https%3a%2f%2ft
reyws-test%2fclaims%2f%5chttps%3a%2f%2ftreyws-test%2fclaims
%2fDefault.aspx&wresult=eNrNWftzqsos%2fIUW6zGVBYg3rCRlh
quAaAAlyssphOESHVEGRPz1e9BoTNYt59R62D4NPW3311%2f3dDM8lDgFWHBXQJzb0
CuyOK%2bmaA1TC%2bItSjFsHJNjgdE7bEZ5f12QFHYi2Di4u9kByN3%2bx11IVViq
kXTHYpuUXlW4Lz59HBjGfofbD89YDfZDADGMMtj1DauK1V8bP436NAMGzD%2bvddps
%2fftFuzd91ewc79iu5y7Yv1%2b4HeaDRXjAqopzt2UQCPOu%2fd0755hp3RvwLYGr
```

Z7zppM9NossHQTh51bOxm4vpsXSbNhuK8om8MME%2bFjkyGCOPOoOAdfoz0bQS608
SB1E4gHuTewgTEaMN%2fpgXsJoPkWm4BSP64FuDFGOQ8DlMFfoSQKk3SSgSCvsd7q9
C86F8YKp4apB0ly8iz2avtXR59Unj7FnGewamQQQzfzofqo%2b6n55%2bbpz4FdnH
o7%2bPahOsHmQyidUyyEqChi6M3%2buqdm31J7GUiOyC%2fQdZ8UqK5vj2Kulay0tQ
yKOWL1HhM8%2fS%2bvGB%2bondK94312%2fg8wimeeydrNq5m80EPDc%2byv9QMB%
2bVDZHyP%2bxfD4oDco49VGJLzmyi9Ur9PK3pzEpFdWvtYMYZg0ZZYn7%2b5Pkbaw
4wdTsedx8An4SpzFJhpuj7D%2fnsv3uoEQ%2fo%2fGL6xcAVC%2f4
%2bXCWk4yvSpy%2bHnj3xPGR5yN66r%2b22NTStx4A3yflDzftzEW9eDXwDZ
%2fOxj7m4K%2bOT%2bHvUn7c%2fSP%2bEWUJKgtF7%2fXdqGUwydKL87yBVM1Rs
%2fy5Iod4kCU7inID9d8ME222G919HSf3yXNlxmJIiyt5m6hVXWZbfs
%2fYEH3QlmgI5iij4OA6%2fNc%2f%2fgn7d%2bp4eBDdFKTnJm%2fh406AaYBMiM1
yj5BcmGYqha5P38ODde0w7%2fdZsUdd4vmjMA7IMu%2fc4cpmTJQsGMKsnR2NmQY
%2fNbl8b4U8P08xNMRmNcb5Z%2f284YLqHG7SF%2fj2%2bhHOC9HVzv2CHugUnxi
GZ1f8PT1eOzibOVTPHn2GVHqWsg5S6BHgV4f3E0eycpnEu9V8oK7ckvVtLVyzd1
YUYTg1c1Gn%2fJ5011FmxlmmaTOBae%2bMEojVHb%2bd96NDIj09jLvrlopNjXws
PNN3kWwtuE2Vj4t90Zram4XtYglY2jTyLGrUFmYHmdV4WW87i6VIm9V03UNaBPOi
R5XrV0emvSA5kpm9SXZK7rXmHZ%2fGWXdBd5mpuJX07ZIqA4ru0lX%2fmI6gf4De
4zmQG%2fAPOqzOUs06Nce6uXteCFVLVVCPLtLYVfVkreEAWRWCuVBqOoKGyayCe
qfdJiCMR%2bud9E6Vris5oE5k4EIHMPyStlcinPTFKWym3OVTeXIFOSlVmeWcHtf
BFAu6XL8C1hjqlbGFJSGOHZPsunFJp1kBr88yCKw%2bXA854ExFVryermwmNViTH
sVzRqqEhiAVGR7p9jqihVNqcYBQFSA1HgY1PnQ10017uE4uB4smhLvZZth3SxY7
QX1thxeQF0p%2b9W%2bNmJNkfjZb%2fTga7DDMWjyOeTmeZO7vb8EogLjTrK%2bZ
Rq6weJlWNn02k9F6RVHa3%2bWqcZXRkto8gHGZR5oZfYq4g72IsKhFvVavFycmf0E
as4dKvg9xCEcSI0h1rSDYWDpzG7tcUxxz7Q5WOpisAEPGqrPDos7p1%2bKYaES4t%
2bBuaQISGJIJyWhmTexyJpcka4qzWVXX HTTP/1.1

7. Because the relying party's aggregated result is empty, the *wresult* parameter becomes the aggregated result. Because the length of the *wresult* parameter was 1,727 characters, which is less than the length of the *ttpsize* parameter of 2,652 characters, the relying party needs to request more data from the IP/STS. It does this by sending an HTTP 302 with a *wsignin1.0* request that includes the *ttpindex=1727* parameter. For further specifications, see section 3.2.5.1.3.

```
HTTP/1.1 302 Found
Location: https://adatumsts-7/adfs/ls/?wa=wsignin1.0&wtrealm=urn%3afederation%3atrey+research&wct=2006-07-13T07%3a32%3a27Z&wctx=https%3a%2f%2ftreyws-test%2fclaims%2f%5chttps%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&ttpindex=1727
```

8. The web browser requestor relays the *wsignin1.0* request to the IP/STS (*adatumsts-7*) in an HTTP GET message.

```
GET /adfs/ls/?wa=wsignin1.0&wtrealm=urn%3afederation%3atrey+research&wct=2006-07-13T07%3a32%3a27Z&wctx=https%3a%2f%2ftreyws-test%2fclaims%2f%5chttps%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&ttpindex=1727 HTTP/1.1
```

9. The IP/STS returns the remaining 925 characters of the pending result, beginning with character 1,727. For further specifications, see section 3.1.5.1.3.

```
HTTP/1.1 302 Found
Location: https://treysts-7/adfs/ls/?wa=wsignin1.0&ttpsize=2652&ttpindex=1727&wctx=https%3a%2f%2ftreyws-test%2fclaims%2f%5chttps%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&wresult=kqNHeG5OCSAUgEHIEISLriGRPIQBEM%2bnGviaAj8ERCSwkseRfLs13wPzbYkh%2bZs6Vn0YzP76zacMJFGrZbrVe%2fYXvUjtZTKE7YND8pSqH2XS543Z0Piuxye9155PxlBGZyO6WHThaJc9Xt2NPJctVwbL2TsZnZOTdPugEvtcupyOtIikMLOZI7tGhPRPtRa7wh9RP5CwuNEqvwqs7ritXKUCJs16y291pc4gtElqL3zmt%2bdK88BIOrwTux%2fojel5S1qGDCC9YgeuWLyWeV5UxqSfdkNR3%2brei0auD%2fKFVTuL%2bflnbVmTGV8LPfl6dhUYvF3PalX%2fhMzVLC7xzZABdmSjOdqXMuqOK8xbKe4wL6bSWV6m2XykH791vFMyVaOs1lrrkk%2fuCc7LnmQtigP58D%2fnQOyLk1eYX3x3GU8rrUsn84LO%2bcGRAtt4eNHY1VD
```

```
NEDcGh1%2fYOCujud%2fup3%2bZefDPvB3s91IYB7%2b3VXuK%2bwLyUR23Le07Y
WTLp1D1lp62Fe0iHAQuF53jLdrGtc%2b3jPFPkwJFdrk%2b9H1C7ZNDdiyLPcivf
SV2bCmN6ZEmxMRJ0z3KS6G426mldqL0MYcV1WJ3zzJHR8pWVozlral0wbkuYqT01
eD60fT1hBCVdIcNLmwcRIKRIA9QjsGoiff4T63Xg3zIFiq6rSQ%2fRvr29y6LF
oyBn2NHQ6T1oTag%2f11Je46h3nqJM8dbElFMpNTRKW7SYduLSjlaHXZKO2mO
%2fTykrVn3ny93nGygPpVKClJt3qFQfFAfe6YZ8m5mLXDvvee6%2fvKpfLKxH8
7tJe4u2AtJhNDPEUXb8LbL%2fwXaBdT8Qt2sRedfow4A6k1N%2biOM3f3xwu9ty
v2euTi%2bHppT9Owzebb7eAP9x8bzXPTz9gOclvYv3Iy08%2fkzz9A6cx%2fkw
%3d
```

- The web browser requestor relays the `wsignin1.0` response to the relying party (treysts-7) in an HTTP GET message.

```
GET /ads/ls/?wa=wsignin1.0&
tsize=2652&tindex=1727
&wctx=https%3a%2f%2ftreyws-test%2fclaims%2f%5chttps%3a
%2f%2ftreyws-test%2fclaims%2fDefault.aspx&
wresult=kqNHeG50cCSAUgEHIEISLriGRPIJQBEM
%2bnGViaAj8ERCSwkseRfLs13wPzbYkh%2bZs6Vn0YzP76zacMJFGrZbrVe
%2fYXvUjtZTKE7YND8pSqH2XS543Z0Piuxye9155PixlBGZyO6WHThaJc9Xt2NP
JctVWbL2TsZN2OTdPugEvtcupyOtIikMLOZI7tGhPRPtRa7wh9RP5CwuNEqvwqs
7ritXKUCJsl6y291pc4gtElqL3Zmte%2bdK88BIOrwTux%2fojel5SlqGDCC9Y
qeuWLyWeV5UxqSfdkNR3%2bREIOaud%2fKFVTuL%2bflnbVmtGV8LPf16dhUYvF
3PalX%2fhMzVLC7xzZABdmsJodqXMuqOK8xbKe4wL6bSWV6m2XykH791vFMyVaO
sllrkk%2fucC7LnmQTigP58D%2fnQOyLk1eXYX3x3GU8rrUsn84LO%2bcGRAtt4
eNHY1VDNEDcGh1%2fYOCujud%2fup3%2bZefDPvB3s91IYB7%2b3VXuK%2bwLyU
R23Le07WTLp1D1lp62Fe0iHAQuF53jLdrGtc%2b3jPFPkwJFdrk%2b9H1C7ZND
diyLPcivfSV2bCmN6ZEmxMRJ0z3KS6G426mldqL0MYcV1WJ3zzJHR8pWVozlral
0wbkuYqT01eD60fT1hBCVdIcNLmwcRIKRIA9QjsGoiff4T63Xg3zIFiq6rSQ
%2fRvr29y6LFoyBn2NHQ6T1oTag%2f11Je46h3nqJM8dbElFMpNTRKW7SYduLS
jlaHXZKO2mO%2fTykrVn3ny93nGygPpVKClJt3qFQfFAfe6YZ8m5mLXDvvee6
%2fvKpfLKxH87tJe4u2AtJhNDPEUXb8LbL%2fwXaBdT8Qt2sRedfow4A6k1N
%2biOM3f3xwu9tyv2euTi%2bHppT9Owzebb7eAP9x8bzXPTz9gOclvYv3Iy08
%2fkzz9A6cx%2fkw%3d HTTP/1.1
```

- The relying party appends the `wresult` parameter to the aggregated result. The new aggregated result is 2,652 characters long, which indicates the completion of the Query String Response Transfer Protocol (see section 4.1). The relying party extracts the RSTR from the aggregated result (as specified in section 3.2.5.1.4) and processes it as specified in [MS-MWBF] section 3.3.5.2. The relying party's next action is outside the scope of the protocol, though in this case the relying party, which was a resource IP/STS, issued a new SAML assertion and used the Query String Response Transfer Protocol to transmit it to a WS resource.

4.1.2 Full Network Trace

The following is the full network trace for the protocol example in Annotated Example (section 4.1.1).

The following table specifies the protocol roles of the hosts.

Protocol role	Host name
Requestor IP/STS	adatumsts-7
Resource IP/STS	treysts-7
WS resource	treyws-test

HTTP requests are prefaced by a line with three right-angle brackets ("`>>>`") and the name of the host to which the request was sent. Requests are followed by the HTTP response, which is prefaced by a line with three left-angle brackets ("`<<<`"). The final three HTTP messages (HTTP 302, HTTP GET,

and HTTP 200 OK) are an internal implementation detail and shown for completeness only. These messages are not necessary for interoperability.

```
>>> treyws-test (WS Resource)
GET /claims/ HTTP/1.1

<<<
HTTP/1.1 302 Found
Location: https://treyst-7/adfs/ls/?wa=wsignin1.0&wreply=https%3a%2f%2ftreyws-test%2fclaims%2f&wct=2006-07-13T07%3a32%3a21Z&wctx=https%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&ttpindex=0

>>> treysts-7 (Resource IP/STS)
GET /adfs/ls/?wa=wsignin1.0&wreply=https%3a%2f%2ftreyws-test%2fclaims%2f&wct=2006-07-13T07%3a32%3a21Z&wctx=https%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&ttpindex=0 HTTP/1.1

<<<
HTTP/1.1 302 Found
Location: https://adatumsts-7/adfs/ls/?wa=wsignin1.0&wtrealm=urn%3afederation%3atreys+research&wct=2006-07-13T07%3a32%3a21Z&wctx=https%3a%2f%2ftreyws-test%2fclaims%2f%5chttps%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&ttpindex=0
Set-Cookie: _TTPRealm=urn:federation:adatum; path=/adfs/ls/; secure; HttpOnly

>>> adatumsts-7 (Requestor IP/STS)
GET /adfs/ls/?wa=wsignin1.0&wtrealm=urn%3afederation%3atreys+research&wct=2006-07-13T07%3a32%3a21Z&wctx=https%3a%2f%2ftreyws-test%2fclaims%2f%5chttps%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&ttpindex=0 HTTP/1.1

<<<
HTTP/1.1 302 Found
Location: /adfs/ls/auth/integrated/?wa=wsignin1.0&wtrealm=urn%3afederation%3atreys+research&wct=2006-07-13T07%3a32%3a21Z&wctx=https%3a%2f%2ftreyws-test%2fclaims%2f%5chttps%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&ttpindex=0

>>> adatumsts-7 (Requestor IP/STS)
GET /adfs/ls/auth/integrated/?wa=wsignin1.0&wtrealm=urn%3afederation%3atreys+research&wct=2006-07-13T07%3a32%3a21Z&wctx=https%3a%2f%2ftreyws-test%2fclaims%2f%5chttps%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&ttpindex=0 HTTP/1.1

<<<
HTTP/1.1 401 Unauthorized
WWW-Authenticate: Negotiate
WWW-Authenticate: NTLM

>>> adatumsts-7 (Requestor IP/STS)
GET /adfs/ls/auth/integrated/?wa=wsignin1.0&wtrealm=urn%3afederation%3atreys+research&wct=2006-07-13T07%3a32%3a21Z&wctx=https%3a%2f%2ftreyws-test%2fclaims%2f%5chttps%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&ttpindex=0 HTTP/1.1
Authorization: Negotiate TlRMTVNTUAABAAAAB4IIogAAAAAAAAAAAAAAAAAAAA
FAs4OAAAADw==

<<<
HTTP/1.1 401 Unauthorized
WWW-Authenticate: Negotiate TlRMTVNTUAACAAAEEAAQAdgAAAAFgomi1z0tC7za4
J0AAAAAAAAAAAAQBBAFIAAAAABQLOdgAAAA9BAEQARgBTAfYATQatAEEAAgAQAEERABGAF
MAVgBNAC0AQQABABYAQQBEAEAEVAVBAE0AUwBUAFMALQA3AAQAOgBhAGQAZgBzAHYAbQA
tAGEALgBuAHQAdABLAHMADAuAG0AaQBjAHIAbwBzAG8AZgB0AC4AYwBvAG0AAwBSAGEA
ZABhAHQAdQBtAHMAdABzAC0ANwAuAGEAZABmAHMAdgBtAC0AYQAUAG4AdAB0AGUAcwB0A
C4AbQBpAGMAGcBvAHMAbwBmAHQALgBjAG8AbQAFADoAYQBkAGYAcwB2AG0ALQBhAC4Abg
B0AHQAZQBzAHQALgBtAGkAYwByAG8AcwBvAGYAdAAuAGMAbwBtAAAAAAA=

>>> adatumsts-7 (Requestor IP/STS)
```

GET /adfs/ls/auth/integrated/?wa=wsignin1.0&wtrealm=urn%3afederation%3atresearch&wct=2006-07-13T07%3a32%3a21z&wctx=https%3a%2f%2ftreyws-test%2fclaims%2f5chttps%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&ttindex=0 HTTP/1.1
Authorization: Negotiate TlRMTVNTUAADAAAGAAAYIAAAAAAYABgAmAAAAABAAEABIAAAAGgAaAFgAAAAOAA4AcgAAAAAAACWAAAAABYKIOgUCzg4AAAAAPYQBkAGYAcwB2AG0ALQBhAGEAZABtAGkAbgBpAHMAGABYAGEAdABvAHtIASgBTAEIALQBEEUAVgBRfVjBrWkBSQAAAAAATAAAAAAAAAAADZmf/wdoShwGwC7CBcPFNGdUHCLsDZPUU=

<<<
HTTP/1.1 401 Unauthorized
WWW-Authenticate: Negotiate
WWW-Authenticate: NTLM

>>> adatumsts-7 (Requestor IP/STS)
GET /adfs/ls/auth/integrated/?wa=wsignin1.0&wtrealm=urn%3afederation%3atresearch&wct=2006-07-13T07%3a32%3a21z&wctx=https%3a%2f%2ftreyws-test%2fclaims%2f5chttps%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&ttindex=0 HTTP/1.1
Authorization: Negotiate YIIFRwYgKwYBBQUCoIIFOzCCBTegJDAiBgkqhkiC9xIbAgIGCSqGSIB3EgECAGYKKwYBBAGCNwICCqKCBQ0EggUYIIIFBQYJKoZIhvcSAQICAQBbagT0MIIE8KADAgEFOQMAQ6iBwMFACAAACjggQDYIID/zCCA/ugAwIBBAEfGx1BREZTVk0tQS5OVFRFU1QuTU1DUK9TT0ZULkNPTaIeMBygAwIBAQEVMBMBEhUVFABc2FkYXRlbXN0cy03o4IDsTCCA62gAwIBF6EDAgECooIDnwSCA5syDvJHfsRntPF0oUy00/THHoAeX2fGt0ND8DenGhkYzdIHU4r98+vIgvn+8i06qyZR8r8zPpqiHeltaFOXWnBCckq8XESARWj4oX1LNja0i+zoy1vQlvj8FRVxwiE0Jta5bLNQA+1uMhrRot2F3VayEZK5kXQFDz7G9PuBSyhrk6nwd9gORXk5AiH1X7Hog03RHe4hYoJ7jTkt9g7lm0wq7RvtsnlvzW6E1an3UZBjak610lh1kH/zC4YYFKIRtnL2ES1Q2teVerSOMLzyRJu46n4SEY2I5X3J+5Svq+oAwkWUq9B41xqBFEAF1l/4Vc9jwgmmDg8UUvdjiCa4qaAWrsv2JuxidXHYwYqYEuTCAmZx+AniZ4IAAnQATA/iQV0YEKMcUkwBH6YVz3sz/Sw7KOWmuq81zhbmgpQdU7GtBkkG7Dj3e3uQffYLuW5AFkxDJl1bly+q/TBaOtwq/kUfWKTcG1TziW13wNyj3CmShctPX1xsJUSUMJJ5uVYm9g17cV0CnaCRM4TJV1Qd+eWcuX1wcMrujg2ktZZHAGmk8VxfqjRUYWJbwOGqalZ6OuxTIId9k3Rxt1kWICtWqPgeHsDQ3nMOPPHXF1TNqPQvYmkOncNeJASqAJ34mOhw4D/Q3qfj9p16DW1o1dBM6A1UJ/rpXHGyV3z5EJKLpYqRYPyAm9hRwmmu4/SIALR+5rZHwB5vRp4jLiHDGbl2ReqIPhMvP6CUVJGggbIjyvRx5VoYCI+uRPP3GFej6C4eX9fMzwqN3ktk76BRWZf9HKb9VHuYX/k+tMLktf2VrYAiFYqf8oXmQ9XON+Iej3KvqyP3dZgZfaw9389iITrdX4YnzFwKAf/ot/dLYGrqgWxR/xMTYzmMgPjGGm8ZVHj6M/CZugh7emVzS2WrZVFwz2fufFovcgxHc5hzuWav4VtxDOKWp1UDnr8DmAK3T65dJ8AsgKpFKaxnVbZo+0jDWFZVErgGqgnJCefuOU9QDm/oAftGgaruQrAUdeAJVUrfNE6rott6jMXECVIOIxtdbAtugbtNhw/9f61Tc0xY+7y/tmY+N5MK1Y/my8a/jJ0+DjFR1UJXUWJMDKun0ITt1xaAmjJAmGsgkmkhV6MoAd7JDq3je3oogKcz2rfAavRzt/Gy8ZhvB+QKNFEMwPkq7wXmfUa9w/z6V6q3VHwzIpcSGUkr2RQRpntCIBopGZcy/kbV1G9RqSB0zCBOKADAgEXoHIBIHFGXJTTuh/3yxOagfYthDxT33t4KCBiNzQ/SLH5M/iH4oxfgtJNBj5tNM3rXlRkY+36t00GgLjUTaaBS5P0Fms5LHiR9PbK4nY7n335HcDVJQXBfudokqGU3U80Kuh6UPrS+ihacMygHCR5E0LDgltqveObrORR0ct1EvnMBQ66sajBrt800sqEjuldl77U7W0Aa9IjdWGreZ+nTzu/rhy+Ab0e2tjJgQ8+T+77FUHeYy4B61w7+y5QgnHBbUSP/KAIxAA=

<<<
HTTP/1.1 302 Found
Date: Thu, 13 Jul 2006 07:32:27 GMT
Server: Microsoft-IIS/6.0
X-Powered-By: ASP.NET
WWW-Authenticate: Negotiate oYGgMIGdoAMKAQChCwYJKoZIgvcSAQICooGIBIGFYICGBgkqhkiG9xIBAgICAG9zMHGgAwIBBAEDAgEPomUwY6ADAgEXolwEWjj9oljcrPxx9ipQkjQo69bf5SYXFD7mxaAlp18q5jKcV4ETZcxVawsYxvnHGV/wTsl/yg8CHMZnZ8D07cNqspIEUKG6jONvB9NqaGa4q5441JbEVaBLzPZ/9w==
Location: https://treysts-7/adfs/ls/?wa=wsignin1.0&ttptime=2652&ttptime=0&wctx=https%3a%2f%2ftreyws-test%2fclaims%2f5chttps%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&wresult=eNrNWFtzqsoS2fiuW6zGVBYg3CR1hquAaAA1yspshOESHVEGRPz1e9BoTNYt59R62D4NPW3311%2f3dDM81DgFWHBXQJzb0CuyOK%2bmaA1TC%2bItSjFshJJNigde7bEZ5f12QFHYi2Di4u9kByN3%2bx11IVViqkXTHYpuUX1W4Lz59HBjGfofbd89YdfZDADGMMtj1DauK1V8bP436NAMGzD%2bvddps%2fftFuzd91lewC79iU5y7Yv1%2b4HeaDRXjAgopzt2UQCPOu%2fd0755hp3RvWLYGz7zppM9NossHQQTqH5lbOxm4vpsXSbNhuK8om8MME%2bFjkyGCOPOoOAdfoz0bQS608SB1E4gHuTEwGTEaMN%2fpgXsJoPkWm4BSP64FuDFGOQ8D1MfFoSQKk3SSGScvsd7q9C86F8YKp4apB0ly8iz2avtXR59Unj7FnGewamQQzFzozgfo%2b6n552bbpz4FdnHo7%2bPahOsHmOyidUyyEqChi6M3%2buqdm31J7GUIOyC%2fQdZ8UgK5vj2Kulay0tQyKoWLLHhnm8%2fS%2bvGB%2bondK94312%2fg8wimeeydrNq5m8OEPDc%2byv9QMB%2bVDZhhYp%2bxfD4oDco49VGJLzmyi9Ur9PK3pzEpFdwvYMYZg0ZzYn7%2b5Pkbdw4wdTsedx8An4SpzFJhpj7D%2fns3uoeQt%2fo2fGL6xcAVC%2f4%2bXCWk4yvSpy%2bHnj3xPGR5yN66r%2b2NTStx4A3yflDZuftzEW9eD

XwDz%2fOxj7m4K%2bOT%2bHvUn7c%2fSP%2bEWUJKgtF7%2fXdQGQUwydKL87yBVMlRs%2fy5Iod4kCU7inID9d8ME222G9l9HSf3yXNlXmJIiyt5m6hVXWZbfs%2fYEh3QlmgI5iij4OA6%2fNc%2f%2fegn7d%2bpb4eBDDFKTnJm%2fh406AaYBMiMlyj5BcmGYqha5P38ODde0w7%2fdZsUdd4vmjmA7Imu%2fc4cpmTJQsGMKsnR2NmQY%2fNbl8b4U8P08xNMRmNCb5Z%2f284YlqHG7SF%2fj%2b2bhHOC9HVzv2CHUGUnxiGzi f8PTleOzibOVTPHn2GVHqS6S56BHGV4f3E0eycpnEu9V8oK7ckvVtLVyZd1YUYTg1c1Gn%2fJ5011FmxlmmaTOBae%2bMeojVhb%2bd96NDTj09jLvrlopNjXwsPNN3kWwtuE2Vj4t90Zram4XtYg1Y2jTyLGrUFmYHmdV4WW87i6VIm9VO3UNaBPOiR5XRv0emvSA5kpm9SXZK7rXmHZ%2fGWXdBd5mpuJX07ZTqA4ru0LX%2fmI6gf4De4zmQg%2fAPOqzOUS06NCE6uXteCfVLVVCPLtLYVfVREEARWCUuVBQoOkGyayCeqfdJiCMR%2bud9E6VriS5oE5k4EIHMPyStlcinPTFKWyM3OVTeXIFOSlVmeWcHtfBFAu6XL8C1hjqlbGFJSGOHZPsuNFJp1kBr88yCKw%2bXA854ExFVryermwNViThsVzRqqEhiAVGR7p9jqihVNqcyBQFsZA1HgY1PnQ10017uE4uB4smhLvZZth3SxY7QX1thxeQF0p%2b9W%2bNmJNkfjZb%2ftGa7DDMWjyOeTmeZO7vb8EogLjTrK%2bZRq6weJ1WNn02k9F6RVHa3%2bWqcZXRktog8gHZR5ozfYq4g72IsKhFvVavFycmf0Eas4dKv9x9CecSiOh1rSDYWDpzG7tcUxxz7Q5WopisAEPGqrPDos7p1%2bKYaES4t%2bBuaQISGJIJyWhmTexqyJpcka4qzWVXX

Set-Cookie: _WebSsoAuth=eNrNv1tz4rgS5qekmMcU4zvYJJI68hXbGGIbClhO1ZYv8iVgG3zBmF+/AkImYSe7c07Nw/pJarW7v/661ZIEsJfdDEFZwqJK8uzufaSKj90/QgYnqJAIej5DUZ2ahIME60Gm51F9zvWogA0DpnunlmUN1ays3Kx67JI43u/hgx5BzfDBkCKH5MB50ykeu3WRDUMYwM190Rm6gVvVaf0cF/zYgLEgkfufwQSNlnwSHdZOXwhPZiJHfLpBxmbgrLYeUPbWCMh8R3fOheA+g+PZxjE/IsSE6C8m6SVzwm8wJ+hRiPtlNpAcLqhPwjDnvVebMK6iCBmQ2tWPFZf6p/svzu6UXm6ibkqYtXwBK6hR8/YJ91b+y/N4/dBHZ1GOyTkwk3CEu0mq8TlJUwH711/EbfaeVCX5r4RV7mYfUBWfdJiRf69ijqWkNjM8toFS5Wk51NPEvrwxwfsJ3bf8b65fgNfxTCrEv9s1a7cCqZofvdZ/g8F81nzgFwC38tn09KwybJgrwrprzmya+8v+tXbbIJKRQlO2mECizs5LlIXeY+rajvEsNKPyeqW3xFPZe5uv+dFhPkbn01LbP486T6BIE2yBCXDrfLiP5ey/e7n6Vv8n41fWXkHgP0dLlFwKpRpr67g7cK/J4zPOO/er86ffHrtS6iYbEASotMvu58Vy6/rwF0B2b30s3E0Nn9y/R32jFsv9J9xCnqZ5dhr/XtQQQowydKb89yBVirze/16QwmkRuThNKgT23w0TbLdFv911NiX+8pOogwVUQEvffEdV9M03xvqDAd1JRzDOQwpBGUSfete/oLBqfU9PQhulmdoJ2+S44cGdQc2UV4kVzx+YZLACPxksgcPfs8n6Oxb9w77gOcXzXxCPvRur4xd4mzJ4iEsTifh3dxSH7vffu0iF3qYFW5WogMxLT+M/zccMNvDTb6Fqa+8hnOG9OvmvmAH+whOTCJOJv4/PLlzdDFxqZopv4na7CgV/bDRJcCrebmFoppdUTg68T5qPmDv3KLxx1p4z95FUYTRzKxEHQsG0j2jzI/zQtPmAkHvjAaI7T2/XbDxIZWJQCdHd9xvFxlI+EE7x+li2ltymrSblv1zn9mZpuUGLGOw+xy2poX5QaY0XtZpZ7kScbPdqXuIi2BRD7Bm/erIuB+mR3Rmb9KdUvnkggnwsugv8T4x8E7vSv1lhtYjhfxbx1j9kYBgfo14C+QD+QyTfJaolg30iW7mXkXC6VIWnows1n1UVCVEQQNFGoFF5EKm6QkWpbILtJxlmYMJH6128ThSuwXlgzmgUgAsew/EY2V+LCNWEpYeausmKdmY/9zGLmKbcPRAD1Bm8mr4AyZmprzEBjiBP3LDteZdJZvCrgyWCm48mCx4YM4GU16ulRXjLce63OGWoSmgAXBHsnWKRHiWa0gkHALQyAaLAJ6bOR6Zor3YpXsHJdElLA9K0zI7zeEdoLzey4qga6w7pt+ezEm6Pxt/pBMCQI/EO8tV0rrnT+z2/AuJSW45yNcNo/SBReuJsGPK5Rq3qaLFRHSD0ZbyK4wAUUOaFQWp7MXewly2IuLbRktX03mBzSnFwsuB3EERJKo5GwtqPhIOvEbulxRFHFujysVFFYAI+p1U+PyLuHbYRI8S1hT8Dc4Sh4EQZRpDMj/GrImNSRni/KSr6rmjxnt/gnImgEgAbiJDEK66hoTyCCIRjPhoXoiriFBHgeiKrnkU0T48T0yaUmOzPnkt/dbpgrWNJwSsY25q7U3ONIEg6NuNlJyxbXjQNLLJd7PieXm+Qr6B0WxtleejRs7BXYZfzOQushQXcaeTVcerdG6U1DTebMwz7ohl9HNTOT1XEoiK3ckd2Thvpjvx+Rkg+onDpZWPk6t2m+ZV4/SmnFKbFeUtvdJLg0EJCPxvUku2kBa1H7K1Z7A/bX+kJ6fNk3k5IiXujnVLd9IPK8qElRPuiGpP+RHIMSvTh6MrGaasPvVybiE4ES3fp5dZYavlou; path=/adfs/ls/; secure; HttpOnly

Set-Cookie: _WebSsoAuth=cFf+wmdmNhb4wZEBdGWqOfTpmffHLecvlR8xLqXzWPYyb8pB/+H3zhcKPHWty1zhzfBBVqnzBpxgN/ua/68D9C+NX1q19wfJjPM72Pp4hBQgXakQLHEHjTKG61Fjo3AYZANDgro73f7WUBZL4FZseFej6RRyPt7dZC6L7Bq5DFt+c8pNU8XhbrA7rWlkIyCKKSG8Jxsq47pBx9XBSKHdgyy7HY6yGnGyK/flHkeWVVO6lvY1GCjy0pMcaC7ltOGt/PxwNtBLWXEW5htI53xwbZKB4juassXVNuKQwVvdK+HygAz0lBCXzcsNP1lQSxoKR5lb+Cu0EiL58X7Lc2htvYbhs1VktBx5129y6qUm5BKxGjUYpOcX2BrtqXRlZwGRO+syUllsncznLsWw3ZXByis1Hq0/FWT/b5S8vBT33F+v1jpoFng0jsSun77SsM6fwfstmNeJJduir132B+99/2ucn28PhGdPzSpXASvY04dOPt0dwA73mwz/RcxnVJos+6kPI6ndsXEXor7mGQFOjCnhdtB4iyvTB64l+fbv4du0f0mB5J9Fhq0Kf6LismDD4gqT50cj2Cpfs0yVL9QY/B8U6H6PzSu6vzk5dch+mAzudXxxvSh+98dbHvCJ2Pt+eO2JHS7SZviURDw83cCBZ/AgPdteY=; path=/adfs/ls/; secure; HttpOnly

Set-Cookie: _LSCleanup=2006-07-13:07:32:27Zr0urn:federation:treyresearch; path=/adfs/ls/; secure; HttpOnly

Set-Cookie: _TTPDest=urn:federation:treyresearch; path=/adfs/ls/; secure; HttpOnly

Set-Cookie: _TTPData=eNrNWftzqsoS/iuW6zGVBYg3rCR1hquAaAA1yspsphOEShVEGRPzle9BoTNYt59R2D4NPW3311/3dM8mlDgfwHBXQJzb0CuyOK+ma1TC+ItSjFshJJNigdE7bEz5f12QFHYi2Di4u9kByN3+xl1IVViqkXTHYpuUXlW4Lz59HBjGfofbD89YDFZDADGMtj1lDauK1V8bP436NAMGzD+vddps/ftFuzd91ewc79iu5y7Yv1+4HeADRjAqopzt2UQCPo/d0755hp3RvWLYGrZ7zppM9NossHQTh51bOxm4vpsXsbNhuK8om8MME+FjkyGCOP0oAdfoz0bqS608SB1E4DhHwTegTEaMN/pgXsJoPkWm4BSP64FuDFGQO8D1MFfoSQK3SSGsvsd7q9C86F8YKp4apB0ly8iz2avtXR59Unj7FnGewamQQQzfzozgfqo+6n55+bpz4FdnHo7+PahOsHmOyidUyyEqChi6M3+uqdm31J7GUIoyC/QdZ8UqK5vj2Kulay0tQyKoWl1HhnM8/S+vGB+ondK94312/g8wimeeydrNq5m8OEPDc+yv9QMB+VDZhhYp+xfD4oDco49VGJLzm

yi9Ur9PK3pzEpFdWvtYMYZg0ZZYn7+5Pkbw4wdTsedx8An4SpzFJhpj7D/nsv3uoeQt/
o/GL6xcAVC/4+XCWk4yvSpy+Hnj3xPGR5yN66r+22NTStx4A3yflDZuftzEW9eDXwDZ/Ox
j7m4K+OT+HvUn7c/SP+EWUJKgtF7/XdQQGUwydKL87yBVmLRs/y5Iod4kCU7inID9d8ME2
22G919HSf3yXNlXmJIiyt5m6hVXWZbfs/YEh3QlmgI5iij4OA6/Nc//gn7d+p4eBDDFKTn
Jm/h406AaYBmI1yj5BcmGYqha5P380Dde0w7/dZsUdd4vmjma7Imu/c4cpmTJQsGMKsn
R2NmQY/Nb18b4U8P08xNMRmNCb5Z/284YLqHG7SF/j2+hHOC9HVzv2CHUGUnxiGZif8PT
leOzibOVTPHN2GVHqW5G5S6BHgV4f3E0eycpnEu9V8oK7ckvVtLVyZdlYUYTglc1Gn/J
5011Fmx1mmaTOBae+MEojVhb+d96NDIj09jLvrlopNJXwsPNN3kWwtuE2Vj4t90Zram4X
tYg1Y2jTyLGrUFmYHmdV4WW87i6VIm9VO3UNaBPOiR5XrV0emvSA5kpm9SXZK7rXmHZ/G
WXdBd5mpuJX07ZIQA4ru01X/mI6gf4De4zmQG/APOqzOUS06Nce6uXteCFVLVVCPLtLYV
FVvKREEAWRWCUuVBqOoKgyayCeQfdJiCMR+ud9E6VriS5oE5k4EIHMPyStlclnPTFKWYm3
OVTeXifOSlVmeWcHtFBFAu6XL8ClhjqlbGFJSGOHZPsnNFJp1kBr88yCKw+XA854ExFVr
yermwmNViTHsVzRqQehiAVGR7p9jqihVNqcyBQFSZA1HgY1PnQ10017uE4uB4smhLvZZt
h3SxY7QX1thxeQF0p+9W+NmJNkfjZb/TGa7DDMWjyOeTmeZ07vb8EogLjTrK+ZRq6weJ1
WNn02k9F6RVHa3+WqcZXRkto8gHGZR5oZfYq4g72IsKhFvVavFycmf0Eas4dKvg9xCecS
IOh1rSDYWDpzG7tcUxxz7Q5WOpisAEPGqrPdoS7p1+KYAES4t+BuaQIsGJIJyWhmTexqy
Jpcka4qzVWXXkqNHEG5OCCSAUGEHIEISLriGRPIQBEM+nGvIaAj8ERCSwkseRfLs13wP
zbLYkh+Zs6Vn0YZP76zAcMJFGrZbrVe/YXvUjtZTKE7YND8pSqH2XS543Z0Piuxye9155P
ixlBGZyO6WHThaJc9Xt2NPJctVWbL2TsZnZOTdPugEvtcupyOtIikMLOZI7tGhPRPtRa7
wh9RP5CwuNEqvwqs7ritXKUCJsl6y291pc4gtE1qL3zmtedk88BIOrwTux/ojel5S1qG
DCC9YqeuW; path=/adfs/ls/; secure; HttpOnly
Set-Cookie: TTPData0=LyWeV5UxqSfdkNR3+REI0aud/KFVTuL+f1nbVmTGV8LPf16
dhUYvF3PalX/hMzVLC7xzZABdmSjOdxMuqOK8xbKe4wL6bSWV6m2Xykh791vFMyVaOs1
lrkk/uCc7LnmQTigP58D/nQOyLk1eYX3x3GU8rrUsn84LO+cGRAtt4eNH1VDNEDcGhl
/YOCujud/up3+ZefDPvB3s91IYB7+3VXuK+wLyUR23Le07YWTLP1D11p62FeOiHAQuF53
jLdrGtc+3jPFkPwJfdrk+9HLC7ZNDdiyLpCivfSV2bCmN6ZEmxMRJ0z3KS6G426mlDqL0
MYcV1WJ3zZJHR8pWozlral0wbkuYqT0leD60fT1hBCVdIcNl1mwcRIKRIAu9QjsGoiff
4T63Xg3zIFiq6rSQ/RVr29y6LFoyBn2NHQ6T1oTaG/11Je46h3nqJM8dbELFMpNTRKW7S
YduLSjlaHXZKO2mO/TykrVn3ny93nGyGppVKClJt3qQfFAfe6Yz8m5mlLXDvvee6/vKp
fLXkH87tJc4u2AtJhNDPEUXb8LbL/wXaBdT8Qt2sRedfow4A6k1N+iOM3f3xwu9tyv2eu
Ti+HppT9Owzebb7eAP9x8bzXPTz9gOclvYv3Iy08/kzz9A6cx/kw=; path=/adfs/ls/
; secure; HttpOnly

```
>>> treysts-7 (Resource IP/STS)
GET /adfs/ls/?wa=wsignin1.0&ttpsize=2652&ttptindex=0&wctx=https%3a%2f%
2ftreyws-test%2fclaims%2f%5chttps%3a%2f%2ftreyws-test%2fclaims%2f
Default.aspx&wresult=eNrNWfzqsos%2fiuW6zGVBYg3rCR1hquAaaA1ysspHOEShV
EGRPz1e9BoTNYt59R62D4NPW3311%2f3dDM81DgfWHBXQJzboCuyOK%2bmaA1TC%2bItSj
FsHJJNigde7bEz5f12QFHYi2Di4u9kByN3%2bX1lIVViqkXTHYpuUX1W4Lz59HBjGfofbD
89YdfZDADGMmtj1DauK1V8pP436NAMGzD%2bvddps%2fftFuzd91ewc79iu5y7Yv1%2b4
HeaDRXjAqopzt2UQCPOu%2fd0755hp3RvwLYGrZ7zppM9NossHQTQh51bOxm4vpsXSbNhu
K8om8MME%2bfjkyGCOF0oOAdfoz0bQS6O8SB1E4gHuTewgTEAMN%2fpgXsJpPkWm4BSP64
FuDFGOQ8D1MfFoSQKk3SSgScvsd7q9C86F8YKP4apB0ly8iz2avtXR59Unj7FnGewamQQQ
zFzofqo%2b6n55%2bbpz4FdnHo7%2bPahOsHmOyidUyyEqChi6M3%2buqdm31J7GUiOyC
%2fQdZ8UqK5vj2Kulay0tQyKoWLL1HhnM8%2fS%2bvGB%2bondK94312%2fg8wimeeydrNq
5m8OEPDC%2byv9QMB%2bVDZhhYp%2bxfD4oDco49VGJLzmyi9Ur9PK3pzEpFdWvtYMYZg0
ZZYn7%2b5Pkbw4wdTsedx8An4SpzFJhpj7D%2fnsv3uoeQt%2fo%2fGL6xcAVC%2f4%2
bXCWk4yvSpy%2bHnj3xPGR5yN66r%2b22NTStx4A3yflDZuftzEW9eDXwDZ%2fOxj7m4K%
2bOT%2bhvUn7c%2fSP%2bEWUJKgtF7%2fXdQQGUwydKL87yBVmLRs%2fy5Iod4kCU7inID
9d8ME222G919HSf3yXNlXmJIiyt5m6hVXWZbfs%2fYEh3QlmgI5iij4OA6%2fNc%2f%2fg
n7d%2bp4eBDDFKTnJm%2fh406AaYBmI1yj5BcmGYqha5P380Dde0w7%2fdZsUdd4vmjma
7Imu%2fc4cpmTJQsGMKsnR2NmQY%2fNb18b4U8P08xNMRmNCb5Z%2f284YLqHG7SF%2fj2
%2bhHOC9HVzv2CHUGUnxiGZif8PTleOzibOVTPHN2GVHqW5G5S6BHgV4f3E0eycpnEu9V
8oK7ckvVtLVyZdlYUYTglc1Gn%2fJ5011Fmx1mmaTOBae%2bMEojVhb%2bd96NDIj09jLvr
lopNJXwsPNN3kWwtuE2Vj4t90Zram4XtYg1Y2jTyLGrUFmYHmdV4WW87i6VIm9VO3UNaB
POiR5XrV0emvSA5kpm9SXZK7rXmHZ%2fGWXdBd5mpuJX07ZIQA4ru01X%2fmI6gf4De4zm
QG%2fAPOqzOUS06Nce6uXteCFVLVVCPLtLYVfVvKREEAWRWCUuVBqOoKgyayCeQfdJiCMR%
2bud9E6VriS5oE5k4EIHMPyStlclnPTFKWYm3OVTeXifOSlVmeWcHtFBFAu6XL8Clhjqlb
GFJSGOHZPsnNFJp1kBr88yCKw%2bXA854ExFVryermwmNViTHsVzRqQehiAVGR7p9jqihV
NqcyBQFSZA1HgY1PnQ10017uE4uB4smhLvZZth3SxY7QX1thxeQF0p%2b9W%2bNmJNkfjZ
b%2fTGa7DDMWjyOeTmeZ07vb8EogLjTrK%2bZRq6weJ1WNn02k9F6RVHa3%2bWqcZXRkto
8gHGZR5oZfYq4g72IsKhFvVavFycmf0Eas4dKvg9xCecSIOh1rSDYWDpzG7tcUxxz7Q5W0
pisAEPGqrPdoS7p1%2bKYAES4t%2bBuaQIsGJIJyWhmTexqyJpcka4qzVWXX HTTP/1.1
Accept: image/gif, image/x-xbitmap, image/jpeg, image/pjpeg,
application/vnd.ms-excel, application/vnd.ms-powerpoint,
application/msword, application/x-shockwave-flash, */*
Accept-Language: en-us
UA-CPU: x86
Accept-Encoding: gzip, deflate
User-Agent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.2;
```


SV1; .NET CLR 1.1.4322; .NET CLR 2.0.50727; InfoPath.1)
Host: treysts-7
Connection: Keep-Alive
Cookie: _TTPRealm=urn:federation:adatum

<<<
HTTP/1.1 302 Found
Date: Thu, 13 Jul 2006 07:32:27 GMT
Server: Microsoft-IIS/6.0
X-Powered-By: ASP.NET
X-AspNet-Version: 2.0.50727
Location: https://adatumsts-7/adfs/ls/?wa=wsignin1.0&wrealm=urn%3afederation%3atreys+research&wct=2006-07-13T07%3a32%3a27Z&wctx=https%3a%2f%2ftreys-test%2fclaims%2f%5chttps%3a%2f%2ftreys-test%2fclaims%2fDefault.aspx&tindex=1727
Set-Cookie: _TTPData=eNrNWftzqsoS/iuW6zGVBYg3rCR1hquAaAAlyssphOEShVEGRPzle9BoTNYt59R62D4NPW3311/3dDM81DgfwHXBQJzb0CuyOK+maA1TC+ItSjFsHJJNiRDE7bEZ5f12QFHYi2Di4u9kByN3+x11IVViqkXTHYpuUX1W4Lz59HBjGfofbD89YDfZDADGMMtj1DauK1V8bP436NAMGzD+vddps/ftFuzd91ewc79iu5y7Yv1+4HeaDRXjAqopzt2UQCPOu/d0755hp3RvwLYGrZ7zppM9NossHQTQh51bOxm4vpsXSbNhuK8om8MME+FjkyGCOP0oAdfoz0bQS608SB1E4gHuTewgTEaMN/pgXsJoPkWm4BSP64FuDFGOQ8D1MFfOSQKk3SSgSCvsd7q9C86F8YKP4apB0ly8iz2avtXR59Unj7FnGewamQQQzFzozgfo+6n55+bpz4FdnHo7+PahOsHmOyidUyyEqChi6M3+uqdm31J7GUIoyC/QdZ8UqK5vj2Kulay0tQyKoWL1HhM8/S+vGB+ondK94312/g8wimeeydrNq5m80EPDc+yv9QMB+VDZhHyP+xfD4oDco49VGJLzmyi9UR9PK3pzEpFdwvtYMYZg0ZZYn7+5Pkbdw4wdTsedx8An4SpzFJhpuj7D/nsv3uoeQt/o/GL6xcAVC/4+XCWk4yvSpy+Hnj3xPGR5yN66r+22NTStx4A3yflDZufzEW9eDXwDZ/Oxj7m4K+OT+HvUn7c/SP+EWUJKgtF7/XdQGQUwydKL87yBVM1Rs/y5Iod4kCU7inD9d8ME222G919HSf3yXN1xmJIi yt5m6hVXWZbfS/Yeh3QlmqI5iij40A6/Nc//gn7d+4p4eBDDFKTnJm/h406AaYBmIMly5BcmGYqha5P380Dde0w7/dZsUDD4vmjMA7IMu/c4cpmTJQsGMKsnR2NmQY/Nb18b4U8P08xNMRmNCb5Z/284YLqHG7SF/j2+hHOC9HVzv2CHugUnxiGZif8PT1eOzibOVTPHN2GVHqWSG5S6BHqV4f3E0eycpnEu9V8oK7ckvVtLVyZd1YUYTg1c1Gn/J5011Fmx1mmaTOBae+MEojVHb+d96NDIjO9jLvrlonNXwsPNN3kWwtuE2Vj4t90Zram4XtYg1Y2jTyLGrUFmYHmdV4WW87i6VIm9VO3UNaBPOiR5XrV0emvSA5kpm9SxzK7rXmH2/GWXdbD5mpuJX07ZiQ44ru0LX/mI6gf4De4zmQG/APOqzOUS06Nce6uXteCFVLVVCPLtLVYFVKREEAWRWCuVBqOoKgyayCeqfdJiCMR+ud9E6Vris5oE5k4EIHMPySt1cinPTFKWYm3OVTeXiFOS1VmeWcHtFBFAu6XL8clhjqlbGfJSGOHZPsnUNFJp1kBr88yCKW+XA854ExFVryermwNViThsVzRqqEhiAVgR7p9jqihVNqcYBQFsZA1HgY1PnQ10017ue4uB4smhLvZzth3SxY7QX1thxeQF0p+9W+NmJNkfjZb/TGa7DDMWjyOeTmeZ07vb8EogLjTrk+ZRq6weJ1WNn02k9F6RVha3+WqcZXRkto8gHGZR5oZfyq4g72IsKhFvVavFycmf0Eas4dKvg9xCeCSI0h1rSDYWDpzG7tcUxxx7Q5WOpisAEPGqrPDoS7p1+KYaES4t+BuaQISGIJyWhmTexqyJpcka4qzWVXX; path=/adfs/ls/; secure; HttpOnly

>>> adatumsts-7 (Requestor IP/STS)
GET /adfs/ls/?wa=wsignin1.0&wrealm=urn%3afederation%3atreys+research&wct=2006-07-13T07%3a32%3a27Z&wctx=https%3a%2f%2ftreys-test%2fclaims%2f%5chttps%3a%2f%2ftreys-test%2fclaims%2fDefault.aspx&tindex=1727
HTTP/1.1 Cookie: _WebSsoAuth=eNrNVltz4rgS5qekmMcU4zvYVJI68hXbGGIbCLh01ZYv8iVgG3zBmF+/AkImYSe7c07Nw/pJarW7v/661ZIEsJfdDEFZwqJK8uzufaSKj90/QgYnqJAIEj5DUz2ahIme60Gm51F9zvWogA0DpnunlMUN1ays3Kx67JI43u/hgx5BzFDBkCKH5MB50ykeu3WRDUMYwMI9ORm6gVvVafFocF/zYgGLEgkfuwQSNJlnwSHdZOXwhPziJHfLpBxmbgrLYeUPbWCMh8R3fOheA+g+PZxjE/IsSE6C8m6SVzWm8wJ+hRIpTLNpAcLqhPWjDnvVe bMK6iCBmQ8tWFZF4p/svzu6UXm6ibkqYHtXwBK6hr8/YJ91b+Y/N4/dBHZ1G0yTkWk3CEu0mq8T1JUwH711/EbfaeVCX5r4RV7mYfUBWfdJiRf69ijqWkNJM8toFS5Wk51NPEvrwxfSj3bf8b65fgNfxTcrEv9s1a7cCqZofvdZ/g8F81nZgFWcB38tn0KwybJgrwprzmya+8V+txbbIJKRQ02mECizs5L1IXeY+rajvEsNKPYeqW3xFPZe5uv+dFhPkbN01LbP486T6BIE2yBCXDrfLiP5ey/e7n6Vv8n41fWxkHgP0dL1fWkPrpr67g7cK/J4zPOO/eR6ffHrtS6iYbEASotMvu58Vy6/rwF0B2b30s3E0Nn9y/R32jfSv9J9xCnqZ5dhr/XtQQQowydKb89yBVirze/16QwmkRjThNKgT23w0TbLdFvv911NiX+8pOogwVUQEvfEdV9M03xvqDAd1JRzDQWpBGUSfete/oLBqfU9PQhulmdoJ2+S44cGdQc2UV4kVzx+YZLACPxksgcPfs8n6Oxb9w77gOcXzXxCVpRur4xd4mzJgiEstifh3dxSH7vffu0If3qYFW5WogMxLT+M/zccMnVDTb6FQa+8hn0G9OvmvmAH+whOTCJ0Jv4/PL1zdDFxqZopv4na7CgV/bDRJcCrebmfOppduTG68T5qPmDv3KLxx1p4z95FUYTRzKxEHQsG0j2jzI/zQtPmAkHvjAaI7T2/XbDxIZWJQCdH9xvFx1I+EZ7x+1i2ltymrSblviZn9mZpu6UGLGOw+x2poX5QaY0XtZpZ7kScbPdqXuIi2BRD7Bm/erIuB+mR3Rmb9KdUvnkgnwsugv8T4xe7eSv1lhTYjhfbx1j9kyBgfoP14C+QD+QYftJaolg30iW7mXkXC6VIWn0ws1n1UVCVEQQNFGoFF5EKm6KqWpblTLTJx1mYMJH6128ThSuwXlgzmGAsew/EY2V+LCNEWpYeauskdmY/9zGLmKbcPRAD1Bm8mr4AyZmprzEBjiBP3LDteZdJZzVcrgyW4mC48mC4M4GU16ulRXjLce630GwoSmgAXBHsnWKRHiWa0gkHALQyAaLAJA6bOR6Zor3YpxsHJdELLA9K2I7zeEdoLzey4qga6w7pt+ezEm6Pxt/pBMcQI/Eo8tV0rrnT+z2/AuJSw45yNcNo/SBReuJsGPK5Rq3qaLrHSD0ZbyK4wAUUoAFQWp7MXewly2IuLbRktX03mBzSnFwsub3EERJK05GwtgPhIOvEbulxRFHFujysVFFYAI+p1U+PyLuHbYRI8S1hT8Dc4Sh4EQ

QzRpDMj/GrImNSrni/KSr6rmjxnt/gnImgEgAbiJDEK66hoTyCCIRjPhoXoiRIfBHgEiKr
nkU0Tw48T0yaUmOzPnKt/DDpgrWNJwSsYZ5q7U3ONIEG6uNlJyxbXjQNMLJd7PieXM+Qr6
b0WxtleejRs7BKkYzfQQUshbQXcaeTVcerdG6U1DTEbMwz7ohL9HNTOT1XEoiK3ckd2Thv
pjvx+Rkg+onDpZWPkz2m+ZV4/SmnFKbFeUtvDjLg0EJCPxvUku2kBa1H7K1Z7A/bX+kJ6
fNk3k5IiXUjVld9IPK8qE1RPuiGpP+RHIMsvTh6MrGaasPvVyYiE4ES3fp5dZyavlou;
_WebSsoAuth0=cFf+wmdmNhb4wzEBdGWqOftPmfHLeclv1R8xLqXzWPYybe8pB/+H3zhc
KPHWTy1zhfzBBVqznBpxgN/uA/68D9C+NXlq19wfJjPM72Pp4hBQgXAkQLHeHjTKG61Fjo
3AYZANDgro73f7WUBzL4FzseFej6RRyPt7dZC6L7Bq5DFt+c8pNU8XhbrA7rWlkiYCKKSG
8JxsqX7pVbX9XBSKHDqyy7HY6yGnGyK/flHkeWVVO61vY1GCjy0pMcaC71tOGt/PxwNtBL
WXEWw5htI53xwbZKB4juassXVNuKQwVwdK+HygAz01BCXzcsNP11QSxoKR51b+Cu0EiL58
X7Lc2htVYbhs1VktBx5129y6qUm5BKxGjUYpOcX2BrtqxR1zWGR0+syU1lSncznLsWw3ZX
ByiSlHq0/FWT/b5S8vBT33F+v1jpoFnG0jSun77SsM6wfstmNeJjdair132B+99/2ucn28
PhdGpzzSpXASvY04dOft0dwA73mwz/RcxnVJos+6kPI6ndsXEXor7mGQFOjCnhdtB4iyvT
B64L+fbv4du0f0mB59FhQKf6LismDD4gqT5Ocj2Cpfs0yVL9QY/B8U6H6PzSu6vzk5dc
h+mAzudXxxvSh+98dbHvCJ2Pt+eO2JHS7SvIURDw83cCBZ/AgPdteY=;_LSCleanup=
2006-07-13:07:32:27Zr0urn:federation:trey research;_TTPDest=urn:
federation:trey research;_TTPData=eNrNWftzqsos/iuW6zGVBYg3rCRlhquAaAA
lyssphOESHVEGRPz1e9BoTNYt59R62D4NPW3311/3dDM81DgFWHBXQJzb0CuyOK+maA1TC
+ItSjFshJJNigde7beZ5f12QFHYi2Di4u9kByN3+x11IVViqkXTHYpuUXLW4Lz59HBjGfo
fbb89YDFZDADGMMtj1DauK1V8bP436NAMGzD+vddps/ftFuzd91ewc79iu5y7Yv1+4Head
RXjAqopzt2UQCOP/d0755hp3RvwLYGrZ7zppM9NossHQQTqH51bOxm4vpsXSbNhuK8om8M
ME+FjkyGOCU0oAdfo0bQs608SB1E4gHuTewgTEaMN/pgXsJoPkWm4BSP64FuDFGOQ8D1
MFfoSQKk3SSGScvsd7q9C86F8YKP4apB0ly8iz2avtXR59Unj7FnGewamQQzFzozgfo+6
n55+bpz4FdnHo7+PahOsHmOyidUyYEqChi6M3+uqdm31J7GUyoc/QdZ8UqK5vJ2Kulay0
tQyKoWLLHhnM8/9+uVB+ondK94312/g8wimeeydrNq5m8OEPDc+yv9QMB+VDZhHyP+xfD4
oDco49VGFJLzmyi1SUr9PK3pZEpF8dwtYMYZg0ZZYn7+5Pkbdw4wdTsed8An4SpzFJhpj7
D/nsv3uoEQt/o/GL6xcAVC/4+XCWk4yvSpy+Hnj3xPGR5yN66r+22NTStx4A3yflDZuftz
EW9eDXwDZ/Oxj7m4K+OT+HvUn7c/SP+EWUJKgtF7/XdQQGUwydKL87yBVM1Rs/y5Iod4kC
U7inID9d8ME22G919HSf3yXNlXmJiYt5m6hVXWZbfs/YEh3QlmgI5iij4OA6/Nc//gn7
d+p4yermwNmNv1ThSvZRqEhiAVgR7p9jqihvNqCYBQFSZa1HgY1PnQ10017ue4uB4smhLv
ZZth3Sxy7QX1thxeQF0p+9W+NmJNkfjZb/TGA7DDMWjyOeTmeZ07vb8EogLjTrK+ZRq6we
J1WNn02k9F6RVHa3+WqcZXRkto8gHGZR5ozfYq4g72IsKhFvVavFycmf0Eas4dKvq9xCeC
SIOh1rSDYWDpZ7tUxxz7Q5WOpisAEPGqrPDoS7p1+KYAES4t+BuaQIsGJIJyWhmTexqy
Jpcka4qzWVXXkqNHeG5ocCSAUGEHIEISLriGRPIJBEM+nGviaAj8ERCSwkserfLs13wPz
bykh+Zs6Vn0YZP76zacMJFGRzbrVe/YXvUjtZTKE7YND8pSqH2XS543Z0Piuxye9155Pix
lBGZy06WHThaJc9Xt2NPJctVWbL2TsZNZOTdPugEvtcupyOtiikMLOZI7tGhPRPrRa7wh9
RP5CwuNEqvwqs7ritXKUCJsl6y291pc4gtE1qL3Zmte+dK88BIOrWtux/ovej15SlqGDCC9
YqeuW;_TTPData0=LyWeV5UxqSfdkNR3+REIOaud/KFVTuL+flnbVmtGV8LPf16dhUYvF3
PalX/hMzVLC7xzZABdmsjOdxMuqOK8xbKe4wL6bSWV6m2Xykh791vFMyVaOsl1rkk/uC
c7LNMqTigP58D/nQOyLk1eYX3x3GU8rrUsn84LO+cGRAtt4eNHY1VDNEDcGhl/YOCujud
/up3+ZefDPvB3s91IYB7+3VXuK+wLYUR23Le07YWTLP1D11p62FeOiHAQuF53jLdrGtc+3
jFPKwJFdrk+9HlC7ZNDdiyLpcivfSV2bCmN6ZEmxMRJ0z3KS6G426mlDqL0MYcV1WJ3z
JHR8pWVoz1ral0wbkuYqT0leD60fT1hBCVdIcNlLmwcRIKRIA9QjsGoiff4T63Xg3zIFi
q6rSQ/Rvr29y6LFoyBn2NHQ6T1oTaG/11Je46h3nqJM8dbElFMPNTRKW7SduLSjlaHXZK
O2m0/TykrVn3ny93nGyGpVKC1Jt3qFQfAfa6Yz8m5m1LXDvvee6/vKpFLKxH87tJe4u2
AtJhNDPEUXb8LbL/wXaBd8Qt2sRedfow4A6k1N+iOM3f3xwu9tyv2euTi+HppT9Owzebb
7eAP9x8bZXTp29gOclvYv3Iy08/kzz9A6cx/kw=

<<<

HTTP/1.1 302 Found

Location: https://treysts-7/adfs/ls/?wa=wsignin1.0&ttpsize=2652&
ttpindex=1727&wctx=https%3a%2f%2ftreyws-test%2fclaims%2f%5chttps%
3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&wresult=kqNHeG50cCSAUGEH
IEISLriGRPIJBEM%2bnGViaAj8ERCSwkserfLs13wPzbykh%2bZs6Vn0YZP76zacMJF
GRzbrVe%2fYXvUjtZTKE7YND8pSqH2XS543Z0Piuxye9155PixlBGZy06WHThaJc9Xt2
NPJctVWbL2TsZNZOTdPugEvtcupyOtiikMLOZI7tGhPRPrRa7wh9RP5CwuNEqvwqs7rit
XKUCJsl6y291pc4gtE1qL3Zmte%2bdK88BIOrWtux%2foje15SlqGDCC9YqeuWLyWeV5U
xqSfdkNR3%2bREIOaud%2fkFVTuL%2bflnbVmtGV8LPf16dhUYvF3PalX%2fhMzVLC7xz
ZABdmsjOdxMuqOK8xbKe4wL6bSWV6m2Xykh791vFMyVaOsl1rkk%2fc7LNMqTigP58
D%2fnQOyLk1eYX3x3GU8rrUsn84LO%2bcGRAtt4eNHY1VDNEDcGhl%2fyOCujud%2fup
3%2bZefDPvB3s91IYB7%2b3VXuK%2bwLYUR23Le07YWTLP1D11p62FeOiHAQuF53jLdrG
Tc%2b3jFPKwJFdrk%2b9HlC7ZNDdiyLpcivfSV2bCmN6ZEmxMRJ0z3KS6G426mlDqL0M

YcVlWJ3zzJHR8pWVozlral0wbkuYqT0leD60fTlhBCVdIcNLlmwCRlKRIaU9QjsGoiff4
T63Xg3zIFiq6rSQ%2fRvR29y6LFoyBn2NHQ6TloTaG%2f11Je46h3nqJM8dbElFmPNTRK
W7SvduLSjlaHXZKO2mO%2fTykrVn3ny93nGygPpVKCLJt3qFQFAfe6YZ8m5mlLXDvvee
6%2fvKpFLKxH87tJe4u2AtJhNDPEUXb8LbL%2fwXaBdT8Qt2sRedfow4A6k1N%2biOM3f
3xwu9tyv2euTi%2bHppT9Owzebb7eAP9x8bzXPTz9gOclvYv3Iy08%2fkzz9A6cx%2fkW
%3d

>>> treysts-7 (Resource IP/STS)

GET /adfs/ls/?wa=wsignin1.0&ttpsize=2652&ttppindex=1727&wctx=https%3a%
2f%2ftreyws-test%2fclaims%2f%5chttps%3a%2f%2ftreyws-test%2fclaims%2fD
efault.aspx&wresult=kqNHeG5OcCSAUGEHIEISLriGRPIJQBEM%2bnGViaAj8ERCSwk
serFLs13wPzbYkh%2bZs6Vn0YZP76zacMJFGRzbrVe%2fYXvUjtZTKE7YND8pSqH2XS54
3Z0Piuxye9155Pix1BGzyO6WHThaJc9Xt2NPJctVWbL2TsZNZ0TdPugEvtcopyOtIikML
OZ17tGhPRPTrRa7h9RP5CwuNEqvwqs7ritXKUcJs16y291pc4gtE1qL3Zmte%2bdK88BI
OrwTux%2foje15SlqDCC9YqeuWLyWeV5UxqSfdkNR3%2bREI0auD%2fKfVTuL%2bflnb
VmTGV8LPf16dhUyVf3PalX%2fhMzVLC7xzZABdmSjOdcXMuqOK8xbKe4wL6bSWV6m2Xyk
H791vFMyVaOsllrkk%2fuCc7LNmQtigP58D%2fnQOyLk1eYX3x3GU8rrUsn84LO%2bcG
RAt4eNHY1VDNEDcGh1%2fYOCujud%2fup3%2bZefDPvB3s91IYB7%2b3VXUk%2bwLyUR
23Le07YWTLP1D1lp62FeOiHAQuF53jLdrGTc%2b3jPPFkwJFdrk%2b9H1c7ZNDdiyLPci
vfvS2bCmN6ZEmxMRJ0z3KS6G426mLDqL0MYcV1WJ3zzJHR8pWVozlral0wbkuYqT0leD6
0fTlhBCVdIcNLlmwCRlKRIaU9QjsGoiff4T63Xg3zIFiq6rSQ%2fRvR29y6LFoyBn2NHQ
6TloTaG%2f11Je46h3nqJM8dbElFmPNTRKW7SvduLSjlaHXZKO2mO%2fTykrVn3ny93nG
ygPpVKCLJt3qFQFAfe6YZ8m5mlLXDvvee6%2fvKpFLKxH87tJe4u2AtJhNDPEUXb8LbL
%2fwXaBdT8Qt2sRedfow4A6k1N%2biOM3f3xwu9tyv2euTi%2bHppT9Owzebb7eAP9x8b
zXPTz9gOclvYv3Iy08%2fkzz9A6cx%2fkW%3d HTTP/1.1

Cookie: _TTPRealnurn:federation:adatum; _TTPData=eNrNWFtzqsoS/iuW6zG
VBYg3rCRlInquAaAA1ysspHOEShVEGRPz1e9BoTNYt59R62D4NPW3311/3dDM81DgFWHBX
QJzb0CuyOK+maA1TC+ItSjFshJUNigdE7bEZ5f12QFHYi2Di4u9kByN3+xl1IVViqkXTH
YpuUXlW4Lz59HBjGfofbd89YdfZDADGMMtj1DauK1V8bP436NAMGZd+vddps/ftFuzd91
ewc79iu5y7Yv1+4HeaDRXjAqopz2IUQCPOu/d0755hp3RvwLYGrZ7zppM9NossHQTh51
bOxm4vpsXsbNhuK8om8MME+FjkyGCOP0oOAdfoz0bQS6O8SB1E4gHuTewgTEaMN/pgXsJ
oPkWm4BSF64FuDFGOQ8D1MFfoSQK3SSgSCvsd7q9C86F8YKP4apB01y8iz2avtXR59Unj
7FnGwamQQzFzofqo+6n55+bpz4FdnHo7+PahOsHmOyidUyyEqChi6M3+uqdm31J7GUI
oyC/QdZ8UyBvM1Rsl+4HeaDRXjAqopz2IUQCPOu/d0755hp3RvwLYGrZ7zppM9NossHQTh51
c+yy9QMB+VDZhHyP+xfD4oDco49VGLZmyi9Ur9PK3pzEpFdWvtYMYZg0ZZYn7+5Pkbw4
wdTsedx8An4SpzFJhpuj7D/nsv3uoeQt/o/GL6xcAVC/4+XCWk4yvSpy+Hnj3xPGR5yN66
r+22NTStx4A3yflDZuftzEW9eDXwDZ/Oxj7m4K+OT+HvUn7c/SP+EWUJKgtF7/XdQQGUWY
dKl79yBVM1Rsl+4HeaDRXjAqopz2IUQCPOu/d0755hp3RvwLYGrZ7zppM9NossHQTh51
Q1mqI5iij40A6/Nc//gn7d+p4eBddFKTnJm/h406AaYBmiMlyj5BcmGYqha5P38ODde0w7
/dzSUdd4vmjA7IMu/c4cpmTJQsGMKsnR2NmQY/Nb18b4U8P08xNMRmNcb5Z/284YLqHG7
SF/j2+hOC9HVz2CHugUnxiGZif8PT1eOzibOVTPHn2GVHqWGs5S6BHgV4f3E0eycpnE
u9V8oK7ckvVtLVyZdlYUYTglc1Gn/J5011Fmx1mmaTOBae+MEojVhb+d96NDIj09jLvrl0
pNjXwsPNN3kWwtuE2Vj4t90Zram4XtYglY2jTyLGrUFmYHmdV4WW87i6VIm9VO3UNaBPOi
R5Xv0emvSA5kpm9SXZK7rXmHZ/GWXdBd5mpuJX07ZlqA4ru0lX/mI6gf4De4zmQG/APOq
zOUS06Nce6uXteCfVLVVCPLtLYVfVfKREEAWRWCUvBqOoKGYayCeQfdJiCMR+ud9E6Vris
5oE54EIHmPyStlcinPTFFKwYm3OVTeXIFOSlVmeWcHtFbFAu6fL8ClhjqlbGFJSGOHZPsu
NFJp1kBr88yCkV+XA854ExFVryermwNvITHsVzRqQehiAVgr7p9jqihVnQCyBQFzAlHg
Y1PnQ100l7uE4uB4smhLvZzth3SxY7QXlthxeQF0p+9W+NmJnkfjZb/TGa7DDMWjyOeTme
Z07vb8EogLjTrK+ZRq6weJlWnN02k9F6RVHa3+WqcZXRkto8gHGZR5oZfyq4g72IsKhfXv
avFycmf0Eas4dKvg9xCEcSIOh1rSDYWDpzG7tcUxxz7Q5WOpisAEPGqrPDoS7pl+KYAES4
t+BuaQIsGJIJyWhmTexqyJpccka4qzWVXX

<<<

HTTP/1.1 302 Found

Date: Thu, 13 Jul 2006 07:32:28 GMT

Location: https://treyws-test/claims/?wa=wsignin1.0&ttpsize=2708&
ttppindex=0&wctx=https%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&
wresult=eNrNWFtqjOw%2fuiW59HqDd7aS3V3TUBRUFaQFX2ZihAuKgkSEPHXT9DW
bfc%2bu6dnaj8cnsLK41lvfumQ15CwjSddAhxTRZlBnsNA6S3CQ7ha1E14IpKp3CPazd
pvZa9pMk6nIctX0UQvqDzVACox8k9riMcyjWeb3J8jUvilCblt5cHZOR8wh57oTDcdw
G1KE4Cgkv3kdx7Lf%2b79VxD9eam%2f1Rtfinhms%2fP3U2z9Wntpu3EXSR7Wwa5Z
JMaYpKtBOIGTVm%2fPmJbz1V6ybf6tZr3Vp7%2fa4Tv5bTGHdd5KAYFka6SYzyUowg
rHt10sq3J4gWLK517LVSYI8EFBNQYF6SsWgTSgXQDRLuJ3Z0Bddyt%2fuC78OZH
%2bd1fKwAnKASOpJFEQC6J0e%2fIMoUJnsTATQrKjzrtm84tcKkTIgWjlqMkDuc%2
f27ok8pbkTPKk1b4nNGnhH3C2XsYhJR74T6qfnr%2fe3Tuk183e84xKCCq49KuWODP
SBrbt%2fIpxNfQhYEdE0rc5CEh5bdPCYIOTNLwhfuMdsMnZBew3LtkCKn%2fTRM13Y
478Ce5R01PzWsen%2fydKC4c0uZfb5Y%2b4N7j8e7ae3ASH%2bEksC%2boswQmKGTv
py%2fyL8qyxTL9UVlFiU%2bcX4oUflDqZgF2SEZvJTBLN1tkJ%2b9vGqtE2Sm03QDF
JYnEIfx6vb6XwHyql%2bAEwY4YmGCYn%2fdY39D5Ue7%2f5%2fBL9F5U6A%2byou
t6glrJI2aYI%2bT%2fxz3PjIs3QfFZ%2b91vshDPbAcVjToOWPzkSCNvoGyJnGwu4

T9Eb%2fJr1J%2b3P0v%2fGWyRhSHAx%2frosVcaYZegS8j%2fDdBCtNPqzJiv6KYEO
iskRxf9slqWmWyBJvk%2bT%2b%2b26mgUeZkUUv7fe07Esy35k9QsflpV4ju9wTMGh
gfdX%2bf0vCozW9%2fYiQkwwW8n74PzQoEpg7xG2hfvhbyCrXJUvIJ%2fQyX6yqw38
V7nEPfD5JswH2jGFT9SH1QuSgVwUFztTaW7Ir%2bW%2fvndQeHsxY4gp231D%2bjDM
2b33ggfER7EiHnz7cuVD6PtxvosM9kusFHttz%2f5843WN0hbhwjYmblqkyIaitDM
fgMM09svbFyT6d2mze9R84e6xZePHWrhn76qTe4MFmbB5xsE6nDdirEdh5gyHJ%2f
uUq67WbrbgcpKl%2fDpYLMKV2YjsJYfU3XYpt%2bnIUoY7SjupI7encWwukl045HaN
TFLtSi0ecXPz332FWa6Z2LKRu53oulhut6G2%2fPIMTLenu%2fCkwqjaa9uSbPORq
cnX98odaTb%2bepkLEQVK5QtZapMturr1ZEh8i8jlf%2b9spp8pwcTeB2JxZnNlYu
1thkucdvRRHEBw9ksgA8eTRoSerdA8XTP52BJni7g78LBP2MF4A%2b10APrFXDziR9
1Vvoeq%2bfNedwsM%2fXkuDb2GjOw87R6QEekZXymbUFdNeVcNfuZ21PgRXa%2byeSL
TBX0U38LdMHTFgJQTdEy8rW1PztdNDH0ooB%2f4dCXAjgIWx1k3moneqs%2bSGP5Gc
9FEHhDX6%2fk00yY7kS0MqU5oBNOqsg5TiZnrjoEB70ipXDQPjaIittxro5Ned0Zzd
FxrEqLSRue832FHV2DyUi11%2bPFRLGGk4TD2dLews2phG1nq001UqkNfTWWN66Rz
Ozu%2bHTsamPdkdkrRx3rEqjAPPKST%2f0nzdn15zshZU%2ba4JyZCSzPgBwIqKoZp
43cFXQGIQ3011fyHL9D7LQ7%2fdE%2fqPPot6u8%2fiVi10Rf
Set-Cookie: _TTPData=; expires=Wed, 12-Jul-2006 07:32:28 GMT; path=
/adfs/ls/Set-Cookie: WebSsoAuth=eNrNVluXqrgS9qe4nEeXG/COq7vXCSAKC
gre0JdZAcJfJSgXEX/9BG3dds/ufqcnQ/DU6hUqr76q1JJXmIY7HsgjlGU+CEuP0a
S8Rf5s90uo0bLbNSYToeuNR2rXWPNN1Nju7SfoIMS22xWylIcp0jCcQJx81qp03S7R
ndqTGNod3qNeq/e3brRK+VNMI9B9kogoWTXhKhvByhGMHI8iplBW7DaImimMy9Vhg
i8PFHwTnY47hXgLOEIXp4Z8FWdRPGRWOUXhC0b8bJsnDwE+S78OkvtxXM9/FpIi99b7A
JZl2Y+scCVduhJN0SxFFOzYd/+o3FYhu2h9by88xCeM03nvX54aVBns3TDyEy/4wiR
DMXRhsob0Vs1inviPsp16wvNNMx+QRTGsxR5krpZ05KCo0JnKC116rfzvxvYvC28s8g
jgmJ28QP43/NxwIn9A+PCC7Ft/DuUL6vrkv2KGewQm+S87c/4enB0c3E7eqsXHTOFc
nIerKwzE4zrLhWmhc7NopRU68X0X6sEtGT/XwiN7N0UdJahjucX7G+CRTPC2iHI7
OHwbJ1zxVg7rQ5cTbKU3vjLZbCeNw/WikLKbruSuvHIkIc7GLdSW+pOo2i+TM7Bit
1MlFJNzXpWUvn/XJKkx0L+Fc0nOPPWyP08022DZGsp7R1mIXnBv4mAoNQ5yxphafP
c2UG0Yzpk+TC3eGoFkyFN5slVeb4E8gX8ZofwWldGiWQEm8DbiizubUxxdpLFJkkB
veR5ERxdkEgdcATRoinLDBcXXP1+AyrM7o7fzB2xGC0BbiEAG0W3M1FbC0tNE/pZa
wEH+3wjcP6F9dYiYe+2AJCY0Zm6BQ11LuXKvJ8pggyvsstdJ111Cqed+lugca665IA
y5w093xj7iz1UEvXcc/hvGpoiABNuq4HMxe94d90HaSs18YIHjv0tGo+zbjpkfru
bgA8YQsQ1Kok8mFYobgOK+qKRx0T81Qwd0oV8Zzac00Fug0VsTlpAsv+b5Krq7+ZKR
Yq/FyIhvDSULhbGvtjzDUxY91PBKrtahnhJjPqOni/TimHQ6nmuj4wkZa9sZy4cRg
HnlrB37bbPlhGdraartLZNPBGTWBwBoeACVzHUHjgKaA8AsbChrc1Sm9Uke+12B6z/
HzGvdPuGNKXR5/jiYSWZD0BSe5Au4AiHDde+6AgckHkgg47K10MqaAnCtJjAkjckN5
J0sFWRWNixyp9MTjlv3RXwoJ3ZibqpOW7Qm
jnLkdlZlOknesBRouWKTNU1RQEH8x40iBrhM4RWue52Tmm2tcbCIHJJZrg6bjGmBpI
vdJRhuUuZ2fQvayV8TFVXeY6R0ln2WzIyefFtjQBx5tD0F7nLPbjSHTa2NJQ761M7GS
rutsbvGtBK7U3Gyopw3WClkyptU9qTPRxPLJHGSn5ca7WIGurcl6tCSyBtFryLEiDS
DhJeLcvshpFqmbGbed; path=/adfs/ls/; secure; HttpOnly
Set-Cookie: WebSsoAuth0=85y/5fgneQbCdR00ddoSwt04frXt2YYefvazri9ze
yAy9sBzvvBJK33tJ0cXwHtbL4Cr837id0+GeP4Z03gWirG+auVm/RwbG59+DUYPoSH
vFgMxt4f7mVln6XGg5mRP/X0vAlJHpGSMZGxhr7Ufyh1joS7Enc5yKpzm1BFE4V4Jt
44h64Y9SEORD7DuL6n5eilleZiK/pAWW96Z43jRpZXox5DHkAdobY09K/FXSddWmq3H
M1Btgm3sZT1Yq055TbqMqtSbx6HcMHWNS0eSYUHA4TEt8U6nzfeNxZoz3E4w97VLJ
7In5FPCU6GeLQKkWh30moibYProFdn52L7YLZi80A7dLflqjwFKp/vJvokX515/uQ
OAm6ky1W4pGT2kiEYhkyX0xlm0ZkLqhOzwAr96hxt92cRbzKn2ozmxuG8M7Akr7ACr
H57Z8WH43oozOXp2mocWrrh8yiPWWufevztgtV23e5oOB268x2rZ3BqHraM+0qa6ue
QeZPcuin16LA/e+/jrnJ/G78xpT+7dNNqs6ZYZi2TnNzNFqpBx2rVgP02w3QcFjWad
on0y1dhiXm6VupPdvn1+1VgmUvnoqlLjSV/ExEl96vvsWhNKH6+X9/3GR+vw53Ngf
; path=/adfs/ls/; secure; HttpOnly
Set-Cookie: _LSRealm=urn:federation:adatum; expires=Sat, 12-Aug-2006
07:32:28 GMT; path=/adfs/ls/; secure; HttpOnly
Set-Cookie: _LSCleanup=2006-07-13:07:32:28Zahttps://treys-test/
claims/; path=/adfs/ls/; secure; HttpOnly
Set-Cookie: _TTPDest=https://treys-test/claims/; path=/adfs/ls/;
secure; HttpOnly
Set-Cookie: _TTPData=eNrNWFuTqjoW/iuW59HqDd7aS3V3TUBRUFAQFX2ZihAuK
gkSEPHXT9DwBfc+u6dnaj8cnsLK41vfumQ15CWjSddAhxTRZlbsNA6S3CQ7ha1E1I4I
pKp3CPaZdpvZa9pMk6nIctXOUQvqDzVACox8k9riMcjWeb3J8jUv1lCb1t5cHZOR8w
H57oTDcdwG1KE4Cgkv3kdx7Lf+79VxD9eam/1Rttfinhms/P3U2z9WnTpu3EXSR7Ww

a5ZJMaYpkTBOIGTVm/PmJbZ1V6ybf6tZr3Vp7/a4Tv5bTGHdd5KAYFka6SYzyUowogrHt10sq3JJ4gWLK517LVSYI8EfBNQYF6SsWgTSgXQxDRLuJ3Z0BddyT/uc78OZH+d1FkWANkASOpJFEQC6J0e/IMoUJnsTATQrKjzrtm84tcKkTIGwjlqMkDuwC/27ok8pbkTPKklb4nNGnhH3C2XsYhJR74T6qfnr/e3Tuk183e84xKCCg49KuWODPSBrbt/IpxNfQhYEdE0rc5CEh5bdPCYIOTNLwhfuMdsMnZBew3LtkCKn/TRM13Y47sCe5R01PzWsen/ydKC4c0uZfb5Y+4N7j8e7ae3ASH+EksC+oswQmKGTvpY/yL8qyxTL9UVlFiU+cX4oUflDqZgF2SEZvJTBLN1tkJ+9vGqtE2Sm03QDFJYnEIfx6vb6XwHyqlD+AEwY4YmMGCYn/dY39D5uE7/5/BL9F5U6A+yout6glrJI2aYI+T/xz3PjIs3QfFZ+9lvshDPbAcVjToOWPpzSCNvoGyFJnGwu4T9Eb/Jr1J+3P0v/GWyRhSHAX/rOsVcaYZegS8j/DdBCTNPqzJiv6KYEoisKRxfs9slqwMwyBJvk+++26mgUeZkUUv7fe07Esy35k9QsflpV4ju9wTMGhgfdX+foVcorW9/YiQkwwW8n74PzQoEpg7xG2hfVhbyCrXJUvIJ/QyX6yqw38V7nEPfD5JswHZjGFT9SH1QuSgVwUFztTaW7Ir+W/vndQeHsxY4gp231D+jD+33ggfER7EiHnid7cuVD6PtxvosM9kusFHttz/5843WN0hbhWjYmb1qkyIaitDMfgMMO9sVbFyT6d2mzHe9R84e6xZePHWrhn76qIe4MFMB5xsE6nDdirEdh5gyHJ/uUq67WbrbgpcKl/DpYLMKV2YjsJYfU3XYpt+nIUoY7SJupI7encWwukl045HaNTFLTtSi0ecXPZ332FWa6Z2LKRu53ou1hut6G2/pIMTLenu/Ckwqjaa9uSbPORqcnX98odatB+ePkLEQVK5QZapMturrlZEh8i8j1f+9spp8pwcTeB2JxZnNLbYulthkucdVRRHEBw9ksgA8eTROSERdA8XTP52Bjni7g78LBp2MF4A+10APrFXDziR91Vvoeq2fNedwsM/XkuDb2GjOw87R6QEkkZYmbUFdNeVcnFuZ21PgrXa+yeSLTBX0U38LdMHTFgJQTdEY8rW1PzTDNDHooB/4dCXAjGIWx1k3moneqs+SGP5Gc9FEHhDX6/k00yY7ks0MqU5oBNOqsg5TiZnrjoeB70ipXDQPjaIittxro5Ned0ZzdFxrEqLSRue832FHV2DyUill+PFRLGGk4TD2dLeW52phGlnqOoUqkNfTWWN66RztOzu+HTsamPDkdRkR3reEQjAPPKST/0zndN15zshZU+a4JyZCSzPgBwIqKozp43cFXQGIDq3011fYHL9D7LQ7/dE/qPPot6u8/ivi10RfEwmMmbek9XRZyV4PVYMDzvptsTgCwCGWRCTpJGwAMHPDtjQZJHZC37R1sDmZONI9wz/EQVn1JGxqjk2zWffdzsieuGuVib1dbSV63VUG9cFN0XVUBbybpoKgBIVNFVWhf5uRMX6kCEXKAL15Qgw290huk8905HFSEZDCZcnmvSvOL7JazJmo/y2YHQSZ9ODAGPu8Mwfm472zX1sKvrAUPxeZug9V0VevkthM4FLLN3XtuMZ6; path=/adfs/ls/; secure; HttpOnly

Set-Cookie: _TPPData0=IUvGvLZndSZtsHLCdLLjYuBHdmjoK/Y9WjBZnenVFarK A8jiEgteXxJ0m9XNTNiAohBsBfFBngGyqsGhwds9chzXLti+Yxnks51VbZE7A6nqDH z3NzZ5ta//jNEZiP7WD+HytJ8E7aMlnX76KJ16xdhYnVNN7UStwU+7VtUg0FJ284GU 08P9bFPPr8ONQy9ma+nUatAlZhrGSsZGxjv7kfKi1rrs2lndERNdjNuQOIYV41W9dSDM sZpEQSQ2wEC85cLuATzTBIXfK8j+lNsNja80j1byhiKA02tsS8nwtJpelrD04Xq1B9g pdPaK0Y417/TmDUYTa01Dk0lvjF0WRnJ1g2BgMe8LLqtZ7FvzVeC5bVCM9DPrdiZzE cB13MzJKlIQZLTSiuJso01i1823LMTgNmyk4d61N4uKsoUaGK+mxITfHkSxam3CIWR oVTgg1M65wxBQoptwahW5y2zp7m0A2wSVey03Z8kvM7cSiM2rei0s7CsLLEK7P7zq bRYTXsmcp0ZdejuGLISppx97n/k4/Y+255rR0NA49c9cxMjJdrNuq98qa6ueOeZVC uyl377A/e+/9rHL7N2aCr64Gmhp12aFtHyBqkvvtQ/SN24dGsSNGZB/Y+eX6AXb72I lIgjOfJ4cbHvweXpv9GF40/QH23jHf/wK+/rF+Vly+/ULlIn9w9WNY/vYu5u0//Xcu dA==; path=/adfs/ls/; secure; HttpOnly

>>> treyws-test (WS Resource)

GET /claims/?wa=wsignin1.0&ttsize=2708&ttindex=0&wctx=https%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&wresult=eNrNWfuTqjow%2fiuW59HqDd7aS3V3TUBRUFAQFX2ZihAuKgkSEPHXT9Dwbfc%2bu6dnaj8cnsLK4lvfumQ15CWjSd dAhxTRZlBsNA6S3CQ7hA1E14IpKp3CPaZdqvZa9pMk6nIctX0UQvqDzVACox8k9riMjScj Web3J8jUvilib1t5cHZOR8wH57oTDcdwGLKE4Cgkv3kdx7L7f%2b79VxD9eam%2flRttf inhms%2f3U2z9WnTpu3EXSR7Wwa5ZJMaYpkTBOIGTVm%2fPmJbZ1V6ybf6tZr3Vp7%2 f44Tv5bTGHdd5KAYFka6SYzyUowogrHt10sq3JJ4gWLK517LVSYI8EfBNQYF6SsWgTSg XQxDRLuJ3Z0BddyT%2fuc78OZH%2bd1FkWANkASOpJFEQC6J0e%2fIMoUJnsTATQrKjz rtm84tcKkTIGwjlqMkDuwC%2f27ok8pbkTPKklb4nNGnhH3C2XsYhJR74T6qfnr%2fe3 Tuk183e84xKCCg49KuWODPSBrbt%2fIpxNfQhYEdE0rc5CEh5bdPCYIOTNLwhfuMdsMn ZBew3LtkCKn%2fTRM13Y47sCe5R01PzWsen%2fydKC4c0uZfb5Y%2b4N7j8e7ae3ASH% 2bEksC%2boswQmKGTvpY%2fyL8qyxTL9UVlFiU%2bcX4oUflDqZgF2SEZvJTBLN1tkJ% 2b9vGqtE2Sm03QDFJYnEIfx6vb6XwHyqlD%2bAEwY4YmMGCYn%2fdY39D5uE7%2f5%2f BL9F5U6A%2byout6glrJI2aYI%2bT%2fxz3PjIs3QfFZ%2b9lvshDPbAcVjToOWPpzSC NvoGyFJnGwu4T9Eb%2fJr1J%2b3P0v%2fGWyRhSHAX%2frOsVcaYZegS8j%2fDdBCTNP qzJiv6KYEoisKRxfs9slqwMwyBJvk%2bT%2b26mgUeZkUUv7fe07Esy35k9QsflpV4 ju9wTMGhgfdX%2bfoVcorW9%2fYiQkwwW8n74PzQoEpg7xG2hfVhbyCrXJUvIJ%2fQyX 6yqw38V7nEPfD5JswHZjGFT9SH1QuSgVwUFztTaW7Ir%2bW%2fvndQeHsxY4gp231D%2 bJD%2b33ggfER7EiHnid7cuVD6PtxvosM9kusFHttz%2f5843WN0hbhWjYmb1qkyIait DMfgMMO9sVbFyT6d2mzHe9R84e6xZePHWrhn76qIe4MFMB5xsE6nDdirEdh5gyHJ%2f uUq67WbrbgpcKl%2fDpYLMKV2YjsJYfU3XYpt%2bnIUoY7SJupI7encWwukl045HaNTF LTtSi0ecXPZ332FWa6Z2LKRu53ou1hut6G2%2fpIMTLenu%2fCkwqjaa9uSbPORqcnX9 8odatB%2bePkLEQVK5QZapMturrlZEh8i8j1f%2b9spp8pwcTeB2JxZnNLbYulthkuc dVRRHEBw9ksgA8eTROSERdA8XTP52Bjni7g78LBp2MF4A%2b10APrFXDziR91Vvoeq%2 bfNedwsM%2fXkuDb2GjOw87R6QEkkZYmbUFdNeVcnFuZ21PgrXa%2b2yeSLTBX0U38LdM HTFgJQTdEY8rW1PzTDNDHooB%2f4dCXAjGIWx1k3moneqs%2bSGP5Gc9FEHhDX6%2fk 00yY7ks0MqU5oBNOqsg5TiZnrjoeB70ipXDQPjaIittxro5Ned0ZzdFxrEqLSRue832F HV2DyUill%2bPFRLGGk4TD2dLeW52phGlnqOoUqkNfTWWN66RztOzu%2bHTsamPDkd

rRx3rEQjAPPKST%2f0nzdn15zshZU%2ba4JyZCSzPgBwIgKoZp43cFXQGIDq301lfYHL9D7LQ7%2fdE%2fqPPot6u8%2fiVi10Rf HTTP/1.1

<<<

HTTP/1.1 302 Found
Cache-Control: private
Content-Length: 316
Content-Type: text/html; charset=utf-8
Location: https://treysts-7/adfs/ls/?wa=wsignin1.0&wreply=https%3a%2f%2ftreyws-test%2fclaims%2f&wct=2006-07-13T07%3a32%3a28Z&wctx=https%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&ttindex=1758
Set-Cookie: _TTPData=eNrNWFuTqjoW/iuW59HqDd7aS3V3TUBRUFAQFX2ZihAuKkgkSEPHXT9Dwbfc+u6dnaJ78cnsLK41vfumQ15CwjSddAhxTRZIBsNA6S3CQ7hA1EI4IpKp3CPaZdpvZa9pMk6nIctX0UQvqDzVACox8k9riMcjWeb3J8jUv1Cb1t5cHZOR8wH57oTDcdwG1KE4Cgkv3kdx7Lf+79VxD9eam/lRttfinhms/P3U2z9WnTpu3EXSR7Wwa5ZJMAYpKtBOIGTVm/FmJbz1V6ybf6tZr3Vp7/a4Tv5bTGHdd5KAYFka6SYzyUowogrHt10sq3JJ4gWLK517LVSYI8EFBNQYF6SsWgTSgXQxDRLuJ3Z0Bddyt/uc780ZOH+d1FkWAnKAS0pJFEQC6J0e/IMOUJnsTATQrKjzrtm84tcKkTIGwjlqMkDuwC/27ok8pbkTPKklb4nNgNhH3C2XsYhJR74T6qfnr/e3Tuk183e84xKCCg49KuWODPSBrbt/IpxNfQhYEdE0rc5CEh5bdPCYIOTNLwhfUMdsMnZBew3LtkCKn/TRM13Y47sCe5R01PzWSen/ydKC4c0uzf5Y+4N7j8e7ae3ASH+EksC+oswQmKGTvpY/yL8qyxTL9UV1FiU+cX4oUf1DqZgF2SEzvJTBLN1tkJ+9vGQep2E2Sm03QDFJYnEIxf6vb6XwHyqld+AeWY4YmMGcYn/dY39D5ue7/5/LB9F5U6A+yout6glrJI2aYI+T/xz3PjIs3QfFZ+9lvshDPbAcVjToOWPzkSCNvoGyfJnGwu4T9Eb/JrIJ+3P0v/GWYRhSHAX/roSvcaYzEgS8j/DdBCtNPqzJiv6KYEOiskRxf9slqmwYbJvK+T++26mgUeZkUUV7fe07Esy35k9Qsf1pV4ju9wTMGhgfdX+foVcorW9/YiQkwW8n74PzQoEpg7xG2hfVhbyCrXJvUvIJ/QtyX6yqw38V7nEPfD5JswHZjGFT9SH1QuSgVWfztTaW7Ir+W/vndQeHsxY4gp231D+jD+33ggfER7EiHnid7cuVD6PtXvosM9kusFHttz/5843WN0hbhWjYmb1qkyIaitDMfgMMO9sVbFyT6d2mzHe9R84e6xZePHWrhn76qIe4MFMb5xsE6nDdirEdh5gyHJ/uUq67WbrbgcK1/DpYLMKV2YjsJyFU3XYpt+nIUoY7SJupI7encWuuk1045HaNTFLtTSi0ecXP2332Fwa6Z2LKRu53oulhut6G2/pIMTLenu/Ckwqjaa9uSbPORqcnX98odatB+ePkLEQVK5QtZapMturr1ZEh8i8jlf+9spp8pwcTeB2JxZnNlbYu1thkucdvRRHEBw9ksgA8eTRoSerdA8XTP52BjNi7g78LbP2MF4A+10APrFXDziR91Vvoeq+fNedwsM/XkuDb2GjOw87R6QEekZYmbUFdNeVcNfuZ21PgRXa+yeSLTBX0U38LdMHFTFgJQJtEY8rW1PztDNdH00oB/4dCXAjgIwX1k3moneqs+SGP5Gc9FEHhDX6/k00yY7ks0MqU5oBNOqsg5TiZnrjoEB70ipXDQPjaIittxro5Ned0ZzdFxrEqLSRue832FHV2DyU11l+PFRLGGk4TD2dLeWs2phGlnqO0lUqkNfTWWN66RztOzu+HTsamPdkdkrRx3rEQjAPPKST/OnzdN15zshZU+a4JyZCSzPgBwIgKoZp43cFXQGIDq301lfYHL9D7LQ7/dE/qPPot6u8/iVi10Rf; path=/claims; secure; HttpOnly

>>> treysts-7 (Resource IP/STS)
GET /adfs/ls/?wa=wsignin1.0&wreply=https%3a%2f%2ftreyws-test%2fclaims%2f&wct=2006-07-13T07%3a32%3a28Z&wctx=https%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&ttindex=1758 HTTP/1.1
Cookie: _TTPrealm=urn:federation:adatum; _WebSsoAuth=eNrNVluXqrgS9qe4nEeXG/COq7vXCSAKCgre0JdZAcJFJSgXEX/9BG3dds/uffqcNQ/DU6hUqr76q1JJXmIY7HsgjLGu+CEuPOaS8Fr5s90uo0bLbNSYToeuNR2rXWPNN1Nju7SfoImS22xWylIcp0jCcQJx8lqp03S7RndqTGNod3qNeq/e3bZrRK+VNMI9B9kogoWTXhKhvByhGMHI8iplBW7DaImimMy9Vhqi8PFHWtnY47hXg7L7ZCmHsxz0MAxT3Eqs3A8q4x/yge/AeR+Xt5RoiH2LbLwRkWQ0TDjllhL4CSxQmeBIBJykgP+T07zrvVkfQ+whbSEdxEvlWYf/h6JPKm5ck7hHUUXMWVxLyBLK2km/iKkX6qPqp/9fW6c+XX3Z5/8wgS0nbjHF/ZnYRpZ6J26QnyjLvCtKIXDJ31KS0XtU4KgdZM0eKE+W7vbD8OdT3LvhEMyE990UdesiIWC6JxULZ0ni/zs7Xh+aYdd+vXu6YpdBx/vob2Tk3gIJ751tTpLYIIC81/+KP9NWXZIpj8qKyjxQvtvRQo/KPUyH9thFt9LYJaaW2Q1738qqUTJLrQdH0VlMYwCSLwXuSepjy0PBTD+QXiKQ3j4EUbuVQQWU7XyBuzAxz5JNkzC6D837n9YfAe/0fjdIYeAKjf8XJnLSGVZKYJ+jzx7wnjI87yY1Qse630A+jvgW2TphFXPk7GB2ihb4CsfPaxhPsUvcHfo/6k/Vn633DzYRCeUBj/s6gVgphk6Er5P4N0EIXp4Z8FwDRPGRwOUXhC0b8bJsnDwE+S780kvtXMX9/FpIii99b7AJZl2Y+scCVduhJN0SxFFOzYd/+03FYhu2h9by88xCEm03nv54aVBns3TDyEy/4wiRDMXRhsobOVs1imviPSp16wvNNMx+QRTGsxR5krpZ05KCoJnKCl16rfzxxvYc28s8gJgmJ28QP43/NxwIn9A+PCC7Ft/DuUL6vrkv2KGewQm+S87c/4enB0c3E7eqsXHTOFcnIerKwzE4zrAwVhmc7N0pRU68Z80X6sEtGT/XwiN7N0UsDjAhjucX7G+CRTPC2iHI70HwbJ1zxVG7rQ5cTbKU3vjLZbCeNw/WikLKbrusuvHIkIc7GLdSW+po02i+TM7BitolM1FJNzXpWUvn/XJKkx0L+Fc0nOPPWyP08022DZGsp7R1mIXnBV4maoNQ5yxphafPc2UG0Yzpk+TC3eoGoFkyFN5slVeb4E8gX8ZofwWldGiWQEm8DbiiZubUxxdpL7JkkBveR5ERxdkEgdcaTRoinLDBcXp1+Ayrm7o7fzB2xGc0BbieAAG0W3M1Fbc0tNE/pZawEH+3wjcP6F9dYiYE+2AJCY0Zm6BQ11LuXKvJ8pggyvsstdJ111Cqed+lugca665IAy5w093xj7iz1UEvXC/hvGpoiABNuq4HMxe94d90HaSS18YIHvjv0tGo+zbjppkfrubgA8YQSq1KOK8mfYobgOK+qKRx0T81Qwd0oV8ZzacOOFug0VsTlpAsv+b5KrQ7+ZKRYq/FyThvDSULhbGvtjzDUY91PBKrtAhhJJPqoni/TimHQ6nmuj4wkZa9sZy4cRgHn1rB37bbPlhGdraaRtLZNPBGTWbWBoeACVzHUHjgKaA8AsbCHrc1Sm9Uke+12B6z/HzGvdPuGNKXR5/jiYSWZD0BSe5Au4AiHDde+6AgckHkgg47K10MqaAnctJjAkjcKN5J0sFWRWNixyp9MTjlv3RXwoJ3ZibqpOW7QmjnLI

kdZl0knesBRouWKTNU1RQEH8x40iBrhM4RWue52TmM2tcBCIHJJZrg6bGjMbpIvdJRhuU
Z2fQvayV8TFVXeY6R0ln2WzIyefFtJQBx5tD0F7nLPbjSHTa2NJQ761M7GSrutsbvGtBK7
U3Gyopw3WC1kyptU9qTPRXLJHGsn5cA7WIGurcl6tCSyBtFryLEiDSDhJelcvshpFqmbG
bed; _WebSsoAuth0=85y/5fgneQbCdR0OdoSwt04frXt2Yyefvazri9zeyAy9sBzvvBJ
K33tJ0cXwHtBL4C837id0+Gep4Z03gWirG+auVm/RwbG59+DUYPOShvFgMxt4f7mVln6X
Gg5mRP/X0vAlJHPGSMZGxhr7Ufyh1j0s7Enc5yKpzmlBFE4V4Jt44h64Y9SEORD7DuL6n5
eileZiK/pAWW96Z43JRpZxOX5DHkAdobY09K/FXSddWmq3HML1Btgm3sZTL1yQ055TBqMqt
Sbx6hCMHWNs0eSYUHA4TET8U6nzFeNxZoz3E4w97VLJ7Ini5FPCU6GeLQKkWh30moibyPR
oFdN52L7YLzi80A7dLFLqjwFKp/vJvokX515/uQOAm6ky1W4pGT2kiEYhkyX0x1m0ZkLqH
OzwAr96hxt2cRbzKn2ozmxuG8M7Akr7ACrH57Z8WH43oozOXp2mocWrrH8yiPWWufezvt
gtV23e5oOB268x2rZ3BqHraM+0qa6ueOeZPcuin16LA/+jrnJ/G78xpT+7dNNqs6ZZY2
iTnNzNFqPbx2rVgP02w3QcFjWadqnoy1dhiXxM6VuPpdIvnl+1VgmUvnoqlljSV/fxE196
vvSwhNKH6+X9/3GR+vw53Ngf; _LSRealm=urn:federation:atum; _LSCleanup=
2006-07-13:07:32:28Zhttps://treyws-test/claims/; _TTPDest=
https://treyws-test/claims/; _TTPData=eNrNWFuTqjoW/iuW59HqDd7aS3V3TUB
RUFaQFX2ZihAukgkSEPHXT9DwBfc+u6dnaj8cnsLK41vfumQ15CWjSddAhxTRZTbsNA6S
3CQ7hA1E1A1pKp3CPaZdpvZa9pMk6nIctX0UQvqDzVACox8k9riMcjWeb3J8jUvIlCblt
5chZOR8wH57oTDcdwSLKE4Cgkv3kdx7Lf+79VxD9eam/lRttfinhms/P3U2z9WnTpu3EX
SR7Wwa5ZJMaYpkTBOIGTVm/PmJbz1V6ybf6tZr3Vp7/a4Tv5bTGHdd5KAYFka6SYzyUow
ogxrHt10sq3JJ4gWlK517LVSYI8EfbNQYF6SsWgTSGXQXDRLuJ3Z0Bddy/uc78OZH+d1F
kWAncAS0pJFEQC6J0e/IMoUJnsTATQrKjzrtm84tcKkTIGwjlqMkDuwC/27ok8pbkTPKk
lb4nNGnhH3C2XsYhJR74T6qfnr/e3Tuk183e84xKCCG49KuWODPSBrbt/IpxNfQhYEdE0
rc5CEh5bdPCYIOTNLwhfuMdsMnZBew3LtkCKn/TRM13Y47sCe5R01PzWsen/ydKC4c0uZ
fb5Y+4N7j8e7ae3ASH+EksC+oswQmKGTvpY/yL8qyxTL9UV1FiU+CX4oUf1DqZGF2SEZv
JTBLN1tkJ+9vGqtE2Sm03QDFJYnEIfx6vb6XwHyqld+AEwY4YmGCYn/dY39D5uE7/5/B
L9F5U0R8A+yout6glrJL2aYI+T+z3PjIs3QfFZ+9lvshDPbAcVjToOWPpzSCNvoGyfJnGw
u4T9Eb/Jr1J+3P0v/GWyRhSHAx/rOsVcaYZegS8j/DdBCTNPqzJIv6KYEoisKrf9slqw
MwyBJvk+T++26mgUe2kUUV7fe07Esy35k9Qsf1pV4ju9WtMGhgfdX+foVcorW9/YiQkww
W8n74PzQoEpg7xG2hfvhbyCrXJUvIJ/QyX6yqw38V7nEPfD5JswHZjGFT9SH1QuSgVwUf
ztTaW7Ir+W/vndQeHsxY4gp231D+jD+33ggfER7EiHnid7cuVd6PtxxovM9kusFHttz/
5843WN0hbwjYmb1qkyIaitDMfgMMO9sVbFyT6d2mzHe9R84e6xZePHWrh76qIe4MFMb
B5xsE6nDirEdh5gyH/uUq67WbrbgcpK1/DpYLMKV2YjsJYFU3XYpt+nIUoY7SjupI7e
ncWwukl045hANTFLTtSi0ecXPZ332Fwa6Z2LKRu53oulhut6G2/pIMTLenu/Ckwqjaa9u
SbPORqcnX98odatB+ePkleQVKS5QtZapMturrlZEh8i8jlf+9spp8pwcTeB2JxZnNLbYul
thkucdvRRHEBw9ksgA8eTRoSerdA8XTP52BJni7g78LBp2MF4A+l0APrFXDzir91Vvoeq
+fNedwsM/XkuDb2GjOw87R6QEkZxymbUFdNeVcnfuZ21PgRxa+yeSLTBX0U38LdMHTFgJ
QTDey8rW1PztDNdH0ooB/4dCXAjgIwX1k3moneqs+SGP5Gc9FEHhDX6/k00yY7ks0MqU5
oBNOqsg5T1Znrzj0ipXDQpJaIittxro5Ned0ZzdFxrEqLSRue832FHV2DyU11l+PFR
LGGk4TD2dLeW52phG1nq00lUqkNfTWWN66RztOzu+HTsamPdkdrRx3reQjAPPKST/0nz
dN15zshZU+a4JyZCSzPgBwGkoZp43cFXQGIDq3011fYHL9D7LQ7/dE/qPPot6u8/ivi1
0RfEwmMmbek9XRZYv4PVYMDzvptsTgCwCGWRCTpJGwAMHPDtjQZJHZC37R1sDmZ0Ni9wZ
/EQQVn1JGxqJk2zWffdzsieuGuVib1dbSV63VUG9cFN0XVUBYbbpoKgBIVNFVWhf5uRMX
6kCBJKAlI5Qgw290huk8905HFSEXZDCznmvSvOL7jAzJmo/y2YHQSS9ODAGPu8Mwfm472
zXlsKvrAUPxeZug9V0VevktthM4FLN3XtuM26; _TTPData0=IUvGvLZndSZtsHLcDLl
jYuBHdmjok/Y9WjBznenVFarKA8jiEgteXxJ0m9XNTNiAohBsBfFBngGyqsGhwds9chzX
Lti+Yxns51VbZE7A6nqDHz3Nz5ta//jNEziP7WD+HytJ8E7aMlnX76KJ16xdhYNvNN7
UStwU+7VtUg0FJ284GU08P9bFPr8ONQy9ma+nUtAlZHRGSsZGxjv7kfKilrrs2lndERNd
jNuQOIYv41W9dSDMsZpEQSQ2wEC85cLaTzTBIXfK8j+lNsNja80j1byhiKAO2tsS8nwTJ
pelrD04Xq1B9gpdPaK0Y417zTmDUYTao1DkOlVjF0wRnJlG2BgMe8LLqtZ7FvzVeC5bVC
M9DPrdiZzEcB13MzJKI1QZLTSiuJso1l1823LMTgNmyk4d61N4uKsoUaGK+mxITfHkSx
aM3CIWRoVtgg1M65wxBQqptwahW5y2zp7m0A2wSVEy03Z8kvM7cSiM2rei0
s7CsLLEK7P7zzqbRYTXsmcp0ZdejpuGLIsppx97n/k4/Y+255rR0nA49c9cxMjJdRNUq9
8qa6ueOeZVcuy1377A/+e/9rHL7N2aCr64GMhp12aFtHyBqkvvtQ/SN24dGsSNGZB/Y+e
X6AXb72IlIgJofJ4cbHvweXpv9GF40/QH23jHf/wK+/rF+Vly+/ULlIn9w9WNY/vYu5u0
//XcudA==

<<<

HTTP/1.1 302 Found

Location: https://treyws-test/claims/?wa=wsignin1.0&ttpsize=2708&
ttpindex=1758&wctx=https%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx
&wresult=EwmMmbek9XRZYv4PVYMDzvptsTgCwCGWRCTpJGwAMHPDtjQZJHZC37R1sDm
Z0Ni9wZ%2feQQVn1JGxqJk2zWffdzsieuGuVib1dbSV63VUG9cFN0XVUBYbbpoKgBIVN
FVWhf5uRMX6kCBJKAlI5Qgw290huk8905HFSEXZDCznmvSvOL7jAzJmo%2fy2YHQSS9O
DAGPu8Mwfm472zXlsKvrAUPxeZug9V0VevktthM4FLN3XtuM26IUvGvLZndSZtsHLcDLl
LlJYuBHdmjok%2fy9WjBznenVFarKA8jiEgteXxJ0m9XNTNiAohBsBfFBngGyqsGhwds
9chzXLti%2bYxns51VbZE7A6nqDHz3Nz5ta%2f%2fjNEziP7WD%2bHytJ8E7aMlnX7
6KJ16xdhYNvNN7UStwU%2b7VtUg0FJ284GU08P9bFPr8ONQy9ma%2bnUtAlZHRGSsZGx
jv7kfKilrrs2lndERNdJNuQOIYv41W9dSDMsZpEQSQ2wEC85cLaT
zTBIXfK8j%2b1NsNja80j1byhiKAO2tsS8nwTJpelrD04Xq1B9gpdPaK0Y417zTmDUYT
ao1DkOlVjF0wRnJlG2BgMe8LLqtZ7FvzVeC5bVCM9DPrdiZzEcB13MzJKI1QZLTSiuJs

o0li1823LMTgNmyk4d61N4uKsoUaGK%2bmxITfHkSxaM3CIWRoVTgglM65wxBQqptwah
W5y2zp7m0A2wSVey03Z8kvM7cSiM2rei0s7CsLLEK7P7zzqbRYTXsmcp0ZdejpuGLIsp
px97n%2fk4%2fy%2b255rR0nA49c9cxMjjdRNUq98qa6ueOeZVcuy1377A%2fe%2b%2f
9rHL7N2aCr64GMhpl2aFtHyBqkvvtQ%2fSN24dGsSNGZB%2fy%2beX6AXb72I1IgJOfJ
4cbHvweXpv9GF40%2fQH23jHf%2fwK%2b%2frF%2bVly%2b%2fUL1In9w9WNY%2fvYu5
u0%2f%2fXcudA%3d%3d

>>> treyws-test (WS Resource)

GET /claims/?wa=wsignin1.0&ttptime=2708&ttptimeindex=1758&wctx=https%3a%2f%
2ftreyws-test%2fclaims%2fDefault.aspx&wresult=EwmMmbek9XRZYv4PVYMDzvp
tsTgCwCGWRCTpJGWAHMPDjtQZJHZC37R1sDmZ0Ni9wZ%2feQQVn1JGxqJk2zWffdzsieuG
uV1b1dbSV63VUG9cFN0XVUBYbbpoKgBIVNFVWhf5uRMX6kCBJKAlI5Qgw290huk8905HFS
EXZDCZnmvSv0L7jAzJmo%2fy2YHQSZ9ODAGPu8MwfM472zXlSvKvraUPxeZug9V0Vevkth
M4FLLN3XtUvGvLZndsZtsHLcdLLjYubHdmjok%2fy9WjBZnenVfarKA8jiEgtxXj
0m9XNTNiaohBsBfBngGyqsGhwds9chzXLti%2bYxnks51VbZE7A6nqDHZ3NzZ5ta%2f%2
fjNEziP7WD%2bHytJ8E7aMlnX76KJ16xdhYnVNN7UStwU%2b7VtUgOfJ284GU08P9bPfr8
0mQy9ma%2bnUtAlZHRGSSzGxjv7kfKi1rrs21ndERNdJNuQOIyV41W9dSDMSzPESQ2wEC
85cLaTzTBIXfk8j%2b1NsnjA80j1byhiKAO2tsS8nwtJpelrD04Xq1B9gpdPaK0Y417zTm
DUYTa01Dk0lvjF0wRnJ1g2BgMe8LLqtZ7FvzVeC5bVCM9DPrdiZzEcB13MzJKI1QZLTSiu
Jso0li1823LMTgNmyk4d61N4uKsoUaGK%2bmxITfHkSxaM3CIWRoVTgglM65wxBQqptwah
W5y2zp7m0A2wSVey03Z8kvM7cSiM2rei0s7CsLLEK7P7zzqbRYTXsmcp0ZdejpuGLIsp
px97n%2fk4%2fy%2b255rR0nA49c9cxMjjdRNUq98qa6ueOeZVcuy1377A%2fe%2b%2f
9rHL7N2aCr64GMhpl2aFtHyBqkvvtQ%2fSN24dGsSNGZB%2fy%2beX6AXb72I1IgJOfJ
4cbHvweXpv9GF40%2fQH23jHf%2fwK%2b%2frF%2bVly%2b%2fUL1In9w9WNY%2fvYu5
u0%2f%2fXcudA%3d%3d HTTP/1.1

Cookie: _TTPData=eNrNWFuTqjow/iuW59HqDd7aS3V3TUBRUFaQFX2ZihAuKgkSEPHXT
9DWbfc+u6dnaj8cnsLK4lvfumQ15CWjSddAhxTRZIBsNA6S3CQ7hA1EI4IpKp3CPaZdpvZ
a9pMk6n1ctX0UQvqDzVACox8k9riMjWeb3J8jUvilCb1t5cHZOR8wH57oTDcdwG1KE4Cg
kv3kdx7Lf+79VxD9eam/1Rttfinhms/P3U2z9WnTpu3EXSR7Wwa5ZJMaYpKtBOIGTVm/Pm
Jbz1V6ybf6tZr3Vp7/a4Tv5bTGhd5KAYFka6SYzyUowogrHt10sq3JJ4gWLK517LVSYI8
EfbNQYF6SsWgTSGXQxDRLuJ3Z0Bddyt/uC780ZH+d1FkWanKAS0pJFEQC6J0e/IMOUJnsT
ATQrKjzrtm84tCkktGwjlqMkDuwC/27ok8pbkTPKklb4nNgnh3C2XsYhJR74T6qfnr/e
3Tuk183e84xKCCG49KuWODPSBrbt/IpxNfQhYedE0rc5CEh5bdPCYIOTNLwhfuMdsMnZBe
w3ltkCKN/TRML3Y47sCe5R01PzWsen/ydKC4c0uZfb5Y+4N7j8e7ae3ASH+EksC+oswQmK
GTvpY/yL8qyxTL9UV1FiU+cX4oUflDqZgF2SEZvJTBLN1tkJ+9vGqtE2Sm03QDFJYnEIfx
6vb6XwHyql+dAEWY4YmGcYn/dY39D5uE7/5/BL9F5U6A+yout6glrJI2aYI+T/xz3PjIs
3QfFZ+9lvshDPbAcVjToOWPKzSCNvoGyfJnGwu4T9Eb/Jr1J+3P0v/GWYRhSHAx/roSvca
YZegS8j/DdBCrNpQzJiv6KYEOisKRxkf9slqMwyBjvk+T++26mgUeZkUUV7fe07Esv35k9
QsflpV4ju9wTMGhgfdX+foVcorW9/YiQkww8n74PzQoEpg7xG2hfvhbyCrXJUvIJ/QyX6
yqw38V7nEPfD5JswH2jGFT9SH1QuSgVwUFztTaW7Ir+W/vndQeHsxY4gp231D+jD+33ggf
ER7EiHnid7cuVD6PtXvosM9kusFHttz/5843WN0hbhwjYmblqkyIaitDMfgMMO9sVbFyT6
d2mzHe9B84e6xZePWHwhn76qIe4MFMb5xsE6nDdirEdh5gyHJ/uUq67WbrbqcpKl/DpYL
MKV2YjsJYfU3XYpt+nIUoY7SjupI7encWwukl045HaNTFLtSi0ecXPZ332Fwa6Z2LKRu5
3oulhut6G2/pIMTLenu/Ckwjja9uSbPORqcnX98odatB+ePkLEQVK5QtZapMturrlZEh8
i8j1f+9spp8pwcTeB2JxznLbYulthkucdvRRHEBw9ksgA8eTRoSErda8XTP52Bjni7g78
Lbp2MF4A+10APrFXDziR91Vvoeq+fNedsM/XkuDb2GjOw87R6QEkZXymbUFdNeVcnfuZ2
1PgRxa+yeSLTBX0U38LdMHTFgJQtdEy8rW1PztDNdHOo0b/4dCXAjgIWxlk3moneqs+SGP
5Gc9FEHhDX6/k00yY7kS0MqU5oBNQsg5TiZnrjoeB7OipXDQpjaIittxro5Ned0ZzdFxr
EqLSRue832FHV2DyUill+PFRGGk4TD2dLeW52phG1nqO0lUqkNfTWWN66RztOzu+HTsam
PdkdrRx3rEQjAPPKST/0nzdN15zshZU+a4JyZCSzPgBwIgwKoZp43cFXQGIDq30llfYHL9
D7LQ7/dE/qPPot6u8/iVi10Rf

<<<

HTTP/1.1 302 Found

Location: https://treyws-test/claims/Default.aspx

Set-Cookie: _TTPData=; expires=Wed, 12-Jul-2006 07:32:28 GMT;

path=/claims

Set-Cookie: _WebSsoAuth=eNrN9uSosoS/RXDeTR6wLsY3R2naEFQUBAVfdlRQnFRq
VIuIn79LrRlunvOzOmzYx62T0WYKnPlyiSrfE5gtO+DJEFxGhJceawU8ax6V7ftQM32pv
1U73bZp5bndJ64Taf+xPVYB0EPOe6mVa0oSziHBSscpx0lLtcGynSe2+1RvWmy332z0G73
1GyZ+qWYx7nVIRTEsg/TTGBWVGCUIxk5QrWhws+IFihP67qVap4YQfzScoz10+iXpmy8C
kdDpYxihpJ86/RnQxv36d7Yp731UX5+vKQoEu2FpSCO6SxNkkRj9iivFTPakB15aUn6P6
d0xb15B5oYIO8hESRgHtun/EegT5DVI00PSZ5gy5zx5SukWxtndMEqYZ+Yj9NPzf/fOFM
rrHs89haUL6HpJxyj9z0gWO+hNutJ8ky4KnZgkxEvfFaT6+q1A0IvPj0zn73d/RoyC2n
tPTKESfDfEA3DiTkosT5JNzIrnRfnYCCi5f02Jd7pA9+H3g8pfYmThoghIb01esshSmK
6HPlo/03bdml1f4I11AaEPenJoUfQP08x7Jk3sLzLLNFjnp25N001Fxs7QXorgikTiCn
HpZe1r6xAlQBjVpVKeEMN3Evv3FphP9eorcKMqH7TYMCxxf27af3dI9Jb/R+d3VR4EmN
/pclctpZ20yVL0+cW/J42PPCuPvbnTPtqIYLgHrkuHRL9+DI5QAd9gWT1c4wF3GfoFf6
e9sf0Z+v/4i2QCK4XP9Z1hplTct01fzPMJVjkh3+LMmyfyrgcIjJCcx/bpa0DaMwTb90
k/nldzULfUybKH4bvQ9ieZ5/z5tXpNqqsQzLMRTGjgqH/rXrbhdxy9L0+CxATTL/kfXh5N

6AqYO+TOEyD6Bcu60ydlV0+obPz5NRb+Fulwrzj80U3H5jFCXxKali/eyJRh+LyZKRMTEWl+ulrF4XXZyuGOKEnb5S8W/9/PBA+oT05IPcpuadzpfRld79Qh3lPTgx9eub+E50eGt1c3LrGxS37XJsQ1FOHY3CcYXGs13G6z6YOPfHeI5+Zh7Z0/b4XHtW7AbEoL4iJrQsO19G8FWFpjEOXucHh2zoXm6b12Fy4necauw8UiWlmtg7NkkLbbLpVeMrLV4Q4m7cxVetM4thbpOVoyu1Yuadla4HusGhSzaD2FKfZCLMUaSu6wPU7X22jbHk1mzjrXXTW4GEqNm1pxm2M5BwYG7VptxL2NLnwh5odKbY6VSDb7eWWyDvyzyNU3LKy2ywnwhTeVkJ5Z/PK04sONkUR2a0ggPjog1zhga+M5JakNn1Q/gbnC9B5f3cMdqHM5SwPjLkERLDWTCeXjJW4MAxxkLfnUN4Xa4kPHGy25xP3ckWApJzN9S1oapZSaNYg10QVXm2Xu0252jTeOA+2wOB9fcEDzRjss1jb+4s71FL9IvD4Jw4DCYAjvzVA7q92gr8agCxWongugNAfBkatmOb8dCeglSXNQTJhpJpS4HRyYepDcLRqegbl3qlFNNyLC21sKWtuNEensSYtJj14KfY1enUNJyPNWY4XE9UeT1IG50tna7enEnbcoYXGaq0xDLRY2XhmNs8u3obNxpYxOp6QvXK9sXoYAVjUzsZxONm0PXJ2FnbW0Xn1REnMAwDgRABQy31f9jTQkkf97or5gGdyY0DrMOiJ/0B9zoLRG1Dd6iVWEI7yTNk0RUMTAL2AL1IxPf+OFXmgCEABOZ+vpFHeEoHv5FQkZUTWsnBydJA7+bCsncl0eH41kPshmbpZl3zOpIz8bRdGyXevZsWTUfjtSs31TAODRAa05HLHuBzTd43vWdkhsrjYda4pHK8Q3YMuozOZvVLPfc43dhBrnLXpPmV+wwNyfaIM9nR14hAyibcsC6Q9AZF9x2bavys16wUGjvNljLVg2ucIR2Cpd6sWnqzU2S1s6ZvU97TNpg9XTRs5PCzk40JFprOh+tKC2JsU11URTZEh1iX1/IPGGQ/tmxm8tgQ+3; path=/claims; secure; HttpOnlySet-Cookie: _WebSsoAuth0=vPDongOyasChyToiOY0bV9+Ba5vkc5xVY1G4s1R35cD7RUxWGxg/NLoAIdgGEVye950wd7K1848cpbNYrs1lu9g0zokt/4hr100CbXU316XCHe5nmwBhjio9oN/Uz98ioH1EW8ZOXw4O2vuh2rXn+lzamRyvW2nBHEFM9hrZerZq2q6cEUmIsBkuGGulK4zSViWicEU2y1NqW2vdjqGAoA7e1xoKThMu35ess3+Po0kLHKdfegGc11/zymA0bXGq3jUG1uTIN3R4rtQMDjMasIXrcjD0z5irf9bmsFqxqUbu5P5KGREL0cCWhIkud2slqrbWLLZzcu7uCGYlBkiMg697aKmToEuFLuJOSmWZ0E4+XLEj0y1BheMy1lyBamp93izXp93LVH3Eg44JKxZaLs/S3ide7VWbNmH887GirREGnAGnZ2THI6roWip05XTPLTNQBQkXDovgh2xgXrnYbbNxA29K0dZ+Zwu1s6/4LHaqfJ+bNcpumzGPC/pi9j7vK/b/x69+bsI8T; path=/claims; secure; HttpOnly

```
>>> treyws-test (WS Resource)
GET /claims/Default.aspx HTTP/1.1
Cookie: _WebSsoAuth=eNrNV9uSosos/RXDeTR6wLsY3R2nAEFQUBAVfdlRQnFRqVIuIn79LrR1unvOzOmzYx62T0WYKnPlyiSrfE5gt0+DJEFxGhJceawU8aX6V7fTQM32pv1U73bZp5bndJ64Taf+xPVYB0EPOe6mVa0oSziHBScpX0lLtcGynSe2+1rVwmy332z0G731GyZ+qWYx7nVIRTEsg/TGBWVGCUiXk5QRWhws+IFihP67qVap4YQfzScoz10+iXpmy8CkzDpYxihpJ86/RnQxv36d7Yp731UX5+vKQoEu2FpSc06SxNkkRj9iifWTPAKB15aUn6P6d0xb15B5oYIO8hESRgHTun/EegT5DVI00PSZ5gy5zx5SukWxtnDMEqYZ+Yj9NPzf/fOFmrrHs89haUL6HpJXy9z0gWO+hNutJ8ky4KnZgkxEvfFaT6+q1A0IVpFj0zn73d/RoyC2ntPTKESDFEFA3DiTkoSt5cJNzIrnRfYcIC5f02Jd7pA9+H3q8pfYmThognIb01esshSmK6HPl0/03bdml1f4I11AaEPenJoUfQP08xC7Jk3sLzLLNFjnp25NO01Fxs7QXorgikTiCNHpbZelr6xAlQBJPvVkeEwMN3Evv3FphP9eorkMQh7TYMCxf27af3dI9Jb/R+d3VR4EmN/pc1ctpZ20yVL0+cW/J42PPCuPvbnptqIYLgHrkuHRL9+DI5QAd9gWT1c4wF3GfoFf6e9Sf0Z+v/4i2QKCK4Xp9Z1hplTct01fzPMJvjkh3+LMmyfyrgcIjJcC/bpa0DamWtb9Ok/nldzULfUyYKH4bvQ9ieZ5/z5tXpNqqsQzLMRTgJqH/rXrbhdxy9L0+CxATTL/kfXh5N6AqYO+TOEyD6Bcu60ydlV0+obPz5NRb+Fulwrzj80U3H5jFCXxKali/eyJRh+LyZKRMTEWl+ulrF4XXZyuGOKEnb5S8W/9/PBA+oT05IPcpuadzpfRld79Qh3lPTgx9eub+E50eGt1c3LrGxS37XJsQ1FOHY3CcYXGs13G6z6YOPfHeI5+Zh7Z0/b4XHtW7AbEoL4iJrQsO19G8FWFpjEOXucHh2zoXm6b12Fy4necauw8UiWlmtg7NkkLbbLpVeMrLV4Q4m7cxVetM4thbpOVoyu1Yuadla4HusGhSzaD2FKfZCLMUaSu6wPU7X22jbHk1mzjrXXTW4GEqNm1pxm2M5BwYG7VptxL2NLnwh5odKbY6VSDb7eWWyDvyzyNU3LKy2ywnwhTeVkJ5Z/PK04sONkUR2a0ggPjog1zhga+M5JakNn1Q/gbnC9B5f3cMdqHM5SwPjLkERLDWTCeXjJW4MAxxkLfnUN4Xa4kPHGy25xP3ckWApJzN9S1oapZSaNYg10QVXm2Xu0252jTeOA+2wOB9fcEDzRjss1jb+4s71FL9IvD4Jw4DCYAjvzVA7q92gr8agCxWongugNAfBkatmOb8dCeglSXNQTJhpJpS4HRyYepDcLRqegbl3qlFNNyLC21sKWtuNEensSYtJj14KfY1enUNJyPNWY4XE9UeT1IG50tna7enEnbcoYXGaq0xDLRY2XhmNs8u3obNxpYxOp6QvXK9sXoYAVjUzsZxONm0PXJ2FnbW0Xn1REnMAwDgRABQy31f9jTQkkf97or5gGdyY0DrMOiJ/0B9zoLRG1Dd6iVWEI7yTNk0RUMTAL2AL1IxPf+OFXmgCEABOZ+vpFHeEoHv5FQkZUTWsnBydJA7+bCsncl0eH41kPshmbpZl3zOpIz8bRdGyXevZsWTUfjtSs31TAODRAa05HLHuBzTd43vWdkhsrjYda4pHK8Q3YMuozOZvVLPfc43dhBrnLXpPmV+wwNyfaIM9nR14hAyibcsC6Q9AZF9x2bavys16wUGjvNljLVg2ucIR2Cpd6sWnqzU2S1s6ZvU97TNpg9XTRs5PCzk40JFprOh+tKC2JsU11URTZEh1iX1/IPGGQ/tmxm8tgQ+3; _WebSsoAuth0=vPDongOyasChyToiOY0bV9+Ba5vkc5xVY1G4s1R35cD7RUxWGxg/NLoAIdgGEVye950wd7K1848cpbNYrs1lu9g0zokt/4hr100CbXU316XCHe5nmwBhjio9oN/Uz98ioH1EW8ZOXw4O2vuh2rXn+lzamRyvW2nBHEFM9hrZerZq2q6cEUmIsBkuGGulK4zSViWicEU2y1NqW2vdjqGAoA7e1xoKThMu35ess3+Po0kLHKdfegGc11/zymA0bXGq3jUG1uTIN3R4rtQMDjMasIXrcjD0z5irf9bmsFqxqUbu5P5KGREL0cCWhIkud2slqrbWLLZzcu7uCGYlBkiMg697aKmToEuFLuJOSmWZ0E4+XLEj0y1BheMy1lyBamp93izXp93LVH3Eg44JKxZaLs/S3ide7VWbNmH887GirREGnAGnZ2THI6roWip05XTPLTNQBQkXDovgh2xgXrnYbbNxA29K0dZ+Zwu1s6/4LHaqfJ+bNcpumzGPC/pi9j7vK/b/x69+bsI8T
```

<<<<
HTTP/1.1 200 OK

[Application specific content]

4.2 SAML 1.1 Assertion Extension

Following is a SAML assertion fragment that illustrates the message syntax of the SAML 1.1 Assertion Extension elements in the advice element, as specified in section 2.2.3.

```
<saml:Advice xmlns:adfs="urn:microsoft:federation">
  <adfs:WindowsIdentifiers>
    AAAAAAEAAAABAAAAAABRUAAAAVU+0xvWJxlc9CDm4GAAAA9AEAAAYCAAHAgAACAIAA
    AECAAAAAgAA
  </adfs:WindowsIdentifiers>
  <adfs:CookieInfoHash>
    K6GNTL15/jljype53+PFRaiOfek=
  </adfs:CookieInfoHash>
  <adfs:WindowsUserIdentifier>
    S-1-5-21-837636885-2507236029-1846428367-500
  </adfs:WindowsUserIdentifier>
  <adfs:WindowsUserName>
    ADFSVM-A\Administrator
  </adfs:WindowsUserName>
</saml:Advice>
```

The raw octets of the WindowsIdentifiers (section 3.1.5.2.1.5) binary structure, after base64 decoding are as follows.

```
00 00 00 00 01 00 00 00 01 04 00 00 00 00 05 15 00 00 00 15 53 ED
31 BD 62 71 95 CF 42 0E 6E 06 00 00 00 F4 01 00 00 06 02 00 00 07 02
00 00 08 02 00 00 01 02 00 00 00 02 00 00
```

The octet stream is structured as follows (see section 2.2.3.2).

```
00 00 00 00  WindowsIdentifierFlags = 0
                TryLocalAccount = 0
                NoUserSid = 0
01 00 00 00  PackedSidsCount = 1 (0x00000001)
                PackedSids1
                    DomainSid
01                Revision = 1 (0x01)
    04                SubAuthorityCount = 4 (0x04)
    00 00                IdentifierAuthority[0..1] = {0, 0, ...
00 00 00 05                IdentifierAuthority[2..5] = 0, 0, 0, 5
                            (0x05)}
15 00 00 00                SubAuthority1 = 21 (0x00000015)
15 53 ED 31                SubAuthority2 = 837636885 (0x31ED5315)
BD 62 71 95                SubAuthority3 = 2507236029 (0x957162BD)
CF 42 0E 6E                SubAuthority4 = 1846428367 (0x6E0E42CF)
06 00 00 00                RidCount = 6 (0x00000006)
F4 01 00 00                Rid1 = 500 (0x000001F4)
06 02 00 00                Rid2 = 518 (0x00000206)
07 02 00 00                Rid3 = 519 (0x00000207)
08 02 00 00                Rid4 = 520 (0x00000208)
01 02 00 00                Rid5 = 513 (0x00000201)
00 02 00 00                Rid6 = 512 (0x00000200)
```

The SIDs encoded in the structure are as follows:

- S-1-5-21-837636885-2507236029-1846428367-500

- S-1-5-21-837636885-2507236029-1846428367-518
- S-1-5-21-837636885-2507236029-1846428367-519
- S-1-5-21-837636885-2507236029-1846428367-520
- S-1-5-21-837636885-2507236029-1846428367-513
- S-1-5-21-837636885-2507236029-1846428367-512

5 Security

5.1 Security Considerations for Implementers

Security considerations for the Microsoft Web Browser Federated Sign-On Protocol Extensions are specified in the following subsections. Additionally, the security considerations outlined in [MS-MWBF] section 5 apply to the Microsoft Web Browser Federated Sign-On Protocol Extensions.

5.1.1 Data Integrity

Data integrity concerns, as described in [MS-MWBF] section 5.1.1, apply to the extensions specified in this document. Of particular concern are the SAML advice elements specified by the SAML 1.1 Assertion Extension. These elements are included in the SAML assertion, which is signed to prevent tampering (see [MS-MWBF] section 2.2.4.2.2).

5.1.2 Privacy

The privacy considerations in [MS-MWBF] section 5.1.5 apply to the extensions in this document. The extensions also introduce new privacy concerns.

The Query String Response Transfer Protocol is used to communicate security tokens from one party to another by using the query string of the HTTP request URL. The use of Secure Sockets Layer/Transport Layer Security (SSL/TLS) prevents the exposure of user information outside the services participating in the protocol (see [MS-MWBF] section 5.1.3); however, a GET message might provide a lesser degree of confidentiality than a POST message due to URL tracking concerns. For example, web browser requestor implementations might track URL history, or web proxy servers might log URLs.

The SAML 1.1 Assertion Extension provides a method for including SIDs in a SAML assertion. These SIDs might identify user identity, capabilities, or affiliations. For this reason, SIDs should not be included indiscriminately; rather, their distribution should be limited to specific relying parties.<24>

5.1.3 Authorization Validation and Filtering

When processing SIDs from an IP/STS, relying parties must ensure that the IP/STS is authorized to issue SIDs that fall under a particular set of subauthorities. This is similar to namespace collision concerns with UPN and EmailAddress claims (as specified in [MS-MWBF] section 5.1.6).<25>

5.2 Index of Security Parameters

Because the Microsoft Web Browser Federated Sign-On Protocol Extensions is an authentication protocol, the security details are in the message processing rules section.

Security parameter	Section
WindowsUserIdentifier	2.2.3.1
WindowsUserName	2.2.3.1
WindowsIdentifiers	2.2.3.1

6 Appendix A: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs.

- Windows Server 2003 R2 operating system
- Windows Server 2008 operating system
- Windows Server 2008 R2 operating system
- Windows Server 2012 operating system

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms "SHOULD" or "SHOULD NOT" implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term "MAY" implies that the product does not follow the prescription.

<1> Section 1.5: The Windows implementation of the SAML 1.1 Assertion Extension is integrated with Windows Active Directory. All SIDs that are transmitted in the SAML assertion correspond to Active Directory accounts. In order to transmit SIDs between a requestor IP/STS and a resource IP/STS that reside in different forests, the requestor IP/STS forest must be a trusted forest of the resource IP/STS forest.

<2> Section 1.5: Local configuration is used to modify several of the Windows behaviors described in this document. In all cases, the local configuration must exist before the protocol is initiated. Specific instances where local configuration is used are listed below.

By default, an IP/STS does not issue security tokens with SIDs (see section 3.1.5.2). The issuance of SIDs (that is, including the WindowsUserIdentifier (section 3.1.5.2.1.3), WindowsUserName (section 3.1.5.2.1.4), and WindowsIdentifiers (section 3.1.5.2.1.5) elements in issued SAML assertions) can be enabled for specific relying parties by using local configuration.

By default, when a user authenticates to a resource IP/STS by using a security token from a requestor IP/STS (see section 3.1.5.2), any SIDs in the SAML assertion are ignored (that is, the WindowsUserIdentifier (section 3.1.5.2.1.3), WindowsUserName (section 3.1.5.2.1.4), and WindowsIdentifiers (section 3.1.5.2.1.5) elements). Processing these SIDs (as described in section 3.1.5.2) can be enabled for specified requestor IP/STSs using local configuration. In this case, the local configuration also specifies a Windows domain associated with the IP/STS, so that SID filtering can be performed (as specified in section 5.1.3).

When a user authenticates to a resource IP/STS by using a security token from a requestor IP/STS (as specified in section 3.1.5.2), claims can be mapped to SIDs based on local configuration. In this case, the local configuration also specifies the desired value of the **TryLocalAccount** flag (as specified in WindowsIdentifierFlags Structure (section 2.2.3.2.1)).

A special algorithm is used to determine when the Query String Response Protocol is used (as specified in section 3.2.5.1.1). This algorithm uses local configuration to force the use of the protocol and for the **FileExtensionBypassList** flag.

<3> Section 1.6: The Query String Response Transfer Protocol is supported only in Windows Server 2003 R2, Windows Server 2008, Windows Server 2008 R2, and Windows Server 2012.

<4> Section 1.6: SAML1.1 Assertion Extension is supported only in Windows Server 2003 R2, Windows Server 2008, and Windows Server 2008 R2.

<5> Section 1.9: The following URIs are used as local assignments in fields specified by the SAML 1.1 Assertion Extension: "urn:federation:activedirectory" and "urn:microsoft:federation".

<6> Section 2.2.3.1: Support for this field is conditional, as specified in CookieInfoHash Element (section 3.1.5.2.1.2).

<7> Section 2.2.3.1: WindowsUserName Element (section 3.1.5.2.1.4) specifies how Windows constructs the WindowsUserName value.

<8> Section 3.1.1.1.1: The pending result is maintained in secure session cookies written using Set-Cookie headers (as specified in [RFC2965]), which are added to the HTTP 302 response to the web browser requestor.

<9> Section 3.1.1.1.2: The recommended value is used.

<10> Section 3.1.2: There are no new timers. The pending result is stored by using secure session cookies (see section 3.1.1.1.1).

<11> Section 3.1.5.2.1.1: The IP/STS only includes this element when it is a resource IP/STS. The value identifies Active Directory, a Lightweight Directory Access Protocol (LDAP) service, or a security realm. If the user authenticated by using Active Directory, the ClaimSource (section 3.1.5.2.1.1) value is "urn:federation:activedirectory". If the user authenticated by using an LDAP service, the ClaimSource (section 3.1.5.2.1.1) value is a URI associated with the LDAP service, for example "LDAP://ldap.example.com". If the user authenticated by using a SAML assertion from a Requestor IP/STS, the ClaimSource (section 3.1.5.2.1.1) value is the value of the Security Assertion Markup Language (SAML) issuer. For more information about user authentication, see [MS-MWBF] section 3.1.5.4.3.

<12> Section 3.1.5.2.1.2: The IP/STS includes the CookieInfoHash (section 3.1.5.2.1.2) element when an authentication cookie is issued at the same time as a SAML assertion. The authentication cookie is a base64-encoded binary structure. Windows includes the base64-encoded SHA-1 hash value (as described in [FIPS180]) of the raw octets.

<13> Section 3.1.5.2.1.3: By default, the IP/STS does not include the WindowsUserIdentifier (section 3.1.5.2.1.3) element. It can be enabled for specific relying parties (see section 1.5). A requestor IP/STS populates this field only if the user authenticated by using Active Directory. A resource IP/STS populates this field only if the user authenticated by using a security token from a requestor IP/STS, in which case the value, if present, is copied from that security token.

<14> Section 3.1.5.2.1.4: By default, the IP/STS does not include the WindowsUserName (section 3.1.5.2.1.4) element. It can be enabled for specific relying parties (see section 1.5). Windows constructs the user name by including the NetBIOS domain name (as it is always available in this context) and Active Directory account name, separated by a backslash (for example, "DOMAIN\user name"). A requestor IP/STS populates this field only if the user authenticated by using Active Directory. A resource IP/STS populates this field only if the user authenticated by using a security token from a requestor IP/STS, in which case the value, if present, is copied from that security token.

<15> Section 3.1.5.2.1.5: By default, the IP/STS does not include the WindowsIdentifiers (section 3.1.5.2.1.5) element. It can be enabled for specific relying parties (see section 1.5).

A requestor IP/STS populates this field only if the user authenticated by using Active Directory. In this case, a WindowsIdentifiers (section 3.1.5.2.1.5) binary structure is constructed that contains a subset of the security identifiers (SIDs) associated with the Active Directory account. The subset consists of the user SIDs, the global group SIDs, and the universal group SIDs. That structure is base64-encoded and included in this field.

A resource IP/STS populates this field only if the user authenticated by using a security token from a requestor IP/STS. If the SAML assertion issued by the requestor IP/STS contains a **WindowsIdentifiers** field, its value is copied to this field. Otherwise, the resource IP/STS maps claims from the SAML assertion of the requestor IP/STS to SIDs based on local configuration (see section 1.5). If any claims are mapped to SIDs, those SIDs are encoded in a WindowsIdentifiers (section 3.1.5.2.1.5) binary structure with the **NoUserSid** flag set to 1 and the **TryLocalAccount** flag set based on local configuration (see section 1.5). The structure is base64-encoded and included in the **WindowsIdentifiers** field.

<16> Section 3.1.6: There are not any new timer events. The pending result is stored by using secure session cookies (see section 3.1.1.1.1).

<17> Section 3.2.1.1.1: The aggregated result is maintained in secure session cookies written using Set-Cookie headers (as specified in [RFC2965]), which are added to the HTTP 302 response to the web browser requestor.

<18> Section 3.2.2: There are no new timers. The aggregated result is stored using secure session cookies (see section 3.2.1.1.1).

<19> Section 3.2.5.1.1: A special algorithm (described later) determines whether to use the Query String Response Transfer Protocol or not.

The algorithm is presented in pseudocode.

Let KnownClients be a constant set composed of the following strings, which specify user agent string fragments that are known to identify user agents that do not support scripting:

- "Microsoft FrontPage"
- "Microsoft Office"
- "Test for Web Form Existence"
- "Microsoft Data Access Internet Publishing Provider"
- "Microsoft-WebDAV"

Let FileExtensionBypassList be a set of strings retrieved from local configuration (see section 1.5) that identify file name extensions.

The algorithm is as follows.

```
IF local configuration forces Query String Response Transfer
Protocol
OR User-Agent is empty
OR User-Agent is in KnownClients
OR NOT User-Agent contains "Mozilla"
OR NOT Http-Verb is in (GET,POST) THEN
    Use Query String Response Transfer Protocol
ELSE
    IF local machine state indicates Windows Sharepoint Services
    AND NOT Request-URL's file extension is in
FileExtensionBypassList THEN
        Use Query String Response Transfer Protocol
    ELSE
        Use the base protocol specified in [MS-MWBF]
    END IF
END IF
```

<20> Section 3.2.5.2: By default, the resource IP/STS ignores these fields and processes the security token as though the extension elements are absent. Their processing can be enabled for specific requestor IP/STSs (as specified in section 1.5). Section 3.1.5.2.1 specifies how the resource IP/STS

includes the fields. The web service resource uses the fields to provide authorization services to a web-based application on the same machine by using methods that are outside the scope of this protocol.

<21> Section 3.2.6: There are no new timer events. The aggregated result is stored by using secure session cookies (as specified in section 3.1.1.1.1).

<22> Section 3.3.1: Windows Internet Explorer supports the use of session and persistent HTTP cookies (for more information, see [RFC2965]). The Windows implementation of this protocol requires that web browser requestor support at least session cookies. It uses persistent cookies to preserve security realm identifiers if they are supported by the web browser requestor.

<23> Section 3.3.5: The RMS 2.0 client in Windows Vista operating system with Service Pack 1 (SP1), Windows Server 2008, Windows 7 operating system, Windows Server 2008 R2, Windows 8 operating system, and Windows Server 2012 adds a *whr* parameter to the wsignin 1.0 Request Message (section 2.2.2) if the wsignin 1.0 Request Message does not already contain a *whr* parameter.

<24> Section 5.1.2: The inclusion of SIDs can be enabled for specific relying parties (as specified in section 1.5).

<25> Section 5.1.3: A relying party that accepts security identifiers from an IP/STS in another security realm performs SID filtering based on local configuration that associates the IP/STS with a Windows domain (as specified in section 1.5). For more information about SID filtering, see [MS-PAC] section 4.1.2.2.

7 Change Tracking

~~No table of This section identifies changes is available. The that were made to this document is either new or has had no changes since its the last release. Changes are classified as Major, Minor, or None.~~

The revision class **Major** means that the technical content in the document was significantly revised. Major changes affect protocol interoperability or implementation. Examples of major changes are:

- A document revision that incorporates changes to interoperability requirements.
- A document revision that captures changes to protocol functionality.

The revision class **Minor** means that the meaning of the technical content was clarified. Minor changes do not affect protocol interoperability or implementation. Examples of minor changes are updates to clarify ambiguity at the sentence, paragraph, or table level.

The revision class **None** means that no new technical changes were introduced. Minor editorial and formatting changes may have been made, but the relevant technical content is identical to the last released version.

The changes made to this document are listed in the following table. For more information, please contact dochelp@microsoft.com.

Section	Description	Revision class
1.4 Relationship to Other Protocols	Specified the section number in the [WSFederation1.2] reference.	Major
1.8 Vendor-Extensible Fields	Updated the section number in the [WSFederation1.2] reference.	Major
3.1.5.1.4 Responding to a wsignin1.0 Request That Specifies a ttpindex	Updated the section number in the [WSFederation1.2] references.	Major

8 Index

A

- Abstract data model
 - IP/STS 18
 - relying party 21
- Aggregated result 21
- Applicability 12
- Assertion extension example 42
- Assertion Extension syntax 15
- Authorization validation security 44

C

- Capability negotiation 12
- Change tracking 49
- ClaimSource element 20
- CookieInfoHash element 20

D

- Data - security integrity 44
- Data model - abstract
 - IP/STS 18
 - relying party 21
- Directory service schema elements 17

E

- Elements - directory service schema 17
- Examples
 - full network trace 28
 - Query String Response Transfer Protocol 25
 - Query String Response Transfer protocol example 25
 - Security Assertion Markup Language (SAML) v1.1 assertion extension example 42

F

- Fields - vendor-extensible 13
- Filtering - security 44

G

- Glossary 7

H

- Higher-layer triggered events
 - IP/STS 19
 - relying party 22

I

- Implementer - security considerations 44
- Implementer security considerations 44
- Index of security parameters 44
- Index security parameters 44
- Informative references 11
- Initialization
 - IP/STS 19
 - relying party 22
- Integrity - data 44

Introduction 7

IP/STS

- abstract data model 18
- higher-layer triggered events 19
- initialization 19
- local events 21
- message processing 19
- overview 18
- sequencing rules 19
- timer events 21
- timers 19

L

Local events

- IP/STS 21
- relying party 23

M

Maximum query string response message length 18

Message processing

- IP/STS 19
- relying party 22

Messages

- overview 14
- Query String Response Transfer protocol (section 2.1.1 14, section 2.2.2 14)
- SAML 1.1 Assertion Extension 15
- syntax 14
- transport 14
- XML namespace 14
- XML Namespace References 14

N

Normative references 10

O

Overview (synopsis) 11

P

PACKED_SIDS packet 16

Parameters - security 44

Parameters - security index 44

Pending result 18

Preconditions 12

Prerequisites 12

Privacy - security considerations 44

Processing - complete aggregated result 23

Product behavior 45

Protocol Details

- overview 18

Q

Query String Response Transfer Protocol (section 1.3.1 11, section 3.1.1.1 18, section 3.1.5.1 19, section 3.2.1.1 21, section 3.2.5.1 22)

- syntax 14
- transport 14

Query String Response Transfer protocol example 25

Query String Response Transfer Protocol message 14

R

- References 10
 - informative 11
 - normative 10
- Relationship to other protocols 12
- Relying Party
 - abstract data model 21
 - higher-layer triggered events 22
 - initialization 22
 - local events 23
 - message processing 22
 - overview 21
 - sequencing rules 22
 - timer events 23
 - timers 21

S

- SAML 1.1 Assertion Extension message 15
- SAML advice elements 15
- SAML v1.1 12
 - assertion extension example 42
 - Assertion Extension syntax 15
- Schema elements - directory service 17
- Security
 - authorization validation and filtering 44
 - data integrity 44
 - implementer considerations 44
 - parameter index 44
 - privacy 44
- Security Assertion Markup Language (SAML) V1.1 - assertion extension 23
- Security Assertion Markup Language (SAML) v1.1 Assertion Extension (section 1.3.2 12, section 3.1.5.2 20)
 - syntax 15
- Security Assertion Markup Language (SAML) v1.1 assertion extension example 42
- Sequencing rules
 - IP/STS 19
 - relying party 22
- Standards assignments 13
- Syntax
 - messages 14
 - Query String Response Transfer protocol 14
 - Security Assertion Markup Language (SAML) V1.1 Assertion Extension 15

T

- Timer events
 - IP/STS 21
 - relying party 23
- Timers
 - IP/STS 19
 - relying party 21
- Tracking changes 49
- Transport 14
- Triggered events - higher-layer
 - IP/STS 19
 - relying party 22

V

- Vendor-extensible fields 13
- Versioning 12

W

- WindowsIdentifierFlags packet 16
- WindowsIdentifiers element 21
- WindowsIdentifiers packet 15
- WindowsUserIdentifier element 21
- WindowsUserName element 21
- wsignin1.0 message 14
 - common parameters 14
 - response 14
- wsignin1.0 request
 - receiving - ttpindex not specified (section 3.1.5.1.1 19, section 3.2.5.1.2 22)
 - receiving - ttpindex of 0 specified 19
 - receiving - ttpindex other than 0 specified 19
 - receiving - ttpindex specified 22
 - responding - ttpindex specified 20
- wsignin1.0 request - sending 22
- wsignin1.0 request response 20

X

- XML namespace message 14
- XML Namespace References message 14