

## [MS-RSMC]: Remote Session Monitoring and Control Protocol

This topic lists the Errata found in [MS-RSMC] since it was last published. Since this topic is updated frequently, we recommend that you subscribe to these RSS or Atom feeds to receive update notifications.



Errata are subject to the same terms as the Open Specifications documentation referenced.

Errata below are for Protocol Document Version [V2.0 – 2015/10/16](#).

Errata Published*	Description				
2016/02/08	<p>In Section 3.6.4.28.2.2, IsChatEnabledResponse, added a description for the pfEnabled element.</p> <p>Changed from:</p> <pre data-bbox="394 831 1393 1094"> &lt;xsd:element name="IsChatEnabledResponse"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element minOccurs="1" maxOccurs="1" name="pfEnabled" type="xsd:boolean"/&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre> <p>Changed to:</p> <pre data-bbox="394 1241 1393 1503"> &lt;xsd:element name="IsChatEnabledResponse"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element minOccurs="1" maxOccurs="1" name="pfEnabled" type="xsd:boolean"/&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre> <p>pfEnabled: Contains "true" if the chat system is enabled or "false" if it is disabled.</p>				
2016/01/25	<p>In Section 3.7.4.22.1, Messages, updated the messages names to reflect the LogOffConsoleSession operation name.</p> <p>Changed from:</p> <table border="1" data-bbox="410 1755 1414 1873"> <thead> <tr> <th data-bbox="410 1755 1175 1801">Message</th> <th data-bbox="1175 1755 1414 1801">Description</th> </tr> </thead> <tbody> <tr> <td data-bbox="410 1801 1175 1873">IMultiPointSession_DisconnectSession_InputMessage</td> <td data-bbox="1175 1801 1414 1873">This message requests that the</td> </tr> </tbody> </table>	Message	Description	IMultiPointSession_DisconnectSession_InputMessage	This message requests that the
Message	Description				
IMultiPointSession_DisconnectSession_InputMessage	This message requests that the				

Errata Published*	Description									
		server log off the console session.								
	IMultiPointSession_DisconnectSession_OutputMessage	Response message.								
	IMultiPointSession_DisconnectSession_WmsFaultType_FaultMessage	This message contains the internal server failure status code if one occurs.								
	Changed to:									
	<table border="1"> <thead> <tr> <th data-bbox="410 745 1214 800">Message</th> <th data-bbox="1214 745 1430 800">Description</th> </tr> </thead> <tbody> <tr> <td data-bbox="410 800 1214 953">IMultiPointSession_LogOffConsoleSession_InputMessage</td> <td data-bbox="1214 800 1430 953">This message requests that the server log off the console session.</td> </tr> <tr> <td data-bbox="410 953 1214 1031">IMultiPointSession_LogOffConsoleSession_OutputMessage</td> <td data-bbox="1214 953 1430 1031">Response message.</td> </tr> <tr> <td data-bbox="410 1031 1214 1213">IMultiPointSession_LogOffConsoleSession_WmsFaultType_FaultMessage</td> <td data-bbox="1214 1031 1430 1213">This message contains the internal server failure status code if one occurs.</td> </tr> </tbody> </table>	Message	Description	IMultiPointSession_LogOffConsoleSession_InputMessage	This message requests that the server log off the console session.	IMultiPointSession_LogOffConsoleSession_OutputMessage	Response message.	IMultiPointSession_LogOffConsoleSession_WmsFaultType_FaultMessage	This message contains the internal server failure status code if one occurs.	
	Message	Description								
	IMultiPointSession_LogOffConsoleSession_InputMessage	This message requests that the server log off the console session.								
IMultiPointSession_LogOffConsoleSession_OutputMessage	Response message.									
IMultiPointSession_LogOffConsoleSession_WmsFaultType_FaultMessage	This message contains the internal server failure status code if one occurs.									
IMultiPointSession_LogOffConsoleSession_InputMessage	This message requests that the server log off the console session.									
IMultiPointSession_LogOffConsoleSession_OutputMessage	Response message.									
IMultiPointSession_LogOffConsoleSession_WmsFaultType_FaultMessage	This message contains the internal server failure status code if one occurs.									

\* Date format: YYYY/MM/DD