

[MS-STOROD]: Storage Services Protocols Overview

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft [Open Specification Promise](#) or the [Community Promise](#). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplg@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights. For a list of Microsoft trademarks, visit www.microsoft.com/trademarks.
- **Fictitious Names.** The example companies, organizations, products, domain names, email addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

This document provides an overview of the Storage Services Protocols Overview Protocol Family. It is intended for use in conjunction with the Microsoft Protocol Technical Documents, publicly available standard specifications, network programming art, and Microsoft Windows distributed systems concepts. It assumes that the reader is either familiar with the aforementioned material or has immediate access to it.

A Protocol System Document does not require the use of Microsoft programming tools or programming environments in order to implement the Protocols in the System. Developers who have access to Microsoft programming tools and environments are free to take advantage of them.

Abstract

This document provides an overview of the functionality and relationship of the Storage Services protocols, which are specified in [\[MS-DMRP\]](#), [\[MS-VDS\]](#), [\[MS-SCMP\]](#), [\[MS-FSRVP\]](#), [\[MS-RSMP\]](#), and [\[MS-EFSR\]](#). The Storage Services protocols provide the following services: disk and volume management services, data backup and restore, removable media management, file access control, and file encryption in Windows.

This document describes the intended functionality of the Storage Services protocols and how these protocols interact with each other. It provides examples of some common use cases. It does not restate the processing rules and other details that are specific for each protocol. Those details are described in the protocol specifications for each of the protocols and data structures that belong to this protocols group.

Revision Summary

Date	Revision History	Revision Class	Comments
12/16/2011	1.0	New	Released new document.
03/30/2012	2.0	Major	Significantly changed the technical content.
07/12/2012	3.0	Major	Significantly changed the technical content.
10/25/2012	3.0	No change	No changes to the meaning, language, or formatting of the technical content.
01/31/2013	3.0	No change	No changes to the meaning, language, or formatting of the technical content.
08/08/2013	4.0	Major	Significantly changed the technical content.
11/14/2013	4.0	No change	No changes to the meaning, language, or formatting of the technical content.

Contents

1	Introduction	5
1.1	Conceptual Overview	5
1.2	Glossary	6
1.3	References	7
2	Functional Architecture	9
2.1	Overview	9
2.1.1	System Capabilities	11
2.1.1.1	Managing Disks and Volumes	11
2.1.1.2	Backing Up and Restoring Data	12
2.1.1.3	Managing Removable Media	12
2.1.1.4	Providing File Encryption and Access Control	12
2.1.2	Protocol Relationship	13
2.2	Protocol Summary	14
2.3	Environment	14
2.3.1	Dependencies on This System	14
2.3.2	Dependencies on Other Systems	14
2.4	Assumptions and Preconditions	15
2.5	Use Cases	15
2.5.1	Manage Disks and Volumes	16
2.5.1.1	Create and Modify a Volume	16
2.5.1.2	Convert a Basic Disk to a Dynamic Disk	18
2.5.1.3	Make an Offline Disk Online	19
2.5.1.4	Configure HBA Port and iSCSI Initiators	20
2.5.2	Backup and Restore Data	21
2.5.2.1	Create a Shadow Copy Storage Association	22
2.5.2.2	Back Up or Restore an Encrypted File	23
2.5.2.3	Perform Backup of a File Share Remotely	24
2.5.3	Manage Removable Media	26
2.5.3.1	Create and Delete a Media Pool	26
2.5.3.2	Mount and Dismount Media	28
2.5.3.3	Delete Work Queue Items	29
2.5.4	Encrypted File Access Control and Encryption	30
2.5.4.1	Provide Cryptographic Access Permissions to an Encrypted File	30
2.5.4.2	Encrypt a File	32
2.5.4.3	Decrypt an Encrypted File	33
2.6	Versioning, Capability Negotiation, and Extensibility	34
2.7	Error Handling	34
2.8	Coherency Requirements	34
2.9	Security	35
2.10	Additional Considerations	35
3	Examples	36
3.1	Example 1: Make a Disk Online	36
3.2	Example 2: Configure an iSCSI Initiator	37
3.3	Example 3: Create a Shadow Copy Storage Association	38
3.4	Example 4: Create and Delete a Media Pool	39
3.5	Example 5: Encrypt a File	40
3.6	Example 6: Decrypting an Encrypted File	41
3.7	Example 7: Perform Backup of a File Share Remotely	42

4 Microsoft Implementations	46
4.1 Product Behavior	47
5 Change Tracking.....	48
6 INDEX	49

1 Introduction

The Storage Services protocols consist of a set of protocols for configuring and administering storage services operations in Windows such as managing **disks** and **volumes**, backing up data, restoring data, managing the Media **library**, and encrypting and decrypting **files**. The member protocols of this system manage the low-level storage services operations and can be used to programmatically enumerate and configure disks, volumes, **host bus adapter (HBA)** ports, and **iSCSI initiators** on remote computers.

Before the introduction of Disk Management services [<1>](#), each storage device (hard disk, peripheral component interconnect (PCI), **redundant arrays of independent disks (RAID)** adapter, and storage array) provided its own installation and management application. The Disk Management services provide a unified interface that simplifies the management of disparate storage devices.

1.1 Conceptual Overview

Data stored on servers is critically important for the day-to-day activities of any organization and there is a requirement to access, store, and recover this data reliably. In response to the expanding requirements for storage in distributed computing environments, Windows supports different storage technologies for storing, accessing, and managing data on servers. For information about storage technologies, see [\[MSDN-STC\]](#).

This section provides an overview of the following concepts, which are required for understanding this document.

- File systems technologies
- File shares
- Disks and volumes
- Removable storage

File Systems Technologies

A **file system** is the structure in which files are named, stored, and organized. Examples for file systems are: FAT16, FAT32, **NTFS**, and so on. They can be used in any combination on a hard disk, but each volume on a hard disk can use only one file system.

The NTFS file system provides performance, reliability, and advanced features that are not found in any version of the **FAT** file system. For example, NTFS includes built-in security features such as file and folder permissions and the **Encrypting File System (EFS)**, which is the technology used to store encrypted files on NTFS volumes. NTFS also provides support for volumes up to 256 terabytes in size, support for disk quotas and compression, and support for mounted drives. For more information on EFS, see [\[MSFT-EFS\]](#).

File shares

A file share represents a directory tree and its included files. It is a local resource offered by a file server and consumed by a client application using the file access protocols as described in [\[MS-FASOD\]](#).

Disks and Volumes

A disk is a storage device that stores and provides access to large amounts of data. There are two types of disks for storing information: a **basic disk** and a **dynamic disk**. For more information about disks, see [\[MSDN-DISKMAN\]](#).

A volume is an area on a storage device that is managed by the file system as a discrete logical storage unit. For more information about volumes, see [\[MSDN-VOLMAN\]](#).

Removable Storage

Removable Storage is an abstract component that is used to track removable storage media (tapes and optical disks) and manage the hardware libraries that contain them (changers and jukeboxes).

Removable Storage components can perform the following operations:

- Label, catalog, and track media.
- Control library drives, slots, and doors.
- Perform drive-cleaning operations.

Removable Storage components interact with data-management applications such as Backup. Removable Storage components allow multiple applications to share storage media resources, which can reduce costs.

1.2 Glossary

The following terms are defined in [\[MS-GLOS\]](#):

basic disk
certificate
disk
dynamic disk
Encrypting File System (EFS)
file
file allocation table (FAT)
file system
host bus adapter (HBA)
iSCSI initiator
Lightweight Directory Access Protocol (LDAP)
Microsoft Management Console (MMC)
NTFS
partition
public key
redundant arrays of independent disks (RAID)
remote procedure call (RPC)
removable media
shadow copy
volume

The following terms are defined in [\[MS-SCMP\]](#):

shadow copy storage association

The following terms are specific to this document:

Admin Client: A component that uses the Storage Services protocols to configure and query the state of storage entities such as the volume **shadow copy**, virtual disk, **Encrypting File**

System (EFS) and removable storage. The **Admin Client** is also used to configure various policies that apply to a storage object such as creating or deleting storage volumes, giving access controls, and getting notifications.

library: A storage device that contains one or more tape drives, a number of slots to hold tape cartridges, and an automated method for loading tapes.

storage server: A server that hosts hard disks, **removable media**, and **files**.

The following protocol abbreviations are used in this document:

DMRP: Disk Management Remote Protocol.

VDS: Virtual Disk Storage Specification Protocol.

SCMP: Shadow Copy Management Protocol.

RSMP: Removable Storage Manager Remote Protocol.

EFSR: Encrypting File System Remote Protocol.

FSRVP: File Server Remote VSS Protocol.

1.3 References

References to Microsoft Open Specification documents do not include a publishing year because links are to the latest version of the documents, which are updated frequently. References to other documents include a publishing year when one is available.

We conduct frequent surveys of informative references to assure their continued availability. If you have any issue with finding an informative reference, please contact dohelp@microsoft.com. We will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[MS-ADTS] Microsoft Corporation, "[Active Directory Technical Specification](#)".

[MS-AUTHSOD] Microsoft Corporation, "[Authentication Services Protocols Overview](#)".

[MS-DCOM] Microsoft Corporation, "[Distributed Component Object Model \(DCOM\) Remote Protocol](#)".

[MS-DMRP] Microsoft Corporation, "[Disk Management Remote Protocol](#)".

[MS-EFSR] Microsoft Corporation, "[Encrypting File System Remote \(EFSRPC\) Protocol](#)".

[MS-FASOD] Microsoft Corporation, "[File Access Services Protocols Overview](#)".

[MS-FSRVP] Microsoft Corporation, "[File Server Remote VSS Protocol](#)".

[MS-GLOS] Microsoft Corporation, "[Windows Protocols Master Glossary](#)".

[MS-GPOD] Microsoft Corporation, "[Group Policy Protocols Overview](#)".

[MS-OAUT] Microsoft Corporation, "[OLE Automation Protocol](#)".

[MS-RPCE] Microsoft Corporation, "[Remote Procedure Call Protocol Extensions](#)".

[MS-RSMP] Microsoft Corporation, "[Removable Storage Manager \(RSM\) Remote Protocol](#)".

[MS-SCMP] Microsoft Corporation, "[Shadow Copy Management Protocol](#)".

[MS-VDS] Microsoft Corporation, "[Virtual Disk Service \(VDS\) Protocol](#)".

[MS-WCCE] Microsoft Corporation, "[Windows Client Certificate Enrollment Protocol](#)".

[MSDN-DISKMAN] Microsoft Corporation, "Disk Management", <http://msdn.microsoft.com/en-us/library/aa363978.aspx>

[MSDN-VOLMAN] Microsoft Corporation, "Volume Management", <http://msdn.microsoft.com/en-us/library/aa365728.aspx>

[MSDN-STC] Microsoft Corporation, "Storage Technologies Collection", March 2003, <http://technet2.microsoft.com/WindowsServer/en/Library/616e5e77-958b-42f0-a87f-ba229ccd81721033.msp>

2 Functional Architecture

This section provides an overview of the capabilities of the Storage Services protocols, their relationships, and a summary of the Storage Services protocols, system dependencies, use cases, versioning, capability negotiation, error handling, coherency requirements, and security considerations.

2.1 Overview

The Storage Services protocols provide disk and volume management services, data backup and restore, **removable media** management, encrypted file access control, and file encryption.

The Storage Services protocols have four main components:

- A Disk Management service that provides disk and volume management services.
- A Shadow Copy service that aids in data backup and restoration for volumes and file shares.
- A Removable Storage Media Management service (RSMP service) that enables management of removable storage media.
- An Encrypting File service (EFS service) that provides encryption and decryption of files.

The following diagram depicts the relationship of the main components of the Storage Services protocols with external components.




Figure 1: Storage Services Protocols relationships with external components

The main external components that interact with the Storage Services protocols are as follows:

Admin Tool: A **Microsoft Management Console (MMC)**, which is used by the administrator to configure the storage at the server.

Hard Disk: A peripheral device that provides persistent data storage and does not have removable media.

Volumes: A group of one or more **partitions** that form a logical region of storage and the basis for a file system. A volume is an area on a storage device that is managed by the file system as a discrete logical storage unit. A partition contains at least one volume, and a volume can exist on one or more partitions.

Removable Device: Any type of storage that is not permanently attached to a computer. A persistent storage device stores its data on media. If the media can be removed from the device, the media is considered removable. For example, a floppy disk drive uses removable media.

Files: An entity of data in the file system that a user can access and manage. A file has a unique name in its directory. It consists of one or more streams of bytes that hold a set of related data and a set of attributes (also called properties) that describe the file or the data within the file. The creation time of a file is an example of a file attribute.

The dotted line in the figure "Storage Services Protocols relationships with external components" indicates local communication between the external components (Hard Disk, Admin Tool, Volumes, Removable Device, and Files) and the Storage Services protocols. This local communication is implementation-specific.

The Storage Services protocols are:

- Disk Management Remote Protocol [\[MS-DMRP\]](#)
- Virtual Disk Service Protocol [\[MS-VDS\]](#)
- Shadow Copy Management Protocol [\[MS-SCMP\]](#)
- File Server Remote VSS Protocol [\[MS-FSRVP\]](#)
- Removable Storage Manager Remote Protocol [\[MS-RSMP\]](#)
- Encrypting File System Remote Protocol [\[MS-EFSR\]](#)

The following diagram depicts the Storage Services System protocols with the external components and includes the specific protocols that are used to implement these relationships.




Figure 2: Storage Services Protocols-component level diagram

2.1.1 System Capabilities

The Storage Services protocols enable the administrator to store and access data reliably, recover stored data, and manage the data on the servers. The overall functionality of the Storage Services protocols includes the following:

- [Managing disks and volumes \(section 2.1.1.1\)](#)
- [Backing up and restoring data \(section 2.1.1.2\)](#)
- [Managing removable media \(section 2.1.1.3\)](#)
- [Providing file encryption and access control \(section 2.1.1.4\)](#)

2.1.1.1 Managing Disks and Volumes

The Storage Services protocols provide an interface for managing disks and volumes and provide an end-to-end solution for managing storage hardware and disks and for creating volumes on those disks. This functionality is provided by the Disk Management Remote (DMRP) Protocol [\[MS-DMRP\]](#) and the Virtual Disk Service (VDS) Protocol [\[MS-VDS\]](#).

2.1.1.2 Backing Up and Restoring Data

The Shadow Copy Management Protocol [\[MS-SCMP\]](#), the File Server Remote VSS Protocol [\[MS-FSRVPI\]](#), and the Encrypting File System Remote (EFSRPC) Protocol [\[MS-EFSR\]](#) aid in backup and restore functionality.

The Shadow Copy Management Protocol is applicable when an application is required to configure **shadow copies** and shadow copy storage on the server remotely, which in turn is used by any snapshot provider to perform data backup-and-restore operations.

The Shadow Copy Management Protocol provides a mechanism for remote configuration of shadow copies to implement the following functionalities:

- Enumerate the volumes on the server that can be shadow copied or used as shadow copy storage.
 - Enumerate the shadow copies that are available on the server and that are snapshots copies of a specified original volume.
- Create, modify, enumerate, and delete the **shadow copy storage association** objects, as defined in [\[MS-SCMP\]](#), that define the location and size of shadow copy storage for specific original volumes.
 - Query all the shadow copy storage association objects on the server that provide shadow copy storage for a specified original volume and that are located on a specified shadow copy storage volume.

The File Server Remote VSS Protocol enables an application to query, create or delete shadow copies on a file server. Once the shadow copy of the file share is created, a VSS-aware application can use the shadow copy share to back up the application state and data from network shares that are hosted on a file server. This protocol can be integrated with existing volume shadow copy creation utilities.

The EFSR protocol is used for backup-and-restore operations of encrypted files when application consistency is not required. In order for these operations to succeed, the file being backed up should not have an open handle; otherwise, the backup-and-restore operations will fail. For more information on backup-and-restore operations for encrypted files, see [\[MS-EFSR\]](#) section 4.

2.1.1.3 Managing Removable Media

Managing removable media is a technology that enables multiple applications to share local libraries and tape or disk drives. It is used to configure/track the removable storage media (tapes and optical disks) and manage the hardware libraries that contain them (changers and jukeboxes).

Removable media Management is used to manage standalone storage devices; manage online media libraries and robotic changers; and track removable tapes and disks. Standalone devices include CD-ROM, DVD, tape (4 mm, DLT, 8 mm, and others). This functionality is provided by the Removable Storage Manager Remote Protocol [\[MS-RSMP\]](#).

2.1.1.4 Providing File Encryption and Access Control

The Encryption functionality provides an additional level of security for files and directories. It provides cryptographic protection of individual files on NTFS file system volumes that use a **public key** system.

The Encrypting File System (EFS) checks only whether a file or a directory is marked for encryption and, if so, it protects the file with the **certificate** of the user who is adding the file.

Typically, the access control to file and directory objects provided by the Windows security model is sufficient to protect unauthorized access to sensitive information. However, if a computer that contains sensitive data is lost or stolen, the security protection of that data may be compromised. Additional access control functionality can be provided by the Encrypting File System and is accessed remotely through the Encrypting File System Remote Protocol [\[MS-EFSR\]](#).

2.1.2 Protocol Relationship

The following diagram depicts the relationship among the Storage Services protocols.




Figure 3: Relationship in the Storage Services Protocols

The EFSR protocol uses the interfaces specified in [\[MS-WCCE\]](#) for certificate enrollment, which in turn uses DCOM, as specified in [\[MS-DCOM\]](#), as the transport. For all other operations, EFSR directly uses the **remote procedure call (RPC)** extensions as specified in [\[MS-RPCE\]](#).

The DMRP, VDS, and RSMP protocols use DCOM as the transport.

The SCMP protocol uses the interfaces specified in [\[MS-OAUT\]](#), which in turn uses DCOM as the transport.

2.2 Protocol Summary

The following table provides a comprehensive list of the Storage Services member protocols.

Protocol Name	Description	Short Name
Disk Management Remote Protocol Specification	The Disk Management Remote Protocol provides a set of DCOM interfaces for managing storage objects, such as disks and volumes.<4>	[MS-DMRP]
Virtual Disk Service Protocol Specification	The Virtual Disk Service (VDS) Remote Protocol is a set of Distributed Component Object Model (DCOM) interfaces for managing the configuration of disk storage on a computer. The Virtual Disk Service Remote Protocol deals with detailed low-level operating system and storage concepts. This protocol supersedes the Disk Management Remote Protocol [MS-DMRP].<5>	[MS-VDS]
Shadow Copy Management Protocol Specification	The Shadow Copy Management Protocol is used to programmatically enumerate shadow copies and configure shadow copy storage on remote machines. The protocol uses a set of Distributed Component Object Model (DCOM) interfaces to query shadow copies and manage shadow copy storage on a remote machine.<6>	[MS-SCMP]
Removable Storage Manager Remote Protocol Specification	The Removable Storage Manager (RSM) Remote Protocol provides a mechanism for the remote configuration and management of removable storage devices such as robotic changers, media libraries, and tape drives. It allows multiple clients to manage removable media within a single-server system and share local robotic media libraries, tape drives, and disk drives.<7>	[MS-RSMP]
Encrypting File System Remote Protocol Specification	The Encrypting File System Remote (EFSRPC) Protocol is used for performing maintenance and management operations on encrypted data that is stored remotely and accessed over a network.	[MS-EFSR]
File Server Remote VSS Protocol Specification	The File Server Remote VSS Protocol is designed to remotely create shadow copies of file shares hosted on a file server. This facilitates applications hosting their data on a file server to back up and restore their application state.<8>	[MS-FSRVP]

2.3 Environment

The following sections identify the context in which the system exists. This includes the systems that use the interfaces provided by this system of protocols, other systems that depend on this system, and, as appropriate, the system components' communication within their environment.

2.3.1 Dependencies on This System

None.

2.3.2 Dependencies on Other Systems

The Storage Services protocols depend on the following entities:

- The process used to enroll an EFS certificate as described in [\[MS-EFSR\]](#) section 3.1.4.1.

- The Authentication Services System as described in [\[MS-AUTHSOD\]](#), for authenticating the Storage Services **Admin Client**.
- Active Directory domain for **LDAP** search and modify operations required by the EFS certificate enrollment algorithm as described in [\[MS-ADTS\]](#) section 3.1.1.3.
- Group Policy System as described in [\[MS-GPOD\]](#) for enabling remote administrative configuration of the Encrypting File System (EFS).

2.4 Assumptions and Preconditions

The following assumptions and preconditions must be satisfied for the Storage Services protocols to operate successfully:

- The Storage Services components (disk management service, Shadow Copy service, RSMP service, and the EFS service) must be installed on all the computers involved.
- The RPC extensions and DCOM transport protocols are available.
- The Admin Client has obtained the name of a server that implements the Storage Services protocols before the protocol is invoked. The Admin Client also requires sufficient security privileges to configure disks and volumes on the server.
- The network services and infrastructure must be functional and configured such that required protocols, ports, and so on are remotely accessible. This is required to allow system components running on different computers to communicate.

2.5 Use Cases

The following table lists the use cases that span the functionality of the Storage Services protocols. The use cases are grouped into four groups as shown in the first column of the following table.

Use case group	Use cases
Manage Disks and Volumes	Create and Modify a Volume (section 2.5.1.1) Convert a Basic Disk to a Dynamic Disk (section 2.5.1.2) Make an Offline Disk Online (section 2.5.1.3) Configure HBA Port and iSCSI Initiators (section 2.5.1.4)
Backup and Restore Data	Create a Shadow Copy Storage Association (section 2.5.2.1) Back Up or Restore an Encrypted File (section 2.5.2.2) Perform Backup of a File Share Remotely (section 2.5.2.3)
Manage Removable Storage	Create and Delete a Media Pool (section 2.5.3.1) Mount and Dismount Media (section 2.5.3.2) Delete Work Queue Items (section 2.5.3.3)
Encrypted file access control and encryption	Provide Cryptographic Access Permissions to an Encrypted File (section 2.5.4.1) Encrypt a File (section 2.5.4.2) Decrypt an Encrypted File (section 2.5.4.3)

The following sections provide detailed descriptions for each of the use cases in each group.

2.5.1 Manage Disks and Volumes

The Manage Disks and Volumes use case group consists of four use cases that illustrate the functionality for configuring disks and volumes:

- Create and modify a volume
- Convert a basic disk to a dynamic disk.
- Make an offline disk online.
- Configure HBA ports and iSCSI initiators.




Figure 4: Manage Disks and Volumes use case diagram

The following sections detail each use case for the Manage Disks and Volumes use case group.

2.5.1.1 Create and Modify a Volume

Goal

Create and modify volumes.

Context of Use

The administrator is setting up a storage server. For this process the administrator is required to create and modify volumes.

Actors

- **Admin Tool:** A Microsoft Management Console (MMC) component, which is used by the administrator to configure the storage at the server.
- **Admin Client:** The primary actor. The Admin Client is code running on the Administrator's computer. The Admin Client implements client-side protocol components and consumes the storage services that are offered by the storage server. The Admin Client's interest is to correctly interpret, execute, and display the results of the commands issued by Administrator.
- **Disk Management Service:** The Disk Management Service is the server-side implementation of the protocols specified in [\[MS-DMRP\]](#) and [\[MS-VDS\]](#).

Stakeholders

- **Administrator:** The Administrator is the person who administers the storage. The Administrator is interested in organizing the storage, setting access rights, and enforcing limits (quotas) on the storage. The Administrator is external to the Storage Services protocols and interacts with the Storage Services protocols through the Admin Client.

Preconditions

The Administrator has configured the Disk Management service in the storage server and has the appropriate access privileges to configure the disks and volumes.

Main success scenario

1. Trigger: The administrator requests to create a volume with a specified drive letter by using the Admin Tool.
2. The Admin Tool requests that the Admin Client establish a communication channel to the Disk Management service of the Storage Services protocols.
3. The Admin Client contacts the Disk Management service by using the method **IVolumeClient::CreateVolumeAssignAndFormat**, as specified in [\[MS-DMRP\]](#) section 3.2.4.4.1.27 to create a dynamic volume and assign a drive letter.
4. The Disk Management service creates the requested dynamic volume with the specified drive letter, storing configuration information in an implementation-specific manner.
5. The administrator requests to increase the size of the volume by using the Admin Tool.
6. The Admin Client uses the Disk Management service by using the method **IVolumeClient::GrowVolume** as specified in [\[MS-DMRP\]](#) section 3.2.4.4.1.30 to increase the size of the volume.
7. The Disk Management service increases the size of the requested volume.

Post condition

The required creating of volumes, assigning a drive letter, and increasing the size are done successfully.

Extensions

If the communication channel for [\[MS-DMRP\]](#) cannot be established, or it becomes disconnected, the Admin Client attempts to establish the connection multiple times, until it fails. Whether the volume creation is completed or not depends on when the connection failed.

Variation

A variant of this use case is to create and modify a volume by using the Virtual Disk Service Protocol [MS-VDS]. The main success scenario steps are identical to those in the main use case described in this section.

2.5.1.2 Convert a Basic Disk to a Dynamic Disk

Goal

Convert a basic disk to a dynamic disk.

Context of Use

The administrator is setting up a **storage server**, and in this process the administrator is required to convert a basic disk to a dynamic disk and vice versa.

Actors

- **Admin Tool:** A Microsoft Management Console (MMC) component, which is used by the administrator to configure the storage at the server.
- **Admin Client:** The primary actor. The Admin Client is code running on the administrator's computer. The Admin Client implements client-side protocol components and consumes the storage services that are offered by the storage server. The Admin Client's interest is to correctly interpret, execute, and display the results of the commands issued by the administrator.
- **Disk Management Service:** The Disk Management Service is the server-side implementation of the protocols specified in [\[MS-DMRP\]](#) and [\[MS-VDS\]](#).

Stakeholders

- **Administrator:** The administrator is the person who administers the storage. The administrator is interested in organizing the storage, setting access rights, and enforcing limits (quotas) on the storage. The administrator is external to the Storage Services protocols and interacts with the Storage Services protocols through the Admin Client.

Preconditions

The administrator has configured the Disk Management service in the storage server and has the appropriate access privileges to configure the disks and volumes.

Main success scenario

1. Trigger: The administrator requests to convert the disk type from basic to dynamic by using the Admin Tool.
2. The Admin Tool requests that the Admin Client establish a communication channel to the Disk Management service of the Storage Service System.
3. The Admin Client contacts the Disk Management service to convert a basic disk to dynamic disk by using the method **IVolumeClient::InitializeDisk** as specified in [\[MS-DMRP\]](#) section 3.2.4.4.1.35.
4. The Disk Management service converts the basic disk to dynamic disk, storing configuration information in an implementation-specific manner.

Post condition

The required conversion from basic disk to dynamic disk is done successfully.

Extensions

If the communication channel for [MS-DMRP] cannot be established, or it becomes disconnected, the Admin Client attempts to establish a connection multiple times until it fails. The completion of the disk's conversion depends on when the connection fails.

Variation

A variant of this use case is to convert a basic disk to a dynamic disk by using the Virtual Disk Service Protocol [MS-VDS]. The main success scenario steps are identical to those in the main use case described in this section.

2.5.1.3 Make an Offline Disk Online

Goal

Make an offline disk into an online disk.

Context of Use

The administrator is setting up a storage server, and in this process the administrator is required to make an offline disk online.

Actors

- **Admin Tool:** A Microsoft Management Console (MMC) component, which is used by the administrator to configure the storage at the server.
- **Admin Client:** The primary actor. The Admin Client is code running on the Administrator's computer. The Admin Client implements client-side protocol components and consumes the storage services that are offered by the storage server. The Admin Client's interest is to correctly interpret, execute, and display the results of the commands issued by Administrator.
- **Disk Management Service:** The Disk Management Service is the server-side implementation of the protocols specified in [\[MS-DMRP\]](#) and [\[MS-VDS\]](#).

Stakeholders

- **Administrator:** The administrator is the person who administers the storage. The administrator is interested in organizing the storage, setting access rights, and enforcing limits (quotas) on the storage. The administrator is external to the Storage Services protocols and interacts with the Storage Services protocols through the Admin Client.

Preconditions

The administrator has configured the Disk Management service on the storage server and has the appropriate access privileges to configure the disks and volumes.

Main success scenario

1. Trigger: The administrator requests to convert an offline disk to an online disk by using the Admin Tool.
2. The Admin Tool requests that the Admin Client establish a communication channel to the Disk Management service of the Storage Services protocols.

3. The Admin Client contacts the Disk Management service to convert an offline disk to an online disk by using the method **IVolumeClient::ReAttachDisk** as specified in [\[MS-DMRP\]](#) section 3.2.4.4.1.41.
4. The Disk Management service converts the offline disk to an online disk, storing configuration information in an implementation-specific manner.

Post condition

The required conversion from offline to online and vice versa is done successfully.

Extensions

If the communication channel for [\[MS-DMRP\]](#) cannot be established, or it becomes disconnected, the Admin Client attempts to establish a connection multiple times until it fails. The completion of the disk's conversion depends on when the connection failed.

Variation

A variant of this use case is to make an offline disk into an online disk by using the Virtual Disk Service Protocol specified in [\[MS-VDS\]](#). The main success scenario steps are identical to those in the main use case described in this section.

2.5.1.4 Configure HBA Port and iSCSI Initiators

Goal

Configure host bus adapter (HBA) ports and iSCSI initiators.

Context of Use

The administrator is setting up a storage server, and in this process the administrator is required to configure the storage.

Actors

- **Admin Tool:** A Microsoft Management Console (MMC) component, which is used by the administrator to configure the storage at the server.
- **Admin Client:** The primary actor. The Admin Client is code running on the Administrator's computer. The Admin Client implements client-side protocol components and consumes the storage services that are offered by the storage server. The Admin Client's interest is to correctly interpret, execute, and display the results of the commands issued by Administrator.
- **Disk Management Service:** The Disk Management service is the server-side implementation of the protocols specified in [\[MS-DMRP\]](#) and [\[MS-VDS\]](#).

Stakeholders

- **Administrator:** The administrator is the person who administers the storage. The administrator is interested in organizing the storage, setting access rights, and enforcing limits (quotas) on the storage. The administrator is external to the Storage Services protocols and interacts with the Storage Services protocols through the Admin Client.

Preconditions

The administrator has configured the Disk Management service on the storage server and has the appropriate access privileges to configure the disks and volumes.

Main success scenario

1. Trigger: The administrator requests to set up a iSCSI initiator by using the Admin Tool.
2. The Admin Tool requests that the Admin Client establish a communication channel to the Disk Management service of the Storage Services protocols.
3. The Admin Client contacts the Disk Management service to configure the iSCSI initiator by using the method **IVdsServiceIscsi:SetInitiatorSharedSecret()** as specified in [\[MS-VDS\]](#) section 3.4.5.2.8.3.
4. The Disk Management service configures the requested iSCSI initiator, storing configuration information in an implementation-specific manner.
5. The administrator requests to set up an HBA port by using the Admin Tool.
6. The Admin Client contacts the Disk Management service to configure HBA ports by using the method **IVdsHbaPort::SetAllPathStatuses()** as specified in [\[MS-VDS\]](#) section 3.4.5.2.11.2.
7. The Disk management Service configures the requested HBA ports, storing configuration information in an implementation-specific manner.

Post condition

The required configuration of an HBA port and an iSCSI initiator are done successfully.

Extensions

If the communication channel for the Virtual Disk Service (VDS) Protocol cannot be established, or it becomes disconnected, the Admin Client attempts to establish a connection multiple times until it fails. The configuration of the HBA ports and the iSCSI initiators depends on when the connection failed.

2.5.2 Backup and Restore Data

The Backup and Restore Data use case group consists of two use cases that illustrate the functionality for backing up and restoring data.

- Copy volume
- Backup or restore encrypted file



Figure 5: Backup or Restore Data use case diagram

2.5.2.1 Create a Shadow Copy Storage Association

Goal

Create a shadow copy storage association, as defined in [\[MS-SCMP\]](#).

Context of Use

The administrator needs to create a backup of a volume, and by this process the administrator creates a shadow copy.

Actors

- **Admin Tool:** A Microsoft Management Console (MMC) component, which is used by the administrator to configure the storage at the server.
- **Admin Client:** The primary actor. The Admin Client is code running on the administrator's computer. The Admin Client implements client-side protocol components and consumes the

storage services that are offered by the storage server. The Admin Client's interest is to correctly interpret, execute, and display the results of the commands issued by administrator.

- **Shadow Copy service:** This is the server-side implementation of [MS-SCMP] and [\[MS-FSRVP\]](#).

Stakeholders

- **Administrator:** The administrator is the person who administers the storage. The administrator is interested in organizing the storage, setting access rights, and enforcing limits (quotas) on the storage. The administrator is external to the Storage Services protocols and interacts with the Storage Services protocols through the Admin Client.

Preconditions

The administrator has configured the Shadow Copy service on the storage server and has the appropriate access privileges to configure the disks and volumes.

Main success scenario

1. Trigger: The administrator requests to copy a volume using the Admin Tool.
2. The Admin Tool requests that the Admin Client establish a communication channel to the Shadow Copy service of the Storage Services protocols by using the **GetProviderMgmtInterface**, **QueryVolumesSupportedForDiffAreas**, and **Next** methods.
3. The Admin Client contacts the Shadow Copy service to create a shadow copy storage area association between two volumes by using the **AddDiffArea** method as specified in [\[MS-SCMP\]](#) section 3.1.4.4.2.
4. The Shadow Copy Management creates a new shadow copy storage association object between the two specified volumes of the specified size, storing configuration information in an implementation-specific manner.

Post condition

The required creation of a shadow copy storage association is done successfully.

Extensions

If the communication channel for the Shadow Copy Management Protocol cannot be established, or it becomes disconnected, the Admin Client attempts to establish a connection multiple times until it fails. The shadow copy storage association creation depends on when the connection failed.

2.5.2.2 Back Up or Restore an Encrypted File

Goal

Back up or restore an encrypted file by using EFSR.

Context of Use

The file owner (or the administrator on the file owner's behalf) is creating a backup of an encrypted file.

Actors

- **Admin Tool:** A Microsoft Management Console (MMC) component, which is used by the administrator to configure the storage at the server.

- **Admin Client:** The Admin Client is the primary actor. The Admin Client is code running on the administrator's computer. The Admin Client implements client-side protocol components and consumes the storage services that are offered by the storage server. The Admin Client's interest is to correctly interpret, execute, and display the results of the commands issued by administrator.
- **EFS Service:** The Encrypting File System (EFS) is the server-side implementation of the protocol described in [\[MS-EFSR\]](#).

Stakeholders

- **Administrator:** The administrator is the person who administers the storage. The administrator is interested in organizing the storage, setting access rights, and enforcing limits (quotas) on the storage. The administrator is external to the Storage Services protocols and interacts with the Storage Services protocols through the Admin Client.

Preconditions

The administrator has the backup operator permissions and has identified an encrypted file which is required to be backed up.

Main success scenario

1. Trigger: The administrator requests to create a backup of an encrypted file by using the Admin tool.
2. The Admin Tool requests that the Admin Client establish a communication channel to the EFS service of the Storage Services protocols.
3. The Admin Client contacts the EFS service to create or restore the backup by using the methods **EfsRpcOpenFileRaw**, **EfsRpcReadFileRaw**, **EfsRpcWriteFileRaw**, and **EfsRpcCloseFileRaw** as specified in [MS-EFSR] sections [3.1.4.2.1](#), [3.1.4.2.2](#), [3.1.4.2.3](#) and [3.1.4.2.4](#).
4. For the backup request, the EFS service responds to the methods as specified in [MS-EFSR] to create the backup of the requested file by sending the file to backup storage. For the restore request, the EFS service responds to the methods as specified in [MS-EFSR] to restore the requested file by copying it from the backup.

Post condition

The required creation of backup or restoration is done successfully.

Extensions

If the communication channel for the Encrypting File System Remote (EFSRPC) Protocol cannot be established, or it becomes disconnected, the Admin Client attempts to establish a connection multiple times until it fails. The backup of the encrypted file depends on when the connection failed.

2.5.2.3 Perform Backup of a File Share Remotely

Goal

To perform backup of a file share remotely by an administrator.

Context of Use

The administrator needs to perform a backup of a file share remotely and by this process, the administrator creates a shadow copy.

Actors

- **Admin Tool:** A Microsoft Management Console (MMC) component, which is used by the administrator to configure the storage on the server.
- **Admin Client:** The primary actor. The Admin Client is code running on the administrator's computer. The Admin Client implements client-side protocol components and consumes the storage services that are offered by the storage server. The Admin Client's interest is to correctly interpret, execute, and display the results of the commands issued by the administrator.
- **File Server Shadow Copy Agent Service:** The server-side implementation of this service as described in [\[MS-FSRVP\]](#).

Stakeholders

- **Administrator:** The administrator is the person who administers the storage. The administrator is interested in organizing the storage, setting access rights, and enforcing limits (quotas) on the storage. The administrator is external to the Storage Services protocols and interacts with the Storage Services protocols through the Admin Client.

Preconditions

None.

Main success scenario

1. Trigger: The administrator requests to perform a backup of a file share by using the Admin Tool.
2. The Admin Tool requests that the Admin Client establish a communication channel to the File Server Shadow Copy Agent service of the Storage Services protocols.
3. The Admin Client contacts the File Server Shadow Copy Agent service to create a shadow copy set on the server by using the **IsPathSupported**, **GetSupportedVersion**, **SetContext**, **StartShadowCopySet**, **AddToShadowCopySet**, and **PrepareShadowCopySet** methods, as described in [\[MS-FSRVP\]](#), in sequence.
4. The Admin Client contacts the File Server Shadow Copy Agent service to commit the shadow copy set on the server by using the **CommitShadowCopySet** method. The method triggers the shadow copy creation sequence on the file server by the shadow copy service and is coordinated by the File Server Shadow Copy Agent service.
5. The Admin Client contacts the File Server Shadow Copy Agent Service to expose the shadow copy as a share by using the **ExposeShadowCopySet** method as described in [\[MS-FSRVP\]](#) section 3.1.4.6.
6. The Admin Client contacts the File Server Shadow Copy Agent Service to get the shadow copy information on a file share on the server by using the **GetShareMapping** method as described in [\[MS-FSRVP\]](#) section 3.1.4.11.
7. The Admin Client contacts the File Server Shadow Copy Agent service to indicate that the shadow copy creation sequence has been completed by using the **RecoveryCompleteShadowCopySet** method as described in [\[MS-FSRVP\]](#) section 3.1.4.7. When this method completes, the shadow copy share creation is complete and is available to be used by the administrator to retrieve the data.

Post condition

The backup of the required file share has been done successfully.

Extensions

If backup writers are involved, the shadow copy share is initially exposed as a writeable shadow copy to allow the backup writer from the Admin Client machine to adjust the snapshot. Then the Admin Client calls the **RecoveryCompleteShadowCopySet** method. The File Server Shadow Copy Agent service then triggers the action to make the shadow copy share read-only, and the shadow copy share creation sequence is complete.

2.5.3 Manage Removable Media

The Manage Removable Media use case group consists of three use cases that illustrate the functionality for managing removable storage:

- Create and delete media pool
- Mount and dismount media
- Delete work queue items




Figure 6: Manage Removable Media use case diagram

2.5.3.1 Create and Delete a Media Pool

Goal

Create and delete a media pool.

Context of Use

The administrator is setting up a storage server, and in this process the administrator needs to create and delete a media pool.

Actors

- **Admin Tool:** A Microsoft Management Console (MMC) component, which is used by the administrator to configure the storage at the server.
- **Admin Client:** The Admin Client is the primary actor. The Admin Client is code running on the administrator's computer. The Admin Client implements client-side protocol components and consumes the storage services that are offered by the storage server. The Admin Client's interest is to correctly interpret, execute, and display the results of the commands issued by administrator.
- **RSMP service:** The RSMP service is the server-side implementation of the protocols specified in [\[MS-RSMP\]](#).

Stakeholders

- **Administrator:** The administrator is the person who administers the storage. The administrator is interested in organizing the storage and setting access rights. The administrator is external to the Storage Services protocols and interacts with the Storage Services protocols through the Admin Client.

Preconditions

The administrator has configured the RSMP service on the storage server and has the appropriate access privileges to the removable media pool.

Main success scenario

1. Trigger: The administrator requests to set up a media library by using the Admin Tool.
2. The Admin Tool requests that the Admin Client establish a communication channel to the RSMP service of the Storage Services protocols.
3. The Admin Client contacts the RSMP service to create a media pool by using the method **INtmsMediaServices1::CreateNtmsMediaPoolW** as specified in [\[MS-RSMP\]](#) section 3.2.5.2.2.10.
4. The RSMP service creates the requested media pool.
5. The administrator requests to delete the media library by using the Admin Tool.
6. The Admin Client contacts the RSMP service to delete a media pool by using the method **INtmsMediaServices1::DeleteNtmsMediaPool** as specified in [\[MS-RSMP\]](#) section 3.2.5.2.2.14.
7. The RSMP service deletes the requested media pool.

Post condition

The required creation of media pool and deletion of media pool is done successfully.

Extension

If the communication channel for the Removable Storage Manager (RSM) Remote Protocol cannot be established, or it becomes disconnected, the Admin Client attempts to establish a connection multiple times until it fails. The media pool creation depends on when the connection failed.

2.5.3.2 Mount and Dismount Media

Goal

Mount and dismount media.

Context of Use

The administrator is setting up a storage server, and in this process the administrator needs to mount and dismount media.

Actors

- **Admin Tool:** A Microsoft Management Console (MMC) component, which is used by the administrator to configure the storage at the server.
- **Admin Client:** The primary actor. The Admin Client is code running on the administrator's computer. The Admin Client implements client-side protocol components and consumes the storage services that are offered by the storage server. The Admin Client's interest is to correctly interpret, execute, and display the results of the commands issued by administrator.
- **RSMP service:** The RSMP service is the server-side implementation of the protocols specified in [\[MS-RSMP\]](#).

Stakeholders

- **Administrator:** The administrator is the person who administers the storage. The administrator is interested in organizing the storage and setting access rights. The administrator is external to the Storage Services protocols and interacts with the Storage Services protocols through the Admin Client.

Preconditions

The administrator has configured the RSMP service on the storage server and has the appropriate access privileges to configure the removable media.

Main success scenario

1. Trigger: The administrator requests to mount a media pool by using the Admin Tool.
2. The Admin Tool requests that the Admin Client establish a communication channel to the RSMP service of the Storage Service System.
3. The Admin Client contacts the RSMP service to mount a media pool by using the method **INtmsMediaServices1::MountNtmsMedia** as specified in [\[MS-RSMP\]](#) section 3.2.5.2.2.1.
4. The RSMP service mounts the requested media pool.
5. The administrator requests to dismount media pool by using the Admin Tool.
6. The Admin Client contacts RSMP service to dismount a media pool by using the method **INtmsMediaServices1::DismountNtmsMedia** as specified in [\[MS-RSMP\]](#) section 3.2.5.2.2.2.
7. The RSMP service dismounts the requested media pool.

Post condition

The required mounting and dismounting of media is done successfully.

Extensions

If the communication channel for the Removable Storage Manager (RSM) Remote Protocol cannot be established, or it becomes disconnected, the Admin Client attempts to establish a connection multiple times until it fails. Whether the media is mounted or not depends on when the connection failed.

2.5.3.3 Delete Work Queue Items

Goal

Delete work queue items.

Context of Use

The administrator is setting up a storage server, and in this process the administrator needs to delete work queue items.

Actors

- **Admin Tool:** A Microsoft Management Console (MMC) component, which is used by the administrator to configure the storage at the server.
- **Admin Client:** The primary actor. The Admin Client is code running on the administrator's computer. The Admin Client implements client-side protocol components and consumes the storage services that are offered by the storage server. The Admin Client's interest is to correctly interpret, execute, and display the results of the commands issued by administrator.
- **RSMP service:** The RSMP service is the server-side implementation of the protocols specified in [\[MS-RSMP\]](#).

Stakeholders

- **Administrator:**

The administrator is the person who administers the storage. The administrator is interested in organizing the storage and setting access rights. The administrator is external to the Storage Services protocols and interacts with the Storage Services protocols through the Admin Client.

Preconditions: The administrator has configured the RSMP service in the storage server and has the appropriate access privileges to configure the removable media.

Main success scenario

1. Trigger: The administrator requests to delete the work items in the queue by using the Admin tool.
2. The Admin Tool requests that the Admin Client establish a communication channel to the RSMP service of the Storage Services protocols.
3. The Admin Client contacts the RSMP service to delete the work items in the queue by using the method **INtmsLibraryControl1::CancelINtmsLibraryRequest** specified in [\[MS-RSMP\]](#) section 3.2.5.2.1.7.

4. The RSMP service deletes the work items in the queue.

Post condition

The required cancellation of work queue items is done successfully.

Extensions

If the communication channel for the Removable Storage Manager (RSM) Remote Protocol cannot be established, or it becomes disconnected, the Admin Client attempts to establish a connection multiple times until it fails. Whether the required work queue items were deleted or not depends on when the connection failed.

2.5.4 Encrypted File Access Control and Encryption

The File Access Control and Encryption use case group consists of three use cases that illustrate the functionality for file access control and encryption:

- Provide cryptographic access permissions to an encrypted file.
- Encrypt a file.
- Decrypt an encrypted file.




Figure 7: Encrypted file access control and encryption use case diagram

2.5.4.1 Provide Cryptographic Access Permissions to an Encrypted File

Goals

Provide cryptographic access permissions (by adding a user certificate) for a user/group to a file.

Context of Use

The file owner is setting up access permissions to a file.

Actors

- **Admin Tool:** A Microsoft Management Console (MMC) component, which is used by the administrator to configure the storage at the server.
- **Admin Client:** The Admin Client is the primary actor. The Admin Client is code running on the administrator's computer. The Admin Client implements client-side protocol components and consumes the storage services that are offered by the storage server. The Admin Client's interest is to correctly interpret, execute, and display the results of the commands issued by administrator.
- **EFS service:** The Encrypting File System service is the server-side implementation of the protocol described in [\[MS-EFSR\]](#).

Stakeholders

- **File owner:** The file owner is the user who is the owner of the file to which the access permissions are required to be provided.
- The user for which the access permission is required to be given by the file owner.

Preconditions

- The file owner user has identified an encrypted file.
- The file owner user has the required EFS certificates.

Main success scenario

Trigger: The file owner requests to give access permission for a file to a user by using the Admin Tool.

The Admin Tool requests that the Admin Client establish a communication channel to an EFS service of the Storage Services protocols.

The Admin Client contacts the EFS service to modify the metadata of the encrypted file to allow the user to decrypt the file by using the method **EfsRpcAddUsersToFile** as described in [\[MS-EFSR\]](#) section 3.1.4.2.10.

The EFS service modifies the metadata as requested by the Admin Client to allow the user to decrypt the file.

Post condition

The required access to the encrypted file for the user has been provided successfully.

Extensions

If the communication channel for the Encrypting File System Remote (EFSRPC) Protocol cannot be established, or it becomes disconnected, the Admin Client attempts to establish a connection multiple times until it fails. Whether the required access to the encrypted file is obtained or not depends on when the connection failed.

2.5.4.2 Encrypt a File

Goals

Encrypt a file.

Context of Use

The file owner is encrypting a file.

Actors

- **Admin Tool:** A Microsoft Management Console (MMC) component, which is used by the administrator to configure the storage at the server.
- **Admin Client:** The Admin Client is the primary actor. The Admin Client is code running on the administrator's computer. The Admin Client implements client-side protocol components and consumes the storage services that are offered by the storage server. The Admin Client's interest is to correctly interpret, execute, and display the results of the commands issued by the administrator.
- **EFS Service:** The Encrypting File System service is the server-side implementation of the protocol described in [\[MS-EFSR\]](#).

Stakeholders

- **File owner:** The user who is the owner of the file that is required to be encrypted.

Preconditions

- The file owner user has identified the file that is required to be encrypted.
- The file owner user has the required EFS certificates.

Main success scenario

1. Trigger: The file owner requests to encrypt a file by using the Admin Tool.
2. The Admin Tool requests that the Admin Client establish a communication channel to the EFS service of the Storage Services protocols.
3. The Admin Client contacts the EFS service to query information about the keys used to encrypt the file by using the method **EfsRpcFileKeyInfo** as specified in [\[MS-EFSR\]](#) section 3.1.4.2.12.
4. The EFS service responds with the required keys information.
5. The Admin Client contacts the EFS service to encrypt the file by using the method **EfsRpcEncryptFileSrv** as described in [\[MS-EFSR\]](#) section 3.1.4.2.5.
6. The EFS service encrypts the requested file.

Post condition

The required encryption of the file is done successfully.

Extensions

If the communication channel for the Encrypting File System Remote (EFSRPC) Protocol cannot be established, or it becomes disconnected, the Admin Client attempts to establish a connection

multiple times until it fails. Whether the required encryption of the file is done or not depends on when the connection failed.

2.5.4.3 Decrypt an Encrypted File

Goals

Decrypt a file.

Context of Use

The file owner is decrypting a file.

Actors

- **Admin Tool:** A Microsoft Management Console (MMC) component, which is used by the administrator to configure the storage at the server.
- **Admin Client:** The Admin Client is the primary actor. The Admin Client is code running on the administrator's computer. The Admin Client implements client-side protocol components and consumes the storage services that are offered by the storage server. The Admin Client's interest is to correctly interpret, execute, and display the results of the commands issued by administrator.
- **EFS Service:** The Encrypting File System service is the server-side implementation of the protocol described in [\[MS-EFSR\]](#).

Stakeholders

- **File owner:** The user who is the owner of the encrypted file that is required to be decrypted.

Preconditions

- The file owner user has identified the encrypted file that is required to be decrypted.
- The file owner user has the required EFS certificates.

Main success scenario

1. Trigger: The file owner requests to decrypt the encrypted file by using the Admin Tool.
2. The Admin Tool requests that the Admin Client establish a communication channel to the EFS service of the Storage Services protocols.
3. The Admin Client contacts the EFS service to query information about the keys used to encrypt the file by using the method **EfsRpcFileKeyInfo** as specified in [\[MS-EFSR\]](#) section 3.1.4.2.12.
4. The EFS service responds with the required keys information.
5. The Admin Client contacts the EFS service to decrypt the file by using the method **EfsRpcDecryptFileSrv** as described in [\[MS-EFSR\]](#) section 3.1.4.2.6.
6. The EFS service decrypts the requested file.

Post condition

The required decryption of the file is done successfully.

Extensions

If the communication channel for the Encrypting File System Remote (EFSRPC) Protocol cannot be established, or it becomes disconnected, the Admin Client attempts to establish a connection multiple times until it fails. Whether the required decryption of the file is done or not depends on when the connection failed.

2.6 Versioning, Capability Negotiation, and Extensibility

There are ten versions of the Storage Services protocols. A summary of different versions and the protocols implemented in each version is described in the following table.

Storage Services protocols version	Protocols implemented	Notes
Storage Services protocols 1.0	RSMP	
Storage Services protocols 2.0	RSMP, DMRP, EFSR	
Storage Services protocols 3.0	RSMP, DMRP, EFSR, VDS, SCMP	VDS is a preferred protocol over DMRP<9>
Storage Services protocols 4.0	VDS, SCMP	
Storage Services protocols 5.0	RSMP, EFSR, VDS	
Storage Services protocols 6.0	EFSR, VDS	
Storage Services protocols 7.0	RSMP, EFSR, VDS, SCMP	
Storage Services protocols 8.0	EFSR, VDS, SCMP	
Storage Services protocols 9.0	EFSR, VDS, FSRVP	
Storage Services protocols 10.0	EFSR, VDS, SCMP, FSRVP	

Any deviations from a specific version's implementation of these protocol specifications are documented in the respective protocol documents.

Capability negotiations between client and server implementations of these protocols are specified in the Versioning and Capability Negotiation sections in the respective protocol specifications.

There are no extensions of the Storage Services protocols other than the extensions specified in the respective protocol specifications.

2.7 Error Handling

The Storage Services protocols do not define any error handling requirements beyond those described in the specifications of the protocols supported by the system, as listed in section [2.2](#).

Various errors can impact one or more of the Storage Services protocols. The error conditions and the resulting protocol semantics are described in the "Protocol Details" section of the corresponding protocol specifications.

2.8 Coherency Requirements

None.

2.9 Security

There are no additional security considerations other than those specified in [\[MS-EFSR\]](#) section 5.

2.10 Additional Considerations

The following table specifies the remote procedure call (RPC) transport used by each member protocol. It specifies how the storage protocols use RPC for the transport.

Protocol name	RPC binding
Disk Management Remote Protocol Specification [MS-DMRP]	ncacn_ip_tcp
Virtual Disk Service Protocol Specification [MS-VDS]	ncacn_ip_tcp
Shadow Copy Management Protocol Specification [MS-SCMP]	ncacn_ip_tcp
Removable Storage Manager Remote Protocol Specification [MS-RSMP]	ncacn_ip_tcp
Encrypting File System Remote Protocol Specification [MS-EFSR]	ncacn_np
File Server Remote VSS Protocol Specification [MS-FSRVP]	ncacn_np

For more details on RPC binding, see [\[MS-RPCE\]](#) section 2.1.

3 Examples

This section provides the following examples that illustrate the functionality of the Storage Services protocols:

- [Make a Disk Online \(section 3.1\)](#)
- [Configure an iSCSI Initiator \(section 3.2\)](#)
- [Create a Shadow Copy Storage Association \(section 3.3\)](#)
- [Create and Delete a Media Pool \(section 3.4\)](#)
- [Encrypt a File \(section 3.5\)](#)
- [Decrypting an Encrypted File \(section 3.6\)](#)

3.1 Example 1: Make a Disk Online

This example demonstrates making the disk online as described in section [2.5.1.3](#).

Prerequisites

- The Storage Services protocols should meet all the preconditions specified in section [2.4](#).
- The disk is connected to the storage server.
- The Disk Management Remote Protocol [\[MS-DMRP\]](#) should be enabled on both the client and server.
- The communication channel between the Admin Client and the Disk Management service of the Storage Service System has been established as specified in [\[MS-DMRP\]](#) section 2.1.

Initial System State

The disk connected to the server is in an offline state.

Final System State

The disk that is in an offline state is made online.

Sequence of Events



Figure 8: Example of making a disk online

The following steps describe this sequence:

1. The Admin Client contacts the Disk Management service by using the method **IVolumeClient::ReAttachDisk()**, as specified in [\[MS-DMRP\]](#) section 3.2.4.4.1.41, to convert an offline disk to an online disk.
2. The Disk Management service converts the offline disk to an online disk, storing configuration information in an implementation-specific manner and responds to the Admin Client with the return value zero indicating success.

3.2 Example 2: Configure an iSCSI Initiator

This example demonstrates the configuring of an iSCSI initiator as described in section [2.5.1.4](#).

Prerequisites

- The Storage Services protocols should meet all the preconditions specified in section [2.4](#).
- The disk is connected to the server.
- The Disk Management service, as specified in [\[MS-VDS\]](#), should be enabled on both the client and server.
- The communication channel between the Admin Client and the Disk Management service of the Storage Services protocols has been established as specified in [\[MS-VDS\]](#) sec [2.1](#).

Initial System State

None.

Final system state

The configuration of an iSCSI initiator is done.

Sequence of events




Figure 9: Configuring an iSCSI drive

The following steps describe this sequence:

1. The Admin Client requests the Disk Management service to configure the iSCSI initiator by using the method **IVdsServiceIscsi:SetInitiatorSharedSecret()** as specified in [\[MS-VDS\]](#) section 3.4.5.2.8.3.
2. The Disk Management service sets the required configuration for the iSCSI initiator and responds with return code zero indicating success.

3.3 Example 3: Create a Shadow Copy Storage Association

This example demonstrates the creation of a shadow copy storage association as described in section [2.5.2.1](#).

Prerequisites

- The Storage Services protocols meet all the preconditions specified in section [2.4](#).
- The disk is connected to the server.
- The Shadow Copy Management protocol, as specified in [\[MS-SCMP\]](#), is enabled on both the client and server.
- The communication channel between the Admin Client and the Shadow Copy service of the Storage Services protocols has been established as specified in [\[MS-SCMP\]](#) section 2.1.

Initial System State

None.

Final System State

The creation of the shadow copy storage association is done.

Sequence of Events




Figure 10: Creating a shadow copy

The following steps describe this sequence:

1. The Admin Client contacts the Shadow Copy service to retrieve the management interface using the **GetProviderMgmtInterface** method as specified in [\[MS-SCMP\]](#) section 3.1.1.4.1.
2. The Shadow Copy service returns zero indicating success.
3. The Admin Client contacts the Shadow Copy service to retrieve the collection of volumes that can be used as a shadow copy storage volume by using the **QueryVolumesSupportedForDiffAreas** method as specified in [\[MS-SCMP\]](#) section 3.1.4.4.4.
4. The Shadow Copy service returns zero indicating success.
5. The Admin Client contacts the Shadow Copy service to iterate through the enumeration to make a decision on which volume to select to host the shadow copy storage by using **Next** method as specified in [\[MS-SCMP\]](#) section 3.1.3.1.
6. In each iteration, the Shadow Copy service returns the appropriate volume in the collection structure and increments the internal cursor in the collection to the next object until the client discontinues the iteration.
7. The Admin Client contacts the Shadow Copy service to create a shadow copy storage area association between two volumes by using the **AddDiffArea** method as specified in [\[MS-SCMP\]](#) section 3.1.4.4.2.
8. The Shadow Copy service creates a new shadow copy storage association object between the two specified volumes of the specified size and returns zero indicating success.

3.4 Example 4: Create and Delete a Media Pool

This example demonstrates creating and deleting a media pool as described in section [2.5.3.1](#).

Prerequisites

- The Storage Services protocols meets all the preconditions specified in section [2.4](#).
- The RSMP service, as specified in [\[MS-RSMP\]](#), is enabled on both the client and server.
- The communication channel between the Admin Client and the RSMP service of the Storage Services protocols is established as specified in [\[MS-RSMP\]](#) section 2.1.

Initial System State

There is no media pool with the required name.

Final System State

The creation and deletion of the media pool is done successfully.

Sequence of Events



Figure 11: Create and delete a media pool

The following steps describe this sequence:

1. The Admin Client contacts the RSMP service to create a media pool by using the **INTmsMediaServices1::CreateNtmsMediaPoolW** method as specified in [\[MS-RSMP\]](#) section 3.2.5.2.2.10.
2. The RSMP service creates a new pool, opens the newly created media pool, and returns a zero value indicating success.
3. The Admin Client contacts the RSMP service to delete the media pool by using the **INTmsMediaServices1::DeleteNtmsMediaPool** method as specified in [\[MS-RSMP\]](#) section 3.2.5.2.2.14.
4. The RSMP Service deletes the requested media pool from the database and returns a return value zero indicating success.

3.5 Example 5: Encrypt a File

This example demonstrates encrypting a file as described in section [2.5.4.2](#).

Prerequisites

- The Storage Services protocols meets all the preconditions specified in section [2.4](#).
- The EFS service, as specified in [\[MS-EFSR\]](#), is enabled on both the client and server.
- The communication channel between the Admin Client and the EFS service of the Storage Services protocols is established as specified in [\[MS-EFSR\]](#) section 2.1.
- The file owner user identified the file that is required to be encrypted.
- The file owner user has the required EFS certificates.

Initial System State

None.

Final System State

The file is encrypted.

Sequence of Events




Figure 12: Encrypting a file

The following steps describe this sequence:

1. The Admin Client contacts the EFS service to query information about the keys used to encrypt the file by using the **EfsRpcFileKeyInfo** method as specified in [\[MS-EFSR\]](#) section 3.1.4.2.12.
2. The EFS service responds with a return value zero indicating success.
3. The Admin Client contacts the EFS service to encrypt the file by using the **EfsRpcEncryptFileSrv** method as specified in [\[MS-EFSR\]](#) section 3.1.4.2.5.
4. The EFS service encrypts the requested file and responds with a return value zero indicating success.

3.6 Example 6: Decrypting an Encrypted File

This example demonstrates decrypting an encrypted file as described in section [2.5.4.3](#).

Prerequisites

- The Storage Services protocols meet all the preconditions specified in section [2.4](#).
- The EFS service, as specified in [\[MS-EFSR\]](#), is enabled on both the client and server.
- The communication channel between the Admin Client and the EFS service of the Storage Services protocols has been established as specified in [\[MS-EFSR\]](#) section 2.1 and the Admin Client got a success return code from **EfsRpcFileKeyInfo** message as specified in [\[MS-EFSR\]](#) section 3.1.4.2.12.
- The file owner user identified the encrypted file that is required to be decrypted.
- The file owner user has the required EFS certificates.

Initial System State

The file is encrypted.

Final System State

The encrypted file is decrypted.

Sequence of Events




Figure 13: Decrypting an encrypted file

The following steps describe this sequence:

1. The Admin Client contacts the EFS service to query information about the keys used to decrypt the file by using the **EfsRpcFileKeyInfo** method as specified in [\[MS-EFSR\]](#) section 3.1.4.2.12.
2. The EFS service responds with the required keys information as specified in [\[MS-EFSR\]](#) section 3.1.4.2.12.
3. The Admin Client contacts the EFS service to decrypt the file by using the **EfsRpcDecryptFileSrv** method as specified in [\[MS-EFSR\]](#) section 3.1.4.2.6.
4. The EFS service decrypts the requested file and responds with a return value zero indicating success.

3.7 Example 7: Perform Backup of a File Share Remotely

This example demonstrates the backup of a file share remotely as described in section [2.5.2.3](#).

Prerequisites

None.

Initial System State

None.

Final System State

The backup of the required file share has been done successfully.

Sequence of Events




Figure 14: Perform backup of a file share

The following steps describe this sequence:

1. The Admin Client contacts the File Server Shadow Copy Agent service to query if the share is supported by the server for shadow copy operations by using the **IsPathSupported** method as described in [\[MS-FSRVP\]](#) section 3.1.4.9.

2. The File Server Shadow Copy Agent service processes the method and returns the value zero indicating success.
3. The Admin Client calls the **GetSupportedVersion** method to query the minimum and maximum protocol versions supported by the server as described in [\[MS-FSRVP\]](#) section 3.1.4.
4. The File Server Shadow Copy Agent service processes the method and returns the value zero indicating success.
5. The Admin Client calls the **SetContext** method to set the context of subsequent shadow copy operations as described in [\[MS-FSRVP\]](#) section 3.1.4.2.
6. The File Server Shadow Copy Agent service processes the method and returns the value zero indicating success.
7. The Admin Client calls the **StartShadowCopySet** method to initiate a new shadow copy set on the server as described in [\[MS-FSRVP\]](#) section 3.1.4.3.
8. The File Server Shadow Copy Agent service processes the method and returns the value zero indicating success.
9. The Admin client calls the **AddToShadowCopySet** method to add a share to the shadow copy set as described in [\[MS-FSRVP\]](#) section 3.1.4.4.
10. The File Server Shadow Copy Agent service processes the method and returns the value zero indicating success.
11. The Admin client calls the **PrepareShadowCopySet** method to ensure that the preparation for creating the shadow copies on the shares is completed.
12. The File Server Shadow Copy Agent Service waits for the volumes that are backing up the shares to complete their shadow copy preparation, and returns the value zero indicating success.
13. The Admin Client calls the **CommitShadowCopySet** method to wait synchronously for the completion of the commit process on a shadow copy set as described in [\[MS-FSRVP\]](#) section 3.1.4.
14. The File Server Shadow Copy Agent Service processes the method and returns the value zero indicating success.
15. The Admin Client contacts the File Server Shadow Copy Agent Service to expose the shadow copy as a share using the **ExposeShadowCopySet** method as described in [\[MS-FSRVP\]](#) section 3.1.4.6.
16. The File Server Shadow Copy Agent Service triggers the shadow copy to be exposed from the file server as a file share and returns the value zero indicating success.
17. The Admin Client contacts the File Server Shadow Copy Agent Service to get the shadow copy information on a file share on the server by using the **GetShareMapping** method as described in [\[MS-FSRVP\]](#) section 3.1.4.11.
18. The File Server Shadow Copy Agent Service processes the method and returns the value zero indicating success.
19. The Admin Client calls the **RecoveryCompleteShadowCopySet** method to indicate that the shadow copy creation sequence has been completed as described in [\[MS-FSRVP\]](#) section 3.1.4.7.

20. When this method completes, the shadow copy share creation is complete and available to be used by the administrator to retrieve the data, and the File Server Shadow Copy Agent Service returns the value zero indicating success.

4 Microsoft Implementations

The information in this specification is applicable to the following Microsoft products:

- Windows NT operating system
- Windows 2000 operating system
- Windows XP operating system
- Windows Server 2003 operating system
- Windows Server 2003 R2 operating system
- Windows Vista operating system
- Windows Server 2008 operating system
- Windows 7 operating system
- Windows Server 2008 R2 operating system
- Windows 8 operating system
- Windows Server 2012 operating system
- Windows 8.1 operating system
- Windows Server 2012 R2 operating system

The following table lists the versions of the Storage Services protocols as implemented in specific versions of Windows.

Storage Services protocols version	Operating system version
Storage Services protocols 1.0	Windows NT
Storage Services protocols 2.0	Windows 2000, Windows XP
Storage Services protocols 3.0	Windows Server 2003
Storage Services protocols 4.0	Windows Server 2003 R2
Storage Services protocols 5.0	Windows Vista
Storage Services protocols 6.0	Windows 7
Storage Services protocols 7.0	Windows Server 2008
Storage Services protocols 8.0	Windows Server 2008 R2
Storage Services protocols 9.0	Windows 8
Storage Services protocols 10.0	Windows Server 2012
Storage Services protocols 11.0	Windows 8.1
Storage Services protocols 12.0	Windows Server 2012 R2

Exceptions, if any, are noted in section [4.1](#).

4.1 Product Behavior

[<1> Section 1:](#) The Disk Management services were introduced in Storage Services protocols 2.0 and are implemented in Windows Server 2003, Windows Server 2003 R2, Windows Vista, Windows Server 2008, Windows 7, Windows Server 2008 R2, Windows 8, Windows Server 2012, Windows 8.1, and Windows Server 2012 R2.

[<2> Section 2.1.1.1:](#) The Disk Management Remote (DMRP) Protocol is implemented in Windows 2000 Server, Windows Server 2003, and Windows XP.

[<3> Section 2.1.1.1:](#) The Virtual Disk Service (VDS) Protocol replaces DMRP starting with Windows Server 2003. It is implemented in Windows Server 2003, Windows Server 2003 R2, Windows Vista, Windows Server 2008, Windows 7, Windows Server 2008 R2, Windows 8, Windows Server 2012, Windows 8.1, and Windows Server 2012 R2.

[<4> Section 2.2:](#) The Disk Management Remote (DMRP) Protocol is implemented in Windows 2000 Server, Windows Server 2003 and Windows XP. The Virtual Disk Service (VDS) Protocol replaces DMRP starting with Windows Server 2003. It is implemented in Windows Server 2003, Windows Server 2003 R2, Windows Vista, Windows Server 2008, Windows 7, Windows Server 2008 R2, Windows 8, Windows Server 2012, Windows 8.1, and Windows Server 2012 R2.

[<5> Section 2.2:](#) The Virtual Disk Service (VDS) Protocol replaces DMRP starting with Windows Server 2003. It is implemented in Windows Server 2003, Windows Server 2003 R2, Windows Vista, Windows Server 2008, Windows 7, Windows Server 2008 R2, Windows 8, Windows Server 2012, Windows 8.1, and Windows Server 2012 R2.

[<6> Section 2.2:](#) The Shadow Copy Management (SCMP) Protocol is implemented in Windows Server 2003, Windows Server 2003 R2, Windows Server 2008, Windows Server 2008 R2, Windows 8, Windows Server 2012, Windows 8.1, and Windows Server 2012 R2.

[<7> Section 2.2:](#) The Removable Storage Manager (RSM) Remote Protocol is implemented in Windows NT, Windows 2000, Windows XP, Windows Server 2003, Windows Vista, and Windows Server 2008.

[<8> Section 2.2:](#) The File Server Remote VSS Protocol is implemented in Windows 8, Windows Server 2012, Windows 8.1, and Windows Server 2012 R2.

[<9> Section 2.6:](#) In Windows Server 2003 VDS is a preferred protocol over DMRP.

5 Change Tracking

No table of changes is available. The document is either new or has had no changes since its last release.

6 INDEX

A

[Abstract](#) 5
[Access control](#) 12
[Additional considerations](#) 35
[Applicable protocols](#) 14
[Architecture](#) 9
[Assumptions](#) 15

B

Back Up and Restore Data use case group
[backing up or restoring encrypted file](#) 23
[creating shadow copy storage association](#) 22
[overview](#) 21

C

Capabilities
[backing up and restoring data](#) 12
[file encryption and access control](#) 12
[managing disks and volumes](#) 11
[managing removable media](#) 12
[overview](#) 11
[Capability negotiation](#) 34
[Change tracking](#) 48
[Coherency requirements](#) 34
[Communications](#) 14
[with other systems](#) 14
[within system](#) 14
[Component dependencies](#) 14
[Concepts](#) 9
[Configuring iSCSI initiator example](#) 37
Considerations
[additional](#) 35
[security](#) 35
[Creating and deleting media pool example](#) 39
[Creating shadow copy storage association example](#) 38

D

[Decrypting encrypted file example](#) 41
[Deleting media pool example](#) 39
Dependencies
[on other systems](#) 14
[within system](#) 14
Design intent
[Back Up and Restore Data use case group](#) 21
[Encrypted File Access Control and Encryption use case group](#) 30
[Manage Disks and Volumes use case group](#) 16
[Manage Removable Media use case group](#) 26
[overview](#) 15

E

Encrypted File Access Control and Encryption use case group

[decrypting encrypted file](#) 33
[encrypting file](#) 32
[overview](#) 30
[providing cryptographic access permissions to encrypted file](#) 30

[Encrypting file example](#) 40

[Encryption](#) 12
[Environment](#) 14
[Error handling](#) 34

Examples

[configuring iSCSI initiator](#) 37
[creating and deleting media pool](#) 39
[creating shadow copy storage association](#) 38
[decrypting encrypted file](#) 41
[encrypting file](#) 40
[making offline disk into online disk](#) 36
[overview](#) 36

Extensibility

[Microsoft implementations](#) 46
[overview](#) 34

[External dependencies](#) 14

F

[File encryption](#) 12
[Functional architecture](#) 9

G

[Glossary](#) 6

H

[Handling requirements](#) 34

I

[Implementations - Microsoft](#) 46
[Implementer - security considerations](#) 35
[Informative references](#) 7
[Initial state](#) 15
[Introduction](#) 5

M

[Making offline disk into online disk example](#) 36
Manage Disks and Volumes use case group
[configuring HBA ports and iSCSI initiators](#) 20
[converting basic disk to dynamic disk](#) 18
[creating and modifying volumes](#) 16
[making offline disk into online disk](#) 19
[overview](#) 16
Manage Removable Media use case group
[creating and deleting media pool](#) 26
[deleting work queue items](#) 29
[mounting and dismounting media](#) 28
[overview](#) 26
[Microsoft implementations](#) 46

O

Overview

- [abstract](#) 5
- [summary of protocols](#) 14
- [synopsis](#) 9

P

- [Preconditions](#) 15
- [Product behavior](#) 47

R

- [References](#) 7
- [Relationship among protocols](#) 13
- Requirements
 - [coherency](#) 34
 - [error handling](#) 34
 - [overview](#) 9
 - [preconditions](#) 15

S

- [Security considerations](#) 35

T

- [Table of protocols](#) 14
- [Tracking changes](#) 48

U

Use cases

- [Back Up and Restore Data](#) 21
- [Encrypted File Access Control and Encryption](#) 30
- [Manage Disks and Volumes](#) 16
- [Manage Removable Media](#) 26
- [overview](#) 15

V

Versioning

- [Microsoft implementations](#) 46
- [overview](#) 34