

[MS-WSP]: Windows Search Protocol

This topic lists the Errata found in [MS-WSP] since it was last published. Since this topic is updated frequently, we recommend that you subscribe to these RSS or Atom feeds to receive update notifications.



Errata are subject to the same terms as the Open Specifications documentation referenced.

Errata below are for Protocol Document Version [V28.0 – 2015/06/30](#).

Errata Published*	Description
2015/10/12	<p>In Section 2.1, Transport, corrected the ImpersonationLevel cited from SECURITY_IDENTIFICATION to SECURITY_IMPERSONATION.</p> <p>Changed from:</p> <p>This protocol uses the underlying server message block (SMB) named pipe protocol to retrieve the identity of the caller that made the connection as specified in [MS-SMB] section 2.2.4.9.1. The client MUST set SECURITY_IDENTIFICATION as the ImpersonationLevel in the request to open the named pipe.</p> <p>Changed to:</p> <p>This protocol uses the underlying server message block (SMB) named pipe protocol to retrieve the identity of the caller that made the connection as specified in [MS-SMB] section 2.2.4.9.1. The client MUST set SECURITY_IMPERSONATION as the ImpersonationLevel in the request to open the named pipe.</p>
2015/10/12	<p>In Section 2.2.1.29, CInGroupSortAggregSet, the description of SortAggregSet has been changed from:</p> <p>SortAggregSet (variable): A CSortAggregSet structure, specifying the sort order for the range in the parent's group.</p> <p>Changed to:</p> <p>SortAggregSet (variable): A CSortSet structure, specifying the sort order for the range in the parent's group.</p> <p>In Section 2.2.3.4, CPMCreateQueryIn, the description of SortAggregSet has been changed from:</p> <p>SortSet (variable): A CSorSet structure indicating the sort order (1) of the query.</p> <p>Changed to:</p> <p>SortSet (variable): A CInGroupSortAggregSets structure indicating the sort order (1) of the query.</p>

Errata Published*	Description												
2015/10/12	<p data-bbox="402 281 1386 336">In Section 2.2, Message Syntax, the values of DBBMK_FIRST and DBBMK_LAST, incorrectly documented as 1 and 2 have been corrected to 0xffffffffc and 0xffffffffd.</p> <p data-bbox="402 373 565 401">Changed from:</p> <table border="1" data-bbox="418 443 1414 659"> <thead> <tr> <th data-bbox="418 443 919 491">Value</th> <th data-bbox="919 443 1414 491">Meaning</th> </tr> </thead> <tbody> <tr> <td data-bbox="418 491 919 575">DBBMK_FIRST 0x00000001</td> <td data-bbox="919 491 1414 575">A bookmark handle to a bookmark that identifies the first row in the rowset.</td> </tr> <tr> <td data-bbox="418 575 919 659">DBBMK_LAST 0x00000002</td> <td data-bbox="919 575 1414 659">A bookmark handle to a bookmark that identifies the last row in the rowset.</td> </tr> </tbody> </table> <p data-bbox="402 705 537 732">Changed to:</p> <table border="1" data-bbox="418 772 1414 989"> <thead> <tr> <th data-bbox="418 772 919 821">Value</th> <th data-bbox="919 772 1414 821">Meaning</th> </tr> </thead> <tbody> <tr> <td data-bbox="418 821 919 905">DBBMK_FIRST 0xFFFFFFFFc</td> <td data-bbox="919 821 1414 905">A bookmark handle to a bookmark that identifies the first row in the rowset.</td> </tr> <tr> <td data-bbox="418 905 919 989">DBBMK_LAST 0xFFFFFFFFd</td> <td data-bbox="919 905 1414 989">A bookmark handle to a bookmark that identifies the last row in the rowset.</td> </tr> </tbody> </table>	Value	Meaning	DBBMK_FIRST 0x00000001	A bookmark handle to a bookmark that identifies the first row in the rowset.	DBBMK_LAST 0x00000002	A bookmark handle to a bookmark that identifies the last row in the rowset.	Value	Meaning	DBBMK_FIRST 0xFFFFFFFFc	A bookmark handle to a bookmark that identifies the first row in the rowset.	DBBMK_LAST 0xFFFFFFFFd	A bookmark handle to a bookmark that identifies the last row in the rowset.
Value	Meaning												
DBBMK_FIRST 0x00000001	A bookmark handle to a bookmark that identifies the first row in the rowset.												
DBBMK_LAST 0x00000002	A bookmark handle to a bookmark that identifies the last row in the rowset.												
Value	Meaning												
DBBMK_FIRST 0xFFFFFFFFc	A bookmark handle to a bookmark that identifies the first row in the rowset.												
DBBMK_LAST 0xFFFFFFFFd	A bookmark handle to a bookmark that identifies the last row in the rowset.												

*Date format: YYYY/MM/DD